

LOC/DME I-PBX 109.7 Chan 34	APP CRS 273°	Rwy Idg 4650 TDZE 1466 Apt Elev 1473
---	------------------------	---

ILS or LOC/DME RWY 27
PIKEVILLE / PIKE COUNTY-HATCHER FIELD (P.BX)


▼ Visibility reduction by helicopters NA. When local altimeter setting not received, use Jackson altimeter setting and increase S-ILS 27 DA to 1762 and all MDA 100 feet;
▲ NA increase S-LOC 27 visibility Cat B ¼ mile and Cat C ½ mile; increase Circling visibility Cat B and C ¼ mile.

MISSED APPROACH: Climb to 3000 then climbing left turn to 4000 direct AZQ VOR/DME and hold.

AWOS-3 121.225	INDIANAPOLIS CENTER 126.575 257.850	UNICOM 122.8 (CTAF) 0
--------------------------	---	---------------------------------


RADAR REQUIRED

ALTERNATE MISSED APCH FIX





SE-1, 05 MAR 2015 to 02 APR 2015

SE-1, 05 MAR 2015 to 02 APR 2015



ELEV 1473	D	TDZE 1466
------------------	----------	------------------



CATEGORY	A	B	C	D
S-ILS 27	1666-1 200 (200-1)			NA
S-LOC 27	2120-1	654 (700-1)	2120-1¾ 654 (700-1¾)	NA
CIRCLING	2120-1	647 (700-1)	2160-2 687 (700-2)	NA


HIRL Rwy 9-27 **0**
REIL Rwy 9 and 27 **0**

APP CRS 273°	Rwy Ldg TDZE Apt Elev	4650 1466 1473
------------------------	-----------------------------	---

RNAV (GPS) RWY 27

PIKEVILLE / PIKE COUNTY-HATCHER FIELD (P.B.X)



<p>⚠ DME/DME RNP-0.3 NA. Visibility reduction by helicopters NA. When local altimeter setting not received, use Jackson altimeter setting and increase all MDA 100 feet and LNAV visibility Cat B ¼ mile, and Cat C ½ mile, and Circling visibility Cat B and C ¼ mile.</p>		<p>MISSED APPROACH: Climb to 4500 direct CILOM and hold.</p>
AWOS-3 121.225	INDIANAPOLIS CENTER 126.575 257.850	UNICOM 122.8 (CTAF) 0



SE-1, 05 MAR 2015 to 02 APR 2015

SE-1, 05 MAR 2015 to 02 APR 2015

ELEV 1473	D	TDZE 1466
-----------	----------	-----------



CATEGORY	A	B	C	D
LNAV MDA	2120-1	654 (700-1)	2120-1 ¾ 654 (700-1 ¾)	NA
CIRCLING	2120-1	647 (700-1)	2160-2 687 (700-2)	NA

RNAV (GPS) RWY 9


PIKEVILLE / PIKE COUNTY-HATCHER FIELD (P.B.X)

APP CRS 093°	Rwy Ldg TDZE Apt Elev	4650 1454 1473
------------------------	-----------------------------	---

⚠ DME/DME RNP-0.3 NA. Visibility reduction by helicopters NA.
⚠ NA When local altimeter setting not received, use Jackson altimeter setting and increase all MDA 100 feet and all Cat C visibility ¼ mile.

MISSED APPROACH: Climb to 4500 direct OBSEW and hold.



AWOS-3 121.225	INDIANAPOLIS CENTER 126.575 257.850	UNICOM 122.8 (CTAF)
--------------------------	---	-------------------------------



SE-1, 05 MAR 2015 to 02 APR 2015

SE-1, 05 MAR 2015 to 02 APR 2015

ELEV 1473	D TDZE 1454
-----------	--------------------



CATEGORY	A	B	C	D
RNAV MDA	1960-1	506 (500-1)	1960-1½ 506 (500-1½)	NA
CIRCLING	2000-1 527 (600-1)	2080-1 607 (700-1)	2160-2 687 (700-2)	NA

RNAV (GPS) RWY 9