

LOC/DME I-PBX 109.7 Chan 34	APP CRS 273°	Rwy Idg 4650 TDZE 1466 Apt Elev 1473
---	------------------------	---

ILS or LOC/DME RWY 27
PIKE COUNTY-HATCHER FIELD (P.BX)


Visibility reduction by helicopters NA. When local altimeter setting not received, use Jackson altimeter setting and increase S-ILS 27 DA to 1762 and all MDA 100 feet; increase S-LOC 27 visibility Cat B ¼ mile and Cat C ½ mile; increase Circling visibility Cat B and C ¼ mile.

MISSED APPROACH: Climb to 3000 then climbing left turn to 4000 direct AZQ VOR/DME and hold.



AWOS-3 121.225	INDIANAPOLIS CENTER 126.575 257.850	UNICOM 122.8 (CTAF) 0
--------------------------	---	---------------------------------

RADAR REQUIRED



ALTERNATE MISSED APCH FIX



LOCALIZER 109.7
I-PBX
Chan 34



ELEV 1473	D	TDZE 1466
------------------	----------	------------------



CATEGORY	A	B	C	D
S-ILS 27	1666-1			200 (200-1)
S-LOC 27	2120-1	654 (700-1)		2120-1¾ 654 (700-1¾)
CIRCLING	2120-1	647 (700-1)		2160-2 687 (700-2)

HIRL Rwy 9-27 0
REIL Rwy 9 and 27

SE-1, 27 APR 2017 to 25 MAY 2017

SE-1, 27 APR 2017 to 25 MAY 2017

APP CRS 273°	Rwy Ldg TDZE Apt Elev	4650 1466 1473
------------------------	-----------------------------	---


RNAV (GPS) RWY 27

PIKE COUNTY-HATCHER FIELD (P.BX)

NA DME/DME RNP-0.3 NA. Visibility reduction by helicopters NA. When local altimeter setting not received, use Jackson altimeter setting and increase all MDA 100 feet and LNAV visibility Cat B ¼ mile, and Cat C ½ mile, and Circling visibility Cat B and C ¼ mile.



MISSED APPROACH: Climb to 4500 direct CILOM and hold.

AWOS-3 121.225	INDIANAPOLIS CENTER 126.575 257.850	UNICOM 122.8 (CTAF)
--------------------------	---	-------------------------------



SE-1, 27 APR 2017 to 25 MAY 2017

SE-1, 27 APR 2017 to 25 MAY 2017



CATEGORY	A	B	C	D
LNAV MDA	2120-1	654 (700-1)	2120-1 ¾ 654 (700-1 ¾)	NA
CIRCLING	2120-1	647 (700-1)	2160-2 687 (700-2)	NA

APP CRS	Rwy Ldg	4650
093°	TDZE	1454
	Apt Elev	1473


RNAV (GPS) RWY 9

PIKE COUNTY-HATCHER FIELD (P.B.X)

▽ DME/DME RNP-0.3 NA. Visibility reduction by helicopters NA.
▲ NA When local altimeter setting not received, use Jackson altimeter setting and increase all MDA 100 feet and all Cat C visibility 1/4 mile.

MISSED APPROACH: Climb to 4500 direct OBSEW and hold.



AWOS-3 121.225	INDIANAPOLIS CENTER 126.575 257.850	UNICOM 122.8 (CTAF) 📶
--------------------------	---	--



SE-1, 27 APR 2017 to 25 MAY 2017

SE-1, 27 APR 2017 to 25 MAY 2017

ELEV 1473	D TDZE 1454
-----------	--------------------



CATEGORY	A	B	C	D
LNVA MDA	1960-1	506 (500-1)	1960-1 1/2 506 (500-1 1/2)	NA
CIRCLING	2000-1 527 (600-1)	2080-1 607 (700-1)	2160-2 687 (700-2)	NA

HIRL Rwy 9-27 **📶**
 REIL Rws 9 and 27