



INSTRUMENT APPROACH PROCEDURE CHARTS

A IFR ALTERNATE AIRPORT MINIMUMS

Standard alternate minimums for non precision approaches are 800-2 (NDB, VOR, LOC, TACAN, LDA, VORTAC, VOR/DME, ASR or WAAS LNAV); for precision approaches 600-2 (ILS or PAR). Airports within this geographical area that require alternate minimums other than standard or alternate minimums with restrictions are listed below. NA - means alternate minimums are not authorized due to unmonitored facility or absence of weather reporting service. Civil pilots see FAR 91. IFR Alternate Airport Minimums: Ceiling and Visibility Minimums not applicable to USA/USN/USAF. Pilots must review the IFR Alternate Airport Minimums Notes for alternate airfield suitability.

NAME ALTERNATE MINIMUMS

ALLENTOWN, PA

LEHIGH VALLEY INTL ILS or LOC Rwy 13¹
VOR-A²

¹ILS, Categories A,B,C, 700-2; Category D, 700-2½. LOC, Category D, 800-2½.

²NA when local weather not available.

ALTOONA, PA

ALTOONA-BLAIR

COUNTY ILS or LOC Rwy 21¹
RNAV (GPS) Rwy 3²
RNAV (GPS) Y Rwy 21³
VOR-A⁴

¹ILS, Category D, 1100-3. LOC, Category D, 1100-3.

²Categories A,B, 900-2; Category C 900-2½; Category D, 1200-3

³Category D, 1200-3.

⁴Categories A,B, 1000-2; Category C, 1000-2½; Category D, 1200-3.

BECKLEY, WV

RALEIGH COUNTY

MEMORIAL ILS or LOC Rwy 19¹²
RNAV (GPS) Rwy 1³
RNAV (GPS) Rwy 10¹³
RNAV (GPS) Rwy 19¹³
RNAV (GPS) Rwy 28¹⁴
VOR Rwy 10¹³
VOR Rwy 19¹³

¹NA when local weather not available.

²ILS, Categories A,B,C, 700-2; Category D, 700-2½. LOC, Category D, 800-2½.

³Category D, 800-2½.

⁴Categories A, B, 900-2; Category C, 900-2½; Category D, 900-2½.

BLUEFIELD, WV

MERCER COUNTY . VOR/DME or GPS Rwy 23
VOR Rwy 23

NA when class E airspace not in effect.

NAME ALTERNATE MINIMUMS

BRADFORD, PA

BRADFORD RGNL VOR Rwy 14
Category C, 800-2½; Category D, 800-2½.

BUTLER, PA

BUTLER COUNTY/K.W. SCHOLTER

FIELD ILS or LOC Rwy 8
RNAV (GPS) Rwy 8
RNAV (GPS) Rwy 26

NA when local weather not available.

CHARLESTON, WV

YEAGER ILS or LOC Rwy 5¹
ILS or LOC Rwy 23²
VOR/DME RNAV or GPS Rwy 33³
VOR or GPS-A³

¹ILS, Categories A,B,C, 700-2.

²ILS, Categories A,B,C, 700-2; Category D, 700-2½. LOC, Category D, 800-2½.

³Category D, 800-2½.

CLARKSBURG, WV

NORTH CENTRAL

WEST VIRGINIA ILS or LOC Rwy 21¹²
RNAV (GPS) Rwy 3³⁵
RNAV (GPS) Rwy 21³⁵
VOR or GPS Rwy 3⁴⁵

¹NA when control tower closed.

²ILS, Categories A,B,C, 800-2; Category D, 900-2½. LOC, Category D, 900-2½.

³NA when local weather not available.

⁴NA when control tower is closed, except for operators with approved weather reporting service.

⁵Category D, 900-2½.

COATESVILLE, PA

CHESTER COUNTY

G O CARLSON ILS or LOC Rwy 29
RNAV (GPS) Rwy 11
RNAV (GPS) Rwy 29

NA when local weather not available.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009





ALTERNATEMINS

E3



NAME ALTERNATE MINIMUMS

LATROBE, PA

ARNOLD PALMER

RGNL ILS or LOC Rwy 23¹²³
RNAV (GPS) Rwy 5²
RNAV (GPS) Rwy 23²
NDB Rwy 23¹⁴

¹NA when control tower closed.

²NA when local weather not available.

³ILS, LOC, Categories A, B, 1200-2; Categories C, D, 1200-3.

⁴Categories A, B, 1100-2; Categories C, D, 1100-3.

LEWISBURG, WV

GREENBRIER VALLEY ILS or LOC Rwy 4
RNAV (GPS) Rwy 4
RNAV (GPS) Rwy 22
VOR Rwy 4
VOR Rwy 22

NA when local weather not available.

Category C, 800-2¼; Category D, 1000-3.

MARTINSBURG, WV

EASTERN WEST VIRGINIA RGNL/

SHEPHERD FIELD ILS or LOC Rwy 26
RNAV (GPS) Rwy 8
RNAV (GPS) Rwy 26
VOR-A

NA when local weather not available.

Category E, 1600-3.

MORGANTOWN, WV

MORGANTOWN MUNI-WALTER L. BILL

HART FIELD ILS or LOC Rwy 18¹²³
RNAV (GPS) Y Rwy 18¹³
RNAV (GPS) Z Rwy 18³⁴
RNAV (GPS) Rwy 36¹³
VOR-A³⁵

¹Category D, 900-2¼.

²NA when control tower closed.

³NA when local weather not available.

⁴Category C, 800-2¼; Category D, 900-2¼.

⁵Categories A, B, 1500-2; Categories C, D, 1500-3.

MOUNT POCONO, PA

POCONO MOUNTAINS

MUNI RNAV (GPS) Rwy 5
RNAV (GPS) Rwy 13
RNAV (GPS) Rwy 31

NA when local weather not available.

NAME ALTERNATE MINIMUMS

MUIR AAF (KMUI)

FORT INDIANTOWN

GAP, PA NDB-A
RNAV (GPS) -B
COPTER NDB Y-289
COPTER NDB Z-289
COPTER RNAV (GPS) Rwy 25

NA when control tower closed.

PARKERSBURG, WV

MID-OHIO VALLEY

AIRPORT ILS or LOC Rwy 3¹²
RNAV (GPS) Rwy 3
RNAV (GPS) Rwy 21
VOR Rwy 21

NA when local weather not available.

¹NA when control tower is closed.

²Category D, 700-2.

PHILADELPHIA, PA

NORTHEAST

PHILADELPHIA ILS or LOC Rwy 24¹²
LOC BC Rwy 6¹²
RNAV (GPS) Rwy 6²
RNAV (GPS) Rwy 15²
RNAV (GPS) Rwy 24²
RNAV (GPS) Rwy 33²
VOR Rwy 6¹²
VOR Rwy 24¹²

¹NA when control tower closed.

²NA when local weather not available.

PHILADELPHIA INTL ILS PRM Rwy 26¹
ILS PRM Rwy 27L²
ILS or LOC Rwy 9L³
ILS Rwy 9R⁴
ILS or LOC Rwy 17³
ILS Rwy 26⁵
ILS or LOC Rwy 27L⁶
ILS or LOC/DME Rwy 27R⁷
RNAV (GPS) Rwy 27R⁸

¹ILS, Categories A, B, C, 700-2. LOC, NA.

²ILS, 700-2. LOC, NA.

³ILS, Categories A, B, 800-2; Category C, 800-2¼; Category D, 800-2¼. LOC, Category C, 800-2¼; Category D, 800-2¼.

⁴ILS, Categories A, B, C, 800-2; Category D, 800-2¼. LOC, Category D, 800-2¼.

⁵ILS, Categories A, B, C, 700-2.

⁶ILS, 700-2.

⁷ILS, Categories B, C, D, 700-2.

⁸Category D, 800-2¼.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009



ALTERNATEMINS

E3

NE-4



TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

09295

INSTRUMENT APPROACH PROCEDURE CHARTS

IFR TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

Civil Airports and Selected Military Airports

ALL USERS: Airports that have Departure Procedures (DPs) designed specifically to assist pilots in avoiding obstacles during the climb to the minimum enroute altitude , and/or airports that have civil IFR take-off minimums other than standard, are listed below. Take-off Minimums and Departure Procedures apply to all runways unless otherwise specified. Altitudes, unless otherwise indicated, are minimum altitudes in MSL.

DPs specifically designed for obstacle avoidance are referred to as Obstacle Departure Procedures (ODPs) and are described below in text, or published separately as a graphic procedure. If the (Obstacle) DP is published as a graphic procedure, its name will be listed below, and it can be found in either this volume (civil), or a separate Departure Procedure volume (military), as appropriate. Users will recognize graphic obstacle DPs by the term "(OBSTACLE)" included in the procedure title; e.g., TETON TWO (OBSTACLE). If not assigned a SID or radar vector by ATC, an ODP may be flown without ATC clearance to ensure obstacle clearance.

Graphic DPs designed by ATC to standardize traffic flows, ensure aircraft separation and enhance capacity are referred to as "Standard Instrument Departures (SIDs)". SIDs also provide obstacle clearance and are published under the appropriate airport section. ATC clearance must be received prior to flying a SID.

CIVIL USERS NOTE: Title 14 Code of Federal Regulations Part 91 prescribes standard take-off rules and establishes take-off minimums for certain operators as follows: (1) Aircraft having two engines or less - one statute mile. (2) Aircraft having more than two engines - one-half statute mile. These standard minima apply in the absence of any different minima listed below.

MILITARY USERS NOTE: Civil (nonstandard) take-off minima are published below. For military take-off minima, refer to appropriate service directives.

NAME	TAKE-OFF MINIMUMS
------	-------------------

ALLENTOWN, PA

ALLENTOWN QUEEN CITY MUNI

TAKE-OFF MINIMUMS: **Rwy 7**, 800-2 or std. with a min.

climb of 280' per NM to 1600. **Rwy 15**, not authorized.

DEPARTURE PROCEDURE: **Rwy 7**, climb runway heading to 2200 before proceeding on course. **Rwy 25**, climbing right turn to assigned altitude direct ETX VOR/DME. **Rwy 33**, climbing left turn to assigned altitude direct ETX VOR/DME.

LEHIGH VALLEY INTL

TAKE-OFF MINIMUMS: **Rwy 13**, 800-1 or std. with a min. climb of 270' per NM to 1600'.

DEPARTURE PROCEDURE: **Rwy 13**, climb runway heading to 1600 before proceeding on course. **Rwy 24**, climb runway heading to 1600 before proceeding southbound on course.

NAME	TAKE-OFF MINIMUMS
------	-------------------

ALTOONA, PA

ALTOONA-BLAIR COUNTY

TAKE-OFF MINIMUMS: **Rwy 3**, 300-1 or std. with a min. climb of 260' per NM to 1700. **Rwy 12**, NA-Obstacles.

Rwy 21, std. with a min. climb of 350' per NM to 3200 or 1400-3 for climb in visual conditions. **Rwy 30**, std. with a min. climb of 225' per NM to 3800 or 1400-3 for climb in visual conditions. NOTE: Climb in visual conditions not authorized at night.

DEPARTURE PROCEDURE: **Rwy 3**, climb direct AOO VOR, then via AOO R-026 to 2800' before proceeding on course. **Rwy 21**, climb via heading 203° and AOO R-206 to 3200 before proceeding on course. For climb in visual conditions, cross Altoona-Blair County Airport at or above 2900 before proceeding on course. **Rwy 30**, climb via heading 295° to 3800 before proceeding on course. For climb in visual conditions, cross Altoona-Blair County Airport at or above 2900 before proceeding on course.

NOTE: **Rwy 3**, numerous trees 1537' from departure end of runway, 904' left of centerline, 100' AGL/1554' MSL. Numerous trees 5759' from departure end of runway, 1600' right of centerline, 100' AGL/1642' MSL. **Rwy 21**, multiple trees 2541' from departure end of runway, 369' left of centerline, 100' AGL/1583' MSL. Multiple trees 1080' from departure end of runway, 511' right of centerline, 100' AGL/1550' MSL.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009

09295

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

NE-4



09295

BEAVER FALLS, PA

BEAVER COUNTY

TAKE-OFF MINIMUMS: **Rwys 10, 28**, 300-1.**BECKLEY, WV**

RALEIGH COUNTY MEMORIAL

TAKE-OFF MINIMUMS: **Rwy 10**, 400-1or std. with a min. climb of 350' per NM to 4000. **Rwy 19**, 400-1 or std. with a min. climb of 250' per NM to 4000. **Rwy 28**, 300-1 or std. with a min. climb of 250' per NM to 4000.

DEPARTURE PROCEDURE: **Rwy 1**, climb to 5000 via 350° heading before proceeding on course. **Rwy 10**, immediate climbing left turn to 5000 via 350° heading before proceeding on course. **Rwy 19**, climb to 4000 via 240° heading then climbing right turn to 5000 via 330° before proceeding on course. **Rwy 28**, climbing right turn to 5000 via 320° heading before proceeding on course.

NOTE: **Rwy 10**, 90' AGL trees 1350' from departure end of runway, on runway centerline. 312' AGL trees and terrain 5595' from departure end of runway, 1805' right of runway centerline. **Rwy 19**, 60' AGL obstacle light on vortac building 550' from departure end of runway, 749' left of runway centerline. **Rwy 28**, 215' AGL tower 6406' from departure end of runway, 2123' left of centerline.

BEDFORD, PA

BEDFORD COUNTY

TAKE-OFF MINIMUMS: **Rwy 14**, 1500-3 or std. with a min. climb gradient of 530' per NM to 2100. **Rwy 32**, 1500-3 or std. with a min. climb gradient of 300' per NM to 1600.

DEPARTURE PROCEDURE: **Rwy 14**, climb to 4000 before turning on course. **Rwy 32**, climb to 4100 before turning on course.

BELLEFONTE, PA

BELLEFONTE

TAKE-OFF MINIMUMS: **Rwys 7, 25** 1000-2.

DEPARTURE PROCEDURE: **Rwy 7**, climb to 2600 on heading 075° before proceeding on course.

Rwy 25, climb to 2600 on heading 235° before proceeding on course.

BERKELEY SPRINGS, WV

POTOMAC AIRPARK

TAKE-OFF MINIMUMS: **Rwys 11, 29**, 1900-2 or std. with a min. climb of 400' per NM to 2600.

DEPARTURE PROCEDURE: **Rwy 11**, climb to 4000 via heading 095° and HGR R-275 to HGR VOR before proceeding on course. **Rwy 29**, climb to 1500 then climbing left turn to 5000 via heading 267° and GRV R-092 before proceeding on course.

BLOOMSBURG, PA

BLOOMSBURG MUNI

TAKE-OFF MINIMUMS: **Rwy 8**, 700-1. **Rwy 26**, 1100-1.

DEPARTURE PROCEDURE: **Rwys 8, 26**, climb runway heading to 1800, before proceeding on course.

BLUEFIELD, WV

MERCER COUNTY (BLF)

AMDT 4 09015 (FAA)

TAKE-OFF MINIMUMS: **Rwy 23**, 400-2½ or std. with a min. climb of 238' per NM to 3300.

DEPARTURE PROCEDURE: **Rwy 5**, climb heading 049° to 3900 before turning south. **Rwy 23**, climbing right turn via BLF R-270 to 4500 before proceeding on course.

NOTE: **Rwy 5**, trees beginning 14' from departure end of runway, 370' left of centerline, up to 100' AGL/2939' MSL. Trees beginning 15' from departure end of runway, 391' right of centerline, up to 100' AGL/2959' MSL. **Rwy 23**, trees beginning at departure end of runway, 258' left of centerline, up to 100' AGL/2939' MSL. Trees beginning 140' from departure end of runway, 74' right of centerline, up to 100' AGL/3159' MSL.

BRADFORD, PA

BRADFORD RGNL

NOTE: **Rwy 5**, fence 448' from departure end of runway, 305' left of centerline, 19' AGL/2158' MSL. Fence 462' from departure end of runway, 299' right of centerline, 19' AGL/2158' MSL. Trees beginning 234' from departure end of runway, 70' left of centerline, up to 75' AGL/2242' MSL. Trees beginning 67' from departure end of runway, 227' right of centerline, up to 87' AGL/2226' MSL. **Rwy 14**, trees beginning 26' from departure end of runway, 263' left of centerline, up to 16' AGL/2115' MSL. Tree 2427' from departure end of runway, 918' right of centerline, 79' AGL/2198' MSL. **Rwy 23**, trees beginning 53' from departure end of runway, 145' left of centerline, up to 82' AGL/2240' MSL. Trees beginning 272' from departure end of runway, 220' right of centerline, up to 86' AGL/2225' MSL. **Rwy 32**, trees beginning 1018' from departure end of runway, 399' left of centerline, up to 102' AGL/2169' MSL. Trees beginning 138' from departure end of runway, 292' right of centerline, up to 86' AGL/2205' MSL.

BUCKHANNON, WV

UPSHUR COUNTY RGNL

TAKE-OFF MINIMUMS: **Rwy 29**, 400-1¼ or std. with a min. climb of 420' per NM to 2100.

DEPARTURE PROCEDURE: **Rwy 11**, climb via heading 105° to 2300 before proceeding on course.

NOTE: **Rwy 11**, trees 798' from departure end of runway, 179' right of centerline, 100' AGL/1679' MSL. Trees 2665' from departure end of runway, 842' left of centerline, 100' AGL/1719' MSL. Trees 4799' from departure end of runway, 1724' right of centerline, 100' AGL/1779' MSL. **Rwy 29**, trees 1 NM from departure end of runway, 565' right of centerline, 100' AGL/1959' MSL.

BUTLER, PA

BUTLER COUNTY/K.W. SCHOLTER FIELD

TAKE-OFF MINIMUMS: **Rwys 8, 26**, 300-1.**CARLISLE, PA**

CARLISLE

TAKE-OFF MINIMUMS: **Rwy 10**, 300-1.

DEPARTURE PROCEDURE: **Rwys 10, 28**, climb straight ahead to 1000' before turning on course.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009

09295



NE-4

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

09295

CHAMBERSBURG, PA

FRANKLIN COUNTY RGNL

TAKE-OFF MINIMUMS: **Rwy 24**, 700-1 or std. with a min. climb of 220' per NM to 1400.

DEPARTURE PROCEDURE: **Rwys 6, 24**, climbing left turn to 4000 outbound via HGR VOR R-037 before proceeding on course.

CHARLESTON, WV

YEAGER (CRW)

AMDT 7 08045 (FAA)

TAKE-OFF MINIMUMS: **Rwy 5**, 300-2½ or std. w/ min. climb of 228' per NM to 1400. **Rwy 15**, std. w/ min. climb of 443' per NM to 1400 or 1000-2½ for climb in visual conditions. **Rwy 23**, 200-1 or std. w/ min. climb of 399' per NM to 1300. **Rwy 33**, 300-1½ or std. w/ min. climb of 381' per NM to 1400.

DEPARTURE PROCEDURE: **Rwy 15**, for climb in visual conditions: cross Yeager Airport at or above 1800' MSL before proceeding on course. **Rwy 23**, climb heading 233° to 1400 before turning left.

NOTE: **Rwy 5**, multiple trees beginning 51' from departure end of runway, 59' left of centerline, up to 43' AGL/922' MSL. Multiple trees beginning 58' from departure end of runway, 251' right of centerline, up to 103' AGL/1062' MSL. Trees 1.9 NM from departure end of runway, 1203' left of centerline, 58' AGL/1217' MSL. Tower 2 NM from departure end of runway, 2761' left of centerline, 184' AGL/1235' MSL. **Rwy 15**, Bush and multiple trees beginning 44' from departure end of runway, 207' left of centerline, up to 93' AGL/1132' MSL. **Rwy 23**, Obstruction light on pole 4072' from departure end of runway, 875' left of centerline, 30' AGL/1150' MSL. **Rwy 33**, multiple trees beginning 44' from departure end of runway, 235' left of centerline, up to 92' AGL/951' MSL. Multiple trees beginning 25' from departure end of runway, 120' right of centerline, up to 37' AGL/1016' MSL. Dome 1.1 NM from departure end of runway, 570' right of centerline, 91' AGL/1266' MSL. Trees 1.4 NM from departure end of runway, 1212' right of centerline, 81' AGL/1280' MSL.

CLARION, PA

CLARION COUNTY

TAKE-OFF MINIMUMS: **Rwy 24**, 200-1½ or std. w/ min. climb of 211' per NM to 1700.

NOTE: **Rwy 6**, multiple trees beginning 697' from departure end of runway, 311' left of centerline, up to 100' AGL/1519' MSL. Multiple trees beginning 1006' from departure end of runway, 47' right of centerline, up to 100' AGL/1529' MSL. Building 2942' from departure end of runway, 964' right of centerline, 60' AGL/1539' MSL. **Rwy 24**, multiple trees beginning 792' from departure end of runway, 27' left of centerline, up to 100' AGL/1539' MSL. Multiple trees beginning 806' from departure end of runway, 147' right of centerline, up to 100' AGL/1539' MSL. Tree 1.1 NM from departure end of runway, 2010' right of centerline, 100' AGL/1619' MSL.

CLARKSBURG, WV

NORTH CENTRAL WEST VIRGINIA (CKB)

AMDT 5 09295 (FAA)

TAKE-OFF MINIMUMS: **Rwy 3**, 300-2 or std. w/ a min. climb of 416' per NM to 1600. **Rwy 21**, 400-2½ or std. w/ min. climb of 467' per NM to 1600.

DEPARTURE PROCEDURE: **Rwy 3**, climb heading 031° to 2000 before proceeding on course. **Rwy 21**, climb heading 211° to 1800 before proceeding on course.

NOTE: **Rwy 3**, fence 3675' from DER, 754' right of centerline, 10' AGL/1316' MSL. Terrain and trees beginning 3728' from DER, 716' right of centerline, up to 97' AGL/1436' MSL. Trees beginning 5700' from DER, 1450' left of centerline, up to 101' AGL/1440' MSL. Terrain and trees beginning 6774' from DER, 1612' right of centerline, up to 99' AGL/1458' MSL. Terrain and trees beginning 7093' from DER, left and right of centerline, up to 62' AGL/1441' MSL. Fence 7738' from DER, 58' left of centerline, 10' AGL/1419' MSL. **Rwy 21**, trees 4514' from DER, 1113' right of centerline, 100' AGL/1449' MSL. Trees beginning 6' from DER, 307' right of centerline, up to 100' AGL/1279' MSL. Bushes and trees beginning 11' from DER, 258' left of centerline, up to 77' AGL/1226' MSL. Trees beginning 3199' from DER, 657' right of centerline, up to 100' AGL/1499' MSL. Trees beginning 5512' from DER, 576' left of centerline, up to 93' AGL/1512' MSL. Trees beginning 2.1 miles from DER, 2069' right of centerline, up to 117' AGL/1496' MSL.

CLEARFIELD, PA

CLEARFIELD-LAWRENCE

TAKE-OFF MINIMUMS: **Rwy 12**, 600-2 or std. with a min. climb of 240' per NM to 2200'. **Rwy 30**, 1500-3 or std. with a min. climb of 340' per NM to 3300.

NOTE: **Rwy 12**, cross departure end of runway at or above 35' AGL/1548' MSL. **Rwy 30**, cross departure end of runway at or above 35' AGL/1550' MSL.

COATESVILLE, PA

CHESTER COUNTY G. O. CARLSON (MQS)

ORIG 08213 (FAA)

NOTE: **Rwy 11**, tree 342' from departure end of runway, 592' right of centerline, 90' AGL/680' MSL. Trees beginning 1135' from departure end of runway, 549' left of centerline, up to 87' AGL/696' MSL. **Rwy 29**, tree 281' from departure end of runway, 325' left of centerline, 7' AGL/646' MSL. Obstruction light on poles beginning 418' from departure end of runway, 308' right of centerline, up to 40' AGL/690' MSL. Antenna on buildings beginning 506' from departure end of runway, 208' right of centerline, up to 23' AGL/692' MSL. Trees beginning 1048' from departure end of runway, 277' right of centerline, up to 62' AGL/731' MSL. Multiple poles beginning 1723' from departure end of runway, 238' right of centerline, up to 34' AGL/703' MSL.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009

09295

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

NE-4

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

09295

COLLEGEVILLE, PA

PERKIOMEN VALLEY (N10)

ORIG 07354 (FAA)

NOTE: **Rwy 9**, multiple trees beginning 386' from departure end of runway, 91' right of centerline, up to 100' AGL/369' MSL. Multiple trees beginning 923' from departure end of runway, 342' left of centerline, up to 100' AGL/369' MSL. Powerlines 4412' from departure end of runway, 98' left of centerline, up to 150' AGL/400' MSL.

Rwy 27, multiple trees beginning 104' from departure end of runway, 45' right of centerline, up to 100' AGL/329' MSL. Multiple trees beginning 212' from departure end of runway, 42' left of centerline, up to 100' AGL/317' MSL.

CONNELLSVILLE, PA

JOSEPH A. HARDY CONNELLSVILLE

TAKE-OFF MINIMUMS: **Rwy 14**, 1100-2. Night NA.DEPARTURE PROCEDURE: **Rwys 5, 23, 32**, climb runway heading to 3000 before proceeding on course.

Rwy 14, climbing left turn as soon as practicable after take-off to 4000 via IHD R-273 before proceeding on course.

CORRY, PA

CORRY-LAWRENCE (8G2)

ORIG 09127 (FAA)

NOTE: **Rwy 14**, trees 359' from DER, 294' right of centerline, 100' AGL/1859' MSL. Barn 1162' from DER, 503' left of centerline, 50' AGL/1809' MSL. **Rwy 32**, trees 210' from DER, 288' left of centerline, 100' AGL/1789' MSL. Trees 219' from DER, 253' right of centerline, 100' AGL/1799' MSL. Building 326' from DER, 65' right of centerline, 50' AGL/1749' MSL.

DOYLESTOWN, PA

DOYLESTOWN

NOTE: **Rwy 5**, terrain and trees 246' from departure end of runway, 457' right of centerline, 60' AGL/460' MSL.

Rwy 23, terrain and tree 1498' from departure end of runway, 764' left of centerline, 100' AGL/460' MSL; terrain and trees 2701' from departure end of runway, 44' left of centerline, 100' AGL/480' MSL.

DUBOIS, PA

DUBOIS RGNL (DUJ)

AMDT 1 08101 (FAA)

NOTE: **Rwy 7**, wind sock 31' from departure end of runway, 452' left of centerline, 29' AGL/1833' MSL. Tree 1608' from departure end of runway, 700' right of centerline, up to 100' AGL/1859' MSL. **Rwy 25**, antenna and trees 170' from departure end of runway, 261' left of centerline, up to 75' AGL/1855' MSL. Trees 283' from departure end of runway, 419' right of centerline, up to 69' AGL/1849' MSL.

EAST STROUDSBURG, PA

STROUDSBOURG-POCONO

TAKE-OFF MINIMUMS: **Rwys 8, 26**, 700-1.DEPARTURE PROCEDURE: **Rwys 8, 26**, climb visually to 1180 within 2 miles of airport before proceeding as cleared.

EASTON, PA

BRADEN AIRPARK

TAKE-OFF MINIMUMS: **Rwy 18**, 600-1. **Rwy 36**, 400-1.DEPARTURE PROCEDURE: IFR Departure authorized **Rwys 18, 36** only.

EBENSBURG, PA

EBENSBURG (9G8)

AMDT 2 09127 (FAA)

TAKE-OFF MINIMUMS: **Rwy 7**, 300-1½ or std. w/ min. climb of 350' per NM to 2500.

NOTE: **Rwy 25**, numerous trees beginning 632' from DER, 245' left of centerline, up to 100' AGL/2179' MSL. Numerous trees beginning 759' from DER, 477' right of centerline, up to 100' AGL/2159' MSL. **Rwy 7**, numerous trees beginning 245' from DER, 476' right of centerline, up to 100' AGL/2279' MSL. Numerous trees beginning 696' from DER, 273' left of centerline, up to 100' AGL/2389' MSL. Stack 1.1 NM from DER, 1571' right of centerline, 192' AGL/2352' MSL. Tower 1.17 NM from DER, 1529' right of centerline, 198' AGL/2348' MSL. Vehicle on highway, 487' from DER, 180' right of centerline, 19' AGL/2138' MSL.

ELKINS, WV

ELKINS-RANDOLPH COUNTY-JENNINGS

RANDOLPH FIELD

TAKE-OFF MINIMUMS: **Rwys 5, 14, 32**, NA-obstacles.

Rwy 23, 1800-2 or std. with a min. climb of 360' per NM to 4300.

DEPARTURE PROCEDURE: **Rwy 23**, climb via heading 200° to 5000 then climbing right turn to 6000 direct to EKN VORTAC then EKN R-346, expect radar vectors.

NOTE: **Rwy 23**, OL and trees 788' from departure end of runway, 206' left of centerline, 85' AGL/2059' MSL. Trees 10,130' from departure end of runway, 700' left of centerline, 105' AGL/2331' MSL.

ERIE, PA

ERIE INTL/TOM RIDGE FIELD (ERI)

AMDT 5 09183 (FAA)

TAKE-OFF MINIMUMS: **Rwy 20**, 300-1¼ or std. w/ min. climb of 314' per NM to 1100.DEPARTURE PROCEDURE: **Rwy 2**, climb heading 018° to 1300 before turning right. **Rwy 6**, climb heading 062° to 1900 before turning right. **Rwy 20**, climb heading 198° to 1700 before turning left. **Rwy 24**, climb heading 242° to 1400 before turning left.

NOTE: **Rwy 2**, vehicles on road and trees beginning 30' from DER, 80' left of centerline, up to 64' AGL/796' MSL. Fence and trees beginning 73' from DER, 10' right of centerline, up to 76' AGL/805' MSL. **Rwy 6**, vehicles on road and trees beginning 384' from DER, 291' left of centerline, up to 96' AGL/815' MSL. Vehicles on road, fence, and trees beginning 8' from DER, 366' right of centerline, up to 91' AGL/820' MSL. **Rwy 20**, railroad, building, poles and trees beginning 115' from DER, 2' left of centerline, up to 76' AGL/845' MSL. Trees beginning 378' from DER, 19' right of centerline, up to 80' AGL/859' MSL. Trees 1.0 NM from DER, 704' right of centerline, 133' AGL/982' MSL. **Rwy 24**, railroad, pole, and trees beginning 11' from DER, 325' left of centerline, up to 80' AGL/819' MSL. Rod on building, antenna, and trees beginning 151' from DER, 250' right of centerline, up to 87' AGL/826' MSL.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009

09295

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

NE-4

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

09295

FACTORYVILLE, PA

SEAMANS FIELD (9N3)

AMDT 3 08213 (FAA)

TAKE-OFF MINIMUMS: **Rwy 4**, 400-2½ or std. w/ min. climb of 221' per NM to 1700.

DEPARTURE PROCEDURE: **Rwy 4**, climb heading 036° to 1700 before proceeding on course. **Rwy 22**, climb heading 216° to 2900 before proceeding on course.

NOTE: **Rwy 4**, trees beginning 1134' from departure end of runway, 720' right of centerline, up to 65' AGL/1264' MSL. Trees beginning 1.82 NM from departure end of runway, 774' left of centerline, up to 100' AGL/1499' MSL.

FAIRMONT, WV

FAIRMONT MUNI-FRANKMAN FIELD

TAKE-OFF MINIMUMS: **Rwy 5**, 500-2 or 300-1 w/ min. climb of 375' per NM to 1800. **Rwy 23**, 500-3 w/ min. climb of 265' per NM to 1700 or 1200-3 for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 5**, climb heading 045° to 1800 before proceeding on course. **Rwy 23**, climb heading 225° to 1700 before proceeding on course or for climb in visual conditions: Cross Fairmont Muni-Frankman Field Airport at or above 2200 MSL before proceeding on course.

NOTE: **Rwy 5**, tree 1739' from departure end of runway, 832' right of centerline, 99' AGL/1166' MSL. Multiple trees and towers beginning 27' from departure end of runway, 99' right of centerline, up to 217' AGL/1475' MSL. Trees 1282' from departure end of runway, 620' left of centerline, 78' AGL/1057' MSL. **Rwy 23**, multiple trees beginning 692' from departure end of runway, 100' right of centerline, up to 100' AGL/1499' MSL. Road, multiple trees and AAO beginning 880' from departure end of runway, 704' left of centerline, up to 200' AGL/1439' MSL.

FRANKLIN, PA

VENANGO RGNL

DEPARTURE PROCEDURE: **Rwy 3**, climb via heading 027° to 2000 before proceeding on course. **Rwy 12**, climb via heading 116° to 2000 before proceeding on course. **Rwy 21**, climb via heading 207° to 2000 before proceeding on course. **Rwy 30**, climb via heading 296° to 2000 before proceeding on course.

NOTES: **Rwy 3**, tree 638' from departure end of runway, 528' right of centerline, 34' AGL/1553' MSL. Tree 2547' from departure end of runway, 697' right of centerline, 78' AGL/1597' MSL. **Rwy 12**, tank 1027' from departure end of runway, 660' left of centerline, 92' AGL/1612' MSL. Tree 1123' from departure end of runway, 504' left of centerline, 81' AGL/1600' MSL. Tree 800' from departure end of runway, 369' right of centerline, 71' AGL/1571' MSL. **Rwy 21**, multiple trees beginning 573' from departure end of runway, 191' to 679' right of centerline, up to 81' AGL/1599' MSL. Multiple trees beginning 264' from departure end of runway, 326' to 749' left of centerline, up to 68' AGL/1597' MSL. Sign 2474' from departure end of runway, 30' right of centerline, 94' AGL/1606' MSL. **Rwy 21**, pole 1295' from departure end of runway, 530' left of centerline, 47' AGL/1567' MSL.

GROVE CITY, PA

GROVE CITY (29D)

AMDT 3 08045 (FAA)

TAKE-OFF MINIMUMS: **Rwy 10**, 300-1½ or std. w/ min. climb of 265' per NM to 1600. **Rwy 28**, 300-1 or std. w/ min. climb of 416' per NM to 1600.

NOTES: **Rwy 10**, Multiple trees beginning 264' from departure end of runway, 43' left of centerline, up to 79' AGL/1388' MSL. Multiple buildings beginning 136' from departure end of runway, 490' right of centerline, up to 30' AGL/1332' MSL. Interchange 903' from departure end of runway, 707' right of centerline, up to 59' AGL/1348' MSL. Landfill 1.2 NM from departure end of runway, 702' right of centerline, 140' AGL/1476' MSL. **Rwy 28**, Multiple trees beginning 331' from departure end of runway, 71' right of centerline, up to 100' AGL/1509' MSL. Multiple trees beginning 666' from departure end of runway, 375' left of centerline, up to 100' AGL/1509' MSL. Multiple powerlines beginning 381' from departure end of runway, 2' left of centerline, up to 60' AGL/1469' MSL. Multiple powerlines beginning 1782' from departure end of runway, 48' right of centerline, up to 60' AGL/1449' MSL.

HARRISBURG, PA

CAPITAL CITY

TAKE-OFF MINIMUMS: **Rwy 8**, 300-1 or std. with a min. climb of 275' per NM to 700. **Rwy 12**, 800-1 or std. with a min. climb of 380' per NM to 1400. **Rwy 26**, 400-1 or std. with a min. climb of 300' per NM to 800. **Rwy 30**, 300-1 or std. with a min. climb of 460' per NM to 700.

DEPARTURE PROCEDURE: **Rwy 8**, climb via heading 082° to 1100 before proceeding on course. **Rwy 12**, climb via heading 128° to 1400 before proceeding on course. **Rwy 26**, climb via heading 262° to 1400 before proceeding on course. **Rwy 30**, climb via heading 308° to 1500 before proceeding on course.

NOTE: **Rwy 8**, tree 8315' from departure end of runway, 945' left of centerline, 90' AGL/598' MSL. Tree 8306' from departure end of runway, 946' left of centerline, 90' AGL/594' MSL. **Rwy 12**, flagpole 1559' from departure end of runway, 689' left of centerline, 72' AGL/452' MSL. Numerous trees 930' from departure end of runway, left and right of centerline, 90' AGL/435' MSL. **Rwy 26**, numerous trees 8230' from departure end of runway, left and right of centerline, 90' AGL/690' MSL. **Rwy 30**, tree 5546' from departure end of runway, on centerline, 90' AGL/580' MSL. Numerous trees 4005' from departure end of runway, left and right of centerline, 90' AGL/555' MSL. Tree 297' from departure end of runway, 540' left of centerline, 90' AGL/404' MSL. Tree 3136' from departure end of runway, 1283' left of centerline, 90' AGL/541' MSL.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009

09295

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

NE-4

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

09295

HARRISBURG, PA (CON'T)

HARRISBURG INTL

TAKE-OFF MINIMUMS: **Rwy 13**, 300-2¼ or std. w/ min. climb of 230' per NM to 700, or alternatively, w/ standard takeoff minimums and a normal 200'/NM climb gradient, takeoff must occur no later than 2200' prior to departure end of runway.

DEPARTURE PROCEDURE: **Rwy 13**, climb heading 128° to 1000 before proceeding on course. **Rwy 31**, climb heading 308° to 1500 before proceeding on course.

NOTE: **Rwy 13**, trees and antennas beginning 1468' from departure end of runway, 460' left of centerline, up to 160' AGL/598' MSL. Trees and buildings beginning 1.4 NM from departure end of runway, 157' right of centerline, up to 57' AGL/576' MSL. **Rwy 31**, antennas beginning 435' from departure end of runway, 247' right of centerline, up to 61' AGL/371' MSL. Trees and antennas beginning 56' from departure end of runway, left of centerline, up to 13' AGL/323' MSL.

HAZLETON, PA

HAZLETON MUNI

TAKE-OFF MINIMUMS: **Rwys 10,28**, 300-1.

DEPARTURE PROCEDURE: **Rwys 10,28** climb runway heading 2200 before turning on course.

HONESDALE, PA

CHERRY RIDGE

TAKE-OFF MINIMUMS: **Rwy 36**, 500-2 or std. with a min. climb of 390' per NM to 1900.

NOTES: **Rwy 36**, terrain and trees 5673' from departure end of runway, 1967' left of centerline, 100' AGL/1619' MSL; terrain and trees 1.1 NM from departure end of runway, 2205' left of centerline, 100' AGL/1639' MSL; terrain and trees 1.9 NM from departure end of runway, 810' right of centerline, 100' AGL/1759' MSL.

HUNTINGTON, WV

TRI-STATE/MILTON J. FERGUSON FIELD (HTS)

ORIG 07354 (FAA)

DEPARTURE PROCEDURE: **Rwy 3**, climb heading 024° to 1500 before turning right. **Rwy 30**, climb heading 313° to 1800 before turning left.

NOTE: **Rwy 3**, multiple trees beginning 245' from departure end of runway, 243' right of centerline, up to 49' AGL/848' MSL. Tree 374' from departure end of runway, 335' left of centerline, 68' AGL/847' MSL. Tree 1042' from departure end of runway, 501' right of centerline, 113' AGL/882' MSL. Tree 3964' from departure end of runway, 32' left of centerline, 68' AGL/967' MSL. **Rwy 12**, tree 70' from departure end of runway, 393' left of centerline, 29' AGL/848' MSL. **Rwy 21**, multiple trees beginning 24' from departure end of runway, 45' left of centerline up to 17' AGL/856' MSL. Tree 645' from departure end of runway, 308' right of centerline, 27' AGL/846' MSL. Tree 3591' from departure end of runway, 580' left of centerline 47' AGL/926' MSL. **Rwy 30**, multiple trees beginning 1595' from departure end of runway, 427' left of centerline, up to 79' AGL/878' MSL. Multiple trees beginning 2238' from departure end of runway, 805' right of centerline up to 54' AGL/913' MSL. Tree 3727' from departure end of runway, 243' left of centerline, 49' AGL/928' MSL.

09295

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

INDIANA, PA

INDIANA COUNTY-JIMMY STEWART FIELD

TAKE-OFF MINIMUMS: **Rwy 10**, 600-1. **Rwy 28**, 300-1. DEPARTURE PROCEDURE: **Rwy 10**, climb runway heading to 2300 before proceeding on course.

JOHNSTOWN, PA

JOHN MURTHA JOHNSTOWN-CAMBRIA CO (JST)

AMDT 4 08269 (FAA)

NOTE: **Rwy 5**, trees beginning 326' from departure end of runway, 342' right of centerline, up to 100' AGL/2358' MSL. Trees beginning 887' from departure end of runway, 384' left of centerline, up to 100' AGL/2341' MSL. **Rwy 23**, trees beginning 215' from departure end of runway, 227' right of centerline, up to 100' AGL/2339' MSL. Trees beginning 431' from departure end of runway, 250' left of centerline, up to 100' AGL/2379' MSL. **Rwy 33**, trees beginning 359' from departure end of runway, 318' right of centerline, up to 100' AGL/2409' MSL.

KUTZTOWN, PA

KUTZTOWN

TAKE-OFF MINIMUMS: **Rwys 10,28**, NA. **Rwy 35**, 300-1 or std. with a min. climb of 320' per NM to 800.

DEPARTURE PROCEDURE: **Rwy 17**, climbing right turn direct ETX VOR/DME, cross at or above 3000.

LANCASTER, PA

LANCASTER

NOTES: **Rwy 8**, trees 1010' from departure end of runway, 666' left of centerline, 43' AGL/422' MSL. Bush 53' from departure end of runway, 311' right of centerline, 5' AGL/384' MSL. Road and vehicles 201' from departure end of runway, 289' left of centerline, 22' AGL/401' MSL. Antenna 356' from departure end of runway, 212' left of centerline, 8' AGL/387' MSL. **Rwy 13**, tree 884' from departure end of runway, 568' left of centerline, 43' AGL/442' MSL. **Rwy 26**, tree 1252' from departure end of runway, 802' right of centerline, 60' AGL/439' MSL. Road and vehicles 273' from departure end of runway, 499' right of centerline, 19' AGL/418' MSL. **Rwy 31**, tree 1716' from departure end of runway, 505' right of centerline, 65' AGL/464' MSL. Building 485' from departure end of runway, 176' left of centerline, 30' AGL/409' MSL. Tree 993' from departure end of runway, 176' left of centerline, 40' AGL/419' MSL.

LATROBE, PA

ARNOLD PALMER RGNL

TAKE-OFF MINIMUMS: **Rwys 21,23**, 300-1.

DEPARTURE PROCEDURE: **Rwys 3,5**, climb runway heading to 2000, then climbing left turn to 4000 via heading 360° to intercept IHD R-002. **Rwys 21,23**, climb to 4000 via BHU 233° bearing.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009



09295

LEHIGHTON, PA**JAKE ARNER MEMORIAL**

TAKE-OFF MINIMUMS: **Rwy 8**, 400-2 or std. with a min. climb of 320' per NM to 1000. **Rwy 26**, 700-2 or std. with a min. climb of 310' per NM to 1400.

DEPARTURE PROCEDURE: **Rwy 8**, climb to 2500 via LQX NDB bearing 072° before proceeding on course.

Rwy 26, climb to 2500 via LQX NDB bearing 250° before proceeding on course.

LEWISBURG, WV**GREENBRIER VALLEY (LWB)**

AMDT 4 09239 (FAA)

DEPARTURE PROCEDURE: **Rwy 4**, climb heading 043° to 3300 before proceeding on course. **Rwy 22**, climb heading 223° to 3100 before proceeding on course.

NOTE: **Rwy 4**, tree 1617' from DER, 528' right of centerline, 84' AGL/2364' MSL. **Rwy 22**, trees beginning 759' from DER 553' left of centerline, 60' AGL/2309' MSL. Trees beginning 1996' from DER, 289' right of centerline, up to 104' AGL/2364' MSL.

LOCK HAVEN, PA**WILLIAM T. PIPER MEMORIAL**

TAKE-OFF MINIMUMS: **Rwys 9L, 9R**, NA-obstacles.

Rwy 27L, NA-ATC. **Rwy 27R**, std. w/a min. climb of 393' per NM to 2500 or 2300-3 for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 27R**, climb heading 273° to 2500 before proceeding on course or for climb in visual conditions cross William T. Piper Memorial Airport at or above 2700 MSL before proceeding on course.

NOTE: **Rwy 27R**, multiple terrain and trees beginning 1.4 NM from departure end of runway, 1194' right of centerline, up to 100' AGL/1119' MSL. Tower 1.8 NM from departure end of runway, 349' right of centerline, 154' AGL/895' MSL.

LOGAN, WV**LOGAN COUNTY**

TAKE-OFF MINIMUMS: **Rwy 24**, 400-1.

DEPARTURE PROCEDURE: **Rwy 6**, climb runway heading to 3000 before proceeding on course.

Rwy 24, climb runway heading to 3000 before proceeding on course.

NOTE: **Rwy 24**, 148' AGL trees 1500' from departure end of runway.

MARTINSBURG, WV**EASTERN WEST VIRGINIA RGNL/
SHEPHERD FIELD (MRB)**

AMDT 6 08269 (FAA)

DEPARTURE PROCEDURE: **Rwy 8**, climb heading 079° to 1300 before proceeding on course. **Rwy 26**, climb heading 259° to 1000, then climbing left turn to 2500 direct MRB VORTAC before proceeding on course.

NOTE: **Rwy 8**, trees 1056' from departure end of runway, 706' left of centerline, 47' AGL/594' MSL. Trees 1516' from departure end of runway, 617' right of centerline, 39' AGL/586' MSL. **Rwy 26**, trees 511' from departure end of runway, 522' right of centerline, 35' AGL/592' MSL. Antenna on obstruction light building 657' from departure end of runway, 656' left of centerline, 37' AGL/594' MSL.

MEADVILLE, PA**PORT MEADVILLE**

DEPARTURE PROCEDURE: **Rwy 7**, climb runway heading to 2000 before proceeding on course.

MIFFLINTOWN, PA**MIFFLINTOWN**

TAKE-OFF MINIMUMS: **Rwy 8**, std. with a min. climb of 500' per NM to 4000 or 2100-3 for climb in visual conditions. **Rwy 26**, NA-obstacles.

DEPARTURE PROCEDURE: **Rwy 8**, climb heading 090° to 4000 before proceeding on course or for climb in visual conditions: cross Mifflintown Airport at or above 2500 MSL before proceeding on course.

NOTE: **Rwy 8**, multiple terrain and trees beginning 1332' from departure end of runway, 356' left of centerline, up to 200' AGL/839' MSL. Trees 1.2 NM from departure end of runway, 2350' right of centerline, up to 100' AGL/759' MSL.

MILTON, WV**ONA AIRPARK (12V)**

AMDT 2 08101 (FAA)

TAKE-OFF MINIMUMS: **Rwys 7, 25**, 1900-3 climb in visual conditions.

DEPARTURE PROCEDURE: **Rwys 7, 25**, Departure NA at night. For climb in visual conditions: cross Ona Airpark at or above 2300 MSL before proceeding on course. Do not exceed 180 KIAS until crossing Ona Airpark on course.

NOTE: **Rwy 7**, trees beginning 730' from departure end of runway, 44' left of centerline, up to 100' AGL/1019' MSL. Trees 4879' from departure end of runway, 597' right of centerline, up to 100' AGL/999' MSL. Trees beginning 1.8 NM from departure end of runway, 2539' left of centerline, up to 100' AGL/1199' MSL. Trees beginning 1.6 NM from departure end of runway, 556' right of centerline, up to 100' AGL/1199' MSL. **Rwy 25**, trees beginning 94' from departure end of runway, 47' right of centerline, up to 100' AGL/719' MSL. Towers and trees beginning 3016' from departure end of runway, 758' left of centerline, up to 125' AGL/822' MSL. Trees beginning 2 NM from departure end of runway, 3193' left of centerline, up to 100' AGL/1079' MSL.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009

09295



NE-4



TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES



09295

MONONGAHELA, PA

ROSTRAVER

TAKE-OFF MINIMUMS: **Rwy 26**, 300-1 or std. with a min. climb of 350' per NM to 1500.
 DEPARTURE PROCEDURE: **Rwy 8**, Climb via heading 076° to 1900 before proceeding on course.
 NOTES: **Rwy 8**, tree 64' from departure end of runway, 439' right of centerline, 54' AGL/1274' MSL; tree 246' from departure end of runway, 433' left of centerline, 66' AGL/1245' MSL; tree 325' from departure end of runway, 418' left of centerline, 61' AGL/1240' MSL; Tree 295' from departure end of runway, 354' left of centerline, 40' AGL/1239' MSL; tree 2303' from departure end of runway, 220' right of centerline, 46' AGL/1285' MSL; tree 2231' from departure end of runway, 18' left of centerline, 61' AGL/1280' MSL. **Rwy 26**, tree 3753' from departure end of runway, 644' left of centerline, 100' AGL/1390' MSL.

MORGANTOWN, WV

MORGANTOWN MUNI-WALTER L. BILL HART FIELD

TAKE-OFF MINIMUMS: **Rwy 5**, 400-1. **Rwy 23**, 600-1.
 DEPARTURE PROCEDURE: **Rwy 5**, climbing left turn to 3500 via heading 040° to intercept MGW R-015 before proceeding on course. **Rwy 18**, climbing right turn to 2700 via heading 225° before proceeding on course. **Rwy 23**, climbing left turn to 2700 via heading 190° before proceeding on course. **Rwy 36**, climb runway heading to 2700 before proceeding on course.

MOUNDSVILLE, WV

MARSHALL COUNTY

TAKE-OFF MINIMUMS: **Rwy 6**, 500-2 or std. with a min. climb of 210' per NM to 1900. **Rwy 24**, 300-2 or std. with a min climb of 230' per NM to 1600.

MOUNT JOY/MARIETTA, PA

DONEGAL SPRINGS AIRPARK (N71) AMDT 2 07354 (FAA)

DEPARTURE PROCEDURE: **Rwy 10**, climb heading 094° to 1300 before turning southwest. **Rwy 28**, climb heading 274° to 1900 before turning south.
 NOTE: **Rwy 10**, tree 433' from departure end of runway, 487' right of centerline, 100' AGL/519' MSL.

MOUNT POCONO, PA

POCONO MOUNTAINS MUNI

DEPARTURE PROCEDURE: **All runways**, climb straight ahead to 2500 feet before turning on course.

MUIR AAF (KMUI)

FORT INDIANTOWN GAP, PA. 09015

DEPARTURE PROCEDURE: **Rwy 7**, climbing right turn on 190 bearing from BZJ NDB to 1900 before proceeding on course. **Rwy 25**, climbing left turn on 190 bearing from BZJ NDB to 1800 before proceeding on course.
 TAKE-OFF OBSTACLES: **Rwy 7**, Trees 309' from DER, left of centerline, 81' AGL/514' MSL. Trees 2945' from DER, 662' right of centerline, 63' AGL/562' MSL. **Rwy 25**, Tree 26' from DER, 415' right of centerline, 43' AGL/505' MSL. Vehicle on road 280' from DER, 61' left of centerline, 15' AGL/474' MSL. Building 382' from DER, 235' left of centerline, 33' AGL/492' MSL.

MYERSTOWN, PA

DECK

DEPARTURE PROCEDURE: **Rwy 19**, climb heading 174° to 1600 before proceeding on course.
 NOTE: **Rwy 1**, tree 315' from departure end of runway, 579' right of centerline, 41' AGL/570' MSL. Pole 697' from departure end of runway, 621' right of centerline, 31' AGL/553' MSL. Tree 878' from departure end of runway, 616' right of centerline, 56' AGL/572' MSL.

NEW CASTLE, PA

NEW CASTLE MUNI

TAKE-OFF MINIMUMS: **Rwy 13**, 300-1 or std. with a min. climb of 350' per NM to 1400.
 NOTE: **Rwy 5**, tree 785' from departure end of runway, 196' right of centerline, 32' AGL/1029' MSL. **Rwy 13**, trees 4087' from departure end of runway, 1531' right of centerline, 100' AGL/1249' MSL. Building 262' from departure end of runway, 179' left of centerline, 24' AGL/1088' MSL. **Rwy 31**, tree 497' from departure end of runway, 18' right of centerline, 28' AGL/1044' MSL.

PARKERSBURG, WV

MID-OHIO VALLEY GRNGL (PKB)

AMDT 2 09155 (FAA)
 TAKE-OFF MINIMUMS: **Rwy 3**, 300-1 or std. w/min. climb of 451' per NM to 1300. **Rwy 28**, 500-3 or std. w/min. climb of 295' per NM to 1600.
 NOTE: **Rwy 3**, trees beginning 253' from DER, 424' left of centerline, up to 100' AGL/1080' MSL. Trees 2615' from DER, 807' right of centerline, 100' AGL/935' MSL. **Rwy 10**, trees beginning 281' from DER, left and right of centerline, up to 100' AGL/889' MSL. **Rwy 21**, trees beginning 513' from DER, 193' right of centerline, up to 100' AGL/952' MSL. Trees beginning 248' from DER, 499' left of centerline, up to 100' AGL/837' MSL. Trees 4457' from DER, 239' right of centerline, 100' AGL/944' MSL. **Rwy 28**, trees beginning 97' from DER, 387' right of centerline, up to 100' AGL/862' MSL.

PERKASIE, PA

PENNRIDGE

TAKE-OFF MINIMUMS: **Rwy 8**, 300-1. **Rwy 26**, 500-1.

PETERSBURG, WV

GRANT COUNTY

TAKE-OFF MINIMUMS: **Rwys 13, 31**, 1500-3.
 DEPARTURE PROCEDURE: **Rwys 13, 31**, climb visually so as to cross airport at or above 2400 thence continue climb to 5000 northeast on heading 033° to intercept ESL R-213 direct to ESL.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009

09295



TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES



NE-4

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

09295

PHILADELPHIA, PA

NORTHEAST PHILADELPHIA (PNE)

ORIG 08045 (FAA)

TAKE-OFF MINIMUMS: **Rwy 33**, 200-1¼ or std. w/min. climb of 223' per NM to 400, or alternatively, with standard takeoff minimums and a normal 200'/NM climb gradient, takeoff must occur no later than 1600' prior to departure end of runway.

NOTES: **Rwy 6**, Trees 1355' from departure end of runway, 803' left of centerline 58' AGL/179' MSL. Trees 1576' from departure end of runway, 835' left of centerline, 44' AGL/165' MSL. **Rwy 15**, Vehicles on roads beginning 540' from departure end of runway, on centerline, up to 15' AGL/134' MSL. Trees beginning 592' from departure end of runway, 42' left of centerline, up to 74' AGL/166' MSL. Trees beginning 928' from departure end of runway, 213' right of centerline, up to 64' AGL/173' MSL. **Rwy 24**, Trees beginning 198' from departure end of runway 198' left of centerline, up to 38' AGL/158' MSL. Vehicle on road 450' from departure end of runway, on centerline, 15' AGL/134' MSL. Tank and trees beginning 2343' from departure end of runway, 577' left of centerline, up to 91' AGL/200' MSL. Bushes and trees beginning 118' from departure end of runway, 182' right of centerline, up to 26' AGL/137' MSL. Trees beginning 1325' from departure end of runway, 220' right of centerline, up to 77' AGL/197' MSL. **Rwy 33**, Vehicle on road 2050' from departure end of runway, on centerline, 15' AGL/174' MSL. Bushes and trees beginning 491' from departure end of runway, 29' left of centerline, up to 66' AGL/225' MSL. Obstruction light transmission towers, beginning 5872' from departure end of runway, 401' left of centerline, up to 125' AGL/284' MSL. Bushes and trees beginning 636' from departure end of runway, 185' right of centerline, up to 57' AGL/215' MSL.

PHILADELPHIA INTL (PHL)

AMDT 8 08213 (FAA)

TAKE-OFF MINIMUMS: **Rwy 8**, std. w/min. climb of 320' per NM to 900. **Rwy 9L**, std. w/min. climb of 390' per NM to 500. **Rwy 9R**, std. w/min. climb of 310' per NM to 500. **Rwy 17**, 200-1 or std. w/min. climb of 410' per NM to 300. **Rwy 26**, NA-obstacles. **Rwy 35**, std. w/min. climb of 264' per NM to 1400.

NOTE: **Rwy 8**, fence 163' from departure end of runway, 250' right of centerline, 4' AGL/41' MSL. **Rwy 9L**, tree 593' from departure end of runway, 633' left of centerline, 12' AGL/26' MSL. **Rwy 9R**, multiple towers beginning 2592' from departure end of runway, 1044' right of centerline, up to 140' AGL/145' MSL. **Rwy 17**, multiple trees beginning 1115' from departure end of runway, 286' left of centerline, up to 56' AGL/65' MSL. Rod on tower 1617' from departure end of runway, 847' right of centerline, 68' AGL/77' MSL. Ship in channel 3500' from departure end of runway, 86' left of centerline, 188' AGL/188' MSL. **Rwy 27L**, multiple trees beginning 256' from departure end of runway, 282' right of centerline, up to 40' AGL/49' MSL. **Rwy 35**, sign and multiple light poles and trees beginning 1232' from departure end of runway, 205' left of centerline, up to 11 4' AGL/128' MSL. Multiple signs and light poles beginning 1709' from departure end of runway, 644' right of centerline, up to 69' AGL/83' MSL.

PHILADELPHIA, PA (CON'T)

WINGS FIELD

TAKE-OFF MINIMUMS: **Rwy 24**, 300-1 or std. with a min. climb of 400' per NM to 600.

DEPARTURE PROCEDURE: **Rwy 24**, climb via heading 245° to 1100 before proceeding on course.

NOTE: **Rwy 6**, trees beginning 154' from departure end of runway, 357' left of centerline, 90' AGL/350' MSL. Trees 1038' from departure end of runway, 776' left of centerline, 100' AGL/389' MSL. **Rwy 24**, multiple buildings 347' from departure end of runway, 530' left of centerline, 50' AGL/360' MSL. Building 235' from departure end of runway, 524' right of centerline, 60' AGL/350' MSL. Tower 4367' from departure end of runway, 843' right of centerline, 160' AGL/444' MSL.

PHILIPPI, WV

PHILIPPI/BARBOUR COUNTY RGNL (79D)

ORIG 08157 (FAA)

DEPARTURE PROCEDURE: **Rwy 8**, climb heading 083° to 3300 before turning south.

NOTE: **Rwy 8**, trees beginning 108' from departure end of runway, 118' right of centerline, up to 100' AGL/1799' MSL. **Rwy 26**, trees beginning 504' from departure end of runway, 220' left of centerline, up to 100' AGL/1779' MSL.

PHILIPSBURG, PA

MID-STATE

TAKE-OFF MINIMUMS: **Rwy 6**, 700-1. **Rwy 16**, 400-1. **Rwy 24**, 300-1.

DEPARTURE PROCEDURE: **Rwy 6**, climbing left turn to 2800 on heading 340° before proceeding on course.

Rwys 16, 24, 34, climb runway heading to 2800 before proceeding on course.

PINEVILLE, WV

KEE FIELD

TAKE-OFF MINIMUMS: **Rwy 8**, 700-2. **Rwy 26**, 600-1.

DEPARTURE PROCEDURE: **Rwys 8, 26**, climb runway heading to 3000 before proceeding on course.

NOTE: **Rwy 8**, 86' trees/terrain 2100' from departure end on centerline. **Rwy 26**, 135' trees/terrain 1300' from departure end on centerline.

PITTSBURGH, PA

ALLEGHENY COUNTY

NOTE: **Rwy 10**, vehicle 91' from departure end of runway, 492' right of centerline, 15' AGL/1254' MSL. Tree 3783' from departure end of runway, 713' left of centerline, 69' AGL/1352' MSL. **Rwy 13**, vehicle 73' from departure end of runway, 412' right of centerline, 15' AGL/1254' MSL. Trees beginning 385' from departure end of runway, 120' right of centerline, up to 40' AGL/1268' MSL. **Rwy 31**, pole 265' from departure end of runway, 298' right of centerline, 49' AGL/1263' MSL.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009

09295

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

NE-4

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

09295

PITTSBURGH, PA (CON'T)

PITTSBURGH INTL

TAKE-OFF MINIMUMS: **Rwy 32**, 200-1½ or std. w/ min. climb of 240' per NM to 1500, or alternatively, with standard takeoff minimums and a normal 200'/NM climb gradient, takeoff must occur no later than 2100' prior to departure end of runway.

NOTE: **Rwy 10C**, multiple trees beginning 3207' from departure end of runway, 461' left of centerline, up to 29' AGL/1263' MSL. **Rwy 10L**, tree 1387' from departure end of runway, 733' left of centerline, 59' AGL/1233' MSL. Rod on obstruction light tower, 4168' from departure end of runway, 910' left of centerline, 112' AGL/1282' MSL. Tower 4175' from departure end of runway, 864' left of centerline, 112' AGL/1282' MSL. Tree 1463' from departure end of runway, 672' left of centerline, 38' AGL/1212' MSL. **Rwy 10R**, multiple trees beginning 1082' from departure end of runway, 102' right of centerline, up to 66' AGL/1265' MSL. Obstruction light on monitor pole 4590' from departure end of runway, 1124' left of centerline, 55' AGL/1241' MSL. Pole 4610' from departure end of runway, 1138' left of centerline, 55' AGL/1241' MSL. **Rwy 14**, tree 968' from departure end of runway, 516' right of centerline, 44' AGL/1158' MSL. **Rwy 28L**, tree 2272' from departure end of runway, 1109' left of centerline, 64' AGL/1223' MSL. Tree 39' from departure end of runway, 498' left of centerline, 9' AGL/1144' MSL. **Rwy 28R**, tree 1810' from departure end of runway, 912' right of centerline, 34' AGL/1273' MSL. Bush 73' from departure end of runway, 477' right of centerline, 12' AGL/1215' MSL. Pole 645' from departure end of runway, 633' left of centerline, 20' AGL/1223' MSL. **Rwy 32**, antenna on obstruction light tower 1.1 NM from departure end of runway, 435' left of centerline, 105' AGL/1354' MSL. Tower 6812' from departure end of runway, 497' left of centerline, 96' AGL/1342' MSL. Light on pole 454' from departure end of runway, 515' right of centerline, 25' AGL/1173' MSL. Multiple trees beginning 1717' from departure end of runway, 1108' right of centerline, up to 61' AGL/1321' MSL. Tree 6074' from departure end of runway, 1272' right of centerline, 61' AGL/1321' MSL. Tree 2577' from departure end of runway, 1108' right of centerline, 74' AGL/1233' MSL. Tree 2480' from departure end of runway, 1118' right of centerline, 33' AGL/1212' MSL.

POINT PLEASANT, WV

MASON COUNTY

TAKE-OFF MINIMUMS: **Rwy 7**, 300-1 or std. with a min. climb of 280' per NM to 1000.

DEPARTURE PROCEDURE: **Rwys 7, 25**, climb runway heading to 1600 before proceeding on course.

NOTE: **Rwy 25**, 60' AGL tree 475' left of departure end of runway.

POTTSTOWN, PA

POTTSTOWN-LIMERICK

TAKE-OFF MINIMUMS: **Rwy 10**, 300-1 or std. with a min. climb of 290' per NM to 500. **Rwy 28**, 500-2.

DEPARTURE PROCEDURE: **Rwy 28**, climb runway heading to 800 before proceeding on course.

POTTSTOWN, PA (CON'T)

POTTSTOWN MUNI (N47)

AMDT 2A 09295 (FAA)

TAKE-OFF MINIMUMS: **Rwy 8**, std. w/ min. climb of 414' per NM to 1300, or 600-3 w/ min. climb of 241' per NM to 1300, or 1300-2½ for climb in visual conditions. **Rwy 26**, std. w/ min. climb of 288' per NM to 1600 or 1300-2½ for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 8**, climb heading 076° to 1300 before proceeding on course. For climb in visual conditions: cross Pottstown Muni Airport at or above 1400 MSL before proceeding on course.

Rwy 26, climb heading 271° to 1100 before proceeding on course. For climb in visual conditions: cross Pottstown Muni Airport at or above 1400 MSL before proceeding on course.

NOTE: **Rwy 8**, terrain 2761' from DER, 124' right of centerline, 0' AGL/319' MSL. Multiple trees beginning 5919' from DER, 854' left of centerline, up to 100' AGL/559' MSL. Multiple trees beginning 1.3 NM from DER, 616' right of centerline, up to 100' AGL/759' MSL. **Rwy 26**, tree 400' from DER, on centerline, 35' AGL/295' MSL. Terrain 10' from DER, 246' left of centerline, 0' AGL/279' MSL. Tree 399' from DER, on centerline, up to 100' AGL/295' MSL. Multiple trees beginning 1 NM from DER, 2009' right of centerline, up to 100' AGL/579' MSL.

POTTSVILLE, PA

SCHUYLKILL COUNTY/JOE ZERBEY (ZER)

AMDT 2 09239 (FAA)

TAKE-OFF MINIMUMS: **Rwys 4, 22**, NA-Environmental.

NOTE: **Rwy 11**, tree 88' from DER, 467' left of centerline, 23' AGL/1723' MSL. Tree 358' from DER, 545' right of centerline, 100' AGL/1779' MSL. **Rwy 29**, tree 433' from DER, 151' left of centerline, 100' AGL/1819' MSL. Tree 460' from DER, 263' right of centerline, 100' AGL/1819' MSL. Bush 86' from DER, 236' right of centerline, 7' AGL/1746' MSL.

PUNXSUTAWNEY, PA

PUNXSUTAWNEY MUNI

TAKE-OFF MINIMUMS: **Rwy 1**, NA-obstacles. **Rwy 6**, 400-1 ¾ or std. with a min. climb of 260' per NM to 2000. **Rwy 19**, 500-2 or std. with a min. climb of 285' per NM to 2000.

DEPARTURE PROCEDURE: **Rwy 6**, climb via heading 067° to 2000 before proceeding on course.

Rwy 19, climb via heading 188° to 2000 before proceeding on course. **Rwy 24**, climb via heading 200° to 2100 before proceeding on course.

NOTES: **Rwy 6**, tree 1.4 NM from departure end of runway, 2579' left of centerline, 100' AGL/1719' MSL. Tower 1.9 NM from departure end of runway, 2966' left of centerline, 200' AGL/1799' MSL. Tower 1.7 NM from departure end of runway, 1264' right of centerline, 200' AGL/1719' MSL. **Rwy 19**, tower 1.7 NM from departure end of runway, 2860' left of centerline, 200' AGL/1799' MSL.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009

09295

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

NE-4



09295

RAVENSWOOD, WV

JACKSON COUNTY

TAKE-OFF MINIMUMS: **Rwy 4**, 300-1.DEPARTURE PROCEDURE: **Rwys 4, 22**, climb runway heading to 1300 before proceeding on course.NOTE: **Rwy 4**, 100' AGL tree, 500' from departure end of runway, 200' left of centerline.**READING, PA**

READING RGNL/CARL A. SPAATZ FIELD

TAKE-OFF MINIMUMS: **Rwy 13**, 1000-1 or std. with a min. climb of 370' per NM to 1500. **Rwy 31**, 400-1 or std. with a min. climb of 350' per NM to 800. **Rwy 36**, 400-1 or std. with a min. climb of 260' per NM to 800.DEPARTURE PROCEDURE: **Rwy 18**, climb runway heading to 1400 before turning on course.**Rwys 31, 36**, climb runway heading to 800 before turning on course.**REEDSVILLE, PA**

MIFFLIN COUNTY (RVL)

AMDT 3 08157 (FAA)

TAKE-OFF MINIMUMS: **Rwy 6**, std. w/ min. climb of 287' per NM to 3000 or 2200-3 for climb in visual conditions. **Rwy 24**, std. w/ min. climb of 242' per NM to 2800 or 2200-3 for climb in visual conditions.DEPARTURE PROCEDURE: **Rwy 6**, climb heading 059° to 3000 before proceeding on course or for climb in visual conditions cross Mifflin County Airport at or above 3000 MSL before proceeding on course. **Rwy 24**, climb heading 239° to 2800 before proceeding on course or for climb in visual conditions cross Mifflin County Airport at or above 3000 MSL before proceeding on course.NOTE: **Rwy 6**, fence beginning 59' from departure end of runway, 497' right of centerline, up to 6' AGL/825' MSL. Bushes 449' from departure end of runway, 422' right of centerline, up to 10' AGL/829' MSL. **Rwy 24**, ground 171' from departure end of runway, 481' left of centerline, 0' AGL/830' MSL. Fence 207' from departure end of runway, 288' left of centerline, 15' AGL/834' MSL. Trees 1189' from departure end of runway, 198' right of centerline, up to 100' AGL/933' MSL. Trees 2,168' from departure end of runway, 407' left of centerline, up to 100' AGL/908' MSL.**ST. MARYS, PA**

ST. MARYS MUNI

NOTE: **Rwy 10**, terrain and trees 3833' from departure end of runway, right and left of centerline, 100' AGL/2119' MSL. **Rwy 28**, terrain and trees 1926' from departure end of runway, right and left of centerline, 100' AGL/1979' MSL; terrain and trees 3754' from departure end of runway, right and left of centerline, 100' AGL/2000' MSL.**SELINGS GROVE, PA**

PENN VALLEY

TAKE-OFF MINIMUMS: **Rwy 17**, 600-2 or std. with a min. climb of 300' per NM to 1500. **Rwy 35**, 600-2 or std. with a min. climb of 500' per NM to 1200.DEPARTURE PROCEDURE: **Rwy 17**, climbing right turn to 3100 direct SEG VORTAC. Continue climb in holding pattern to 3100 before proceeding on course. **Rwy 35**, climbing left turn to 3100 direct SEG VORTAC. Continue climb in holding pattern to 3100 before proceeding on course.**SEVEN SPRINGS BOROUGH, PA**

SEVEN SPRINGS

TAKE-OFF MINIMUMS: **Rwys 10, 28**, 300-1.**SHAMOKIN, PA**

NORTHUMBERLAND COUNTY

TAKE-OFF MINIMUMS: **Rwy 8**, 400-1 or std. with a min. climb of 450' per NM to 1400. **Rwy 26**, 700-1 or std. with a min. climb of 250' per NM to 1400.DEPARTURE PROCEDURE: **Rwy 8**, climb to 1400, then climbing left turn to 4000 direct SEG VORTAC.**Rwy 26**, climb to 1400, then climb to 4000 via SEG R-088 to SEG VORTAC.**SOMERSET, PA**

SOMERSET COUNTY (2G9)

AMDT 2 07354 (FAA)

TAKE-OFF MINIMUMS: **Rwy 14, 32**, NA-environmental. DEPARTURE PROCEDURE: **Rwy 7**, climb heading 066° to 3000 before turning south. **Rwy 25**, climb heading 246° to 2800 before turning south.NOTE: **Rwy 7**, trees beginning 57' from departure end of runway, 178' right of centerline, up to 79' AGL/2285' MSL. Tree 1291' from departure end of runway, 76' left of centerline, 59' AGL/2238' MSL. Buildings beginning 639' from departure end of runway, 348' left of centerline, up to 40' AGL/2222' MSL. **Rwy 25**, trees beginning 480' from departure end of runway, 152' right of centerline, up to 67' AGL/2346' MSL. Antenna on building 283' from departure end of runway, 204' right of centerline, 30' AGL/2290' MSL. Tree 584' from departure end of runway, 211' left of centerline, 55' AGL/2297' MSL. Obstruction light on localizer 291' from departure end of runway, on centerline, 20' AGL/2284' MSL.**STATE COLLEGE, PA**

UNIVERSITY PARK

TAKE-OFF MINIMUMS: **Rwys 16, 34**, NA.DEPARTURE PROCEDURE: **Rwys 6, 24**, climb runway heading to 2600 before proceeding on course.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009

09295



NE-4



09295

STERLING, PA

SPRING HILL (70N)

ORIG 09015 (FAA)

TAKE-OFF MINIMUMS: **Rwy 23**, 600-2.

NOTE: **Rwy 5**, building and trees 244' from departure end of runway, 278' right of centerline, up to 50' AGL/1689' MSL. Trees beginning 956' from departure end of runway, 34' right of centerline, up to 100' AGL/1759' MSL. Trees beginning 2883' from departure end of runway, 278' right of centerline, up to 100' AGL/1799' MSL. **Rwy 23**, trees 933' from departure end of runway, 201' right of centerline, up to 100' AGL/1899' MSL. Trees 2360' from departure end of runway, 156' left of centerline, up to 100' AGL/1901' MSL. Trees 1.1 NM from departure end of runway, 1736' left of centerline, up to 100' AGL/2119' MSL. Trees 1.5 NM from departure end of runway, 1698' right of centerline, up to 100' AGL/2139' MSL.

SUMMERSVILLE, WV

SUMMERSVILLE

TAKE-OFF MINIMUMS: **Rwy 4**, 400-1 or std. with a min. climb of 350' per NM to 3000.

SUTTON, WV

BRAXTON COUNTY

TAKE-OFF MINIMUMS: **Rwy 1**, 300-1 with a min. climb of 245' per NM to 2100 or 1100-2½ for climb in visual conditions. **Rwy 19**, NA-obstacles.

DEPARTURE PROCEDURE: **Rwy 1**, climb via heading 014° to 2100 before proceeding on course. For climb in visual conditions, cross Braxton County Airport at or above 2200.

NOTE: **Rwy 1**, Road 798' from departure end of runway, 498' right of centerline, 15' AGL/1334' MSL. Trees 1160' from departure end of runway, 533' left of centerline, up to 100' AGL/1439' MSL. Trees, 3257' from departure end of runway, 1194' left of centerline, up to 100' AGL/1479' MSL. Trees, 4449' from departure end of runway, 955' left of centerline, up to 100' AGL/1539' MSL. Powerline tower, 4549' from departure end of runway, 342' left of centerline, 70' AGL/1429' MSL.

TITUSVILLE, PA

TITUSVILLE

NOTE: **Rwy 18**, trees beginning 1865' from departure end of runway, 199' right of centerline, up to 100' AGL/1589' MSL. Trees beginning 1313' from departure end of runway, on centerline, up to 100' AGL/1609' MSL. Trees beginning 872' from departure end of runway, 194' left of centerline, up to 100' AGL/1619' MSL. **Rwy 36**, trees beginning 2798' from departure end of runway, 217' right of centerline, up to 100' AGL/1689' MSL. Trees beginning 2806' from departure end of runway, 47' left of centerline, up to 100' AGL/1736' MSL.

TOUGHKENAMON, PA

NEW GARDEN

TAKE-OFF MINIMUMS: **Rwy 6**, 300-1.

DEPARTURE PROCEDURE: **Rwys 6,24**, climb runway heading to 900 before turning on course.

TOWANDA, PA

BRADFORD COUNTY

TAKE-OFF MINIMUMS: **Rwy 5**, 900-2 or std. with a min. climb of 380' per NM to 2000. **Rwy 23**, 1600-2 or std. with a min. climb of 580' per NM to 2800.

DEPARTURE PROCEDURE: **Rwy 5**, climb heading 047° to 3000 before proceeding on course. **Rwy 23**, climb heading 227° to 3000 before proceeding on course.

NOTE: **Rwy 5**, trees 12386' from departure end of runway, 3511' left of centerline, 100' AGL/1462' MSL. **Rwy 23**, trees 10099' from departure end of runway, 1892' left of centerline, 100' AGL/1203' MSL.

TOWER CITY, PA

BENDIGO (74N)

ORIG 09183 (FAA)

TAKE-OFF MINIMUMS: **Rwy 5**, std. w/ min. climb of 518' per NM to 2200 or 1700-2 for climb in visual conditions. **Rwy 23**, NA-terrain.

DEPARTURE PROCEDURE: **Rwy 5**, departure NA at night. Climb heading 054° to 2200 before proceeding on course or for climb in visual conditions: cross Bendigo airport at or above 2300 before proceeding on course. Do not exceed 180 KIAS until crossing Bendigo airport on course.

NOTE: **Rwy 5**, multiple trees beginning 330' from DER, 45' left of centerline, up to 100' AGL/919' MSL. Multiple trees beginning 355' from DER, 81' right of centerline, up to 100' AGL/879' MSL. Multiple towers beginning 2.1 NM from DER, 2384' left of centerline, up to 200' AGL/1559' MSL.

WASHINGTON, PA

WASHINGTON COUNTY

TAKE-OFF MINIMUMS: **Rwy 9**, 700-2½ or std. with a min. climb of 475' per NM to 2100. **Rwy 27**, 300-1½ or std. with a min. climb of 490' per NM to 1500.

NOTE: **Rwy 9**, multiple trees beginning 2968' from departure end of runway, 780' right of centerline, up to 109' AGL/1308' MSL. Multiple trees beginning 5232' from departure end of runway, 459' left of centerline, up to 105' AGL/1380' MSL. Multiple trees beginning 1.2 NM from departure end of runway, 13' left of centerline, up to 117' AGL/1392' MSL. Multiple trees beginning 1.2 NM from departure end of runway, 687' right of centerline, up to 122' AGL/1461' MSL. Multiple trees and towers beginning 1.8 NM from departure end of runway, 1012' right of centerline, up to 213' AGL/1721' MSL. **Rwy 27**, multiple trees beginning 187' from departure end of runway, 132' left of centerline, up to 36' AGL/1195' MSL. Multiple trees beginning 267' from departure end of runway, 146' right of centerline, up to 55' AGL/1244' MSL. Multiple trees and poles beginning 1173' from departure end of runway, 29' left of centerline, up to 80' AGL/1414' MSL. Multiple trees and pole beginning 1362' from departure end of runway, 221' right of centerline, up to 65' AGL/1367' MSL. Multiple trees and towers beginning 1.2 NM from departure end of runway, 801' right of centerline, up to 83' AGL/1422' MSL.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009

09295



NE-4

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

09295

WAYNESBURG, PA

GREENE COUNTY (WAY)

ORIG 08269 (FAA)

TAKE-OFF MINIMUMS: **Rwy 9**, NA-obstacle. **Rwy 27**, 300-1 or Std. w/min. climb of 447' per NM to 1300.

DEPARTURE PROCEDURE: **Rwy 27**, climb heading 268° to 1800 before proceeding on course.

NOTE: **Rwy 27**, trees beginning 332' from departure end of runway, 315' left of centerline, up to 100' AGL/1119' MSL. Trees beginning 332' from departure end of runway, 360' right of centerline, up to 100' AGL/1239' MSL. Pole/sign 1672' from departure end of runway, 623' left of centerline, 80' AGL/1148' MSL.

WELLSBORO, PA

WELLSBORO JOHNSTON

TAKE-OFF MINIMUMS: **Rwy 10**, 300-1. **Rwy 28**, 600-2 or std. with a min. climb of 240' per NM to 2700.

DEPARTURE PROCEDURE: **Rwy 10**, climbing right turn direct SFK VOR/DME. **Rwy 28**, climbing left turn direct SFK VOR/DME. All aircraft cross SFK VOR/DME at or above 3000, if not at 3000, continue climb in SFK VOR/DME holding pattern to 3000 before proceeding on course (Hold SW, right turns, 036° inbound).

NOTE: **Rwy 10**, 79' AGL trees 1600' from departure end of runway, on centerline.

WEST CHESTER, PA

BRANDYWINE

TAKE-OFF MINIMUMS: **Rwy 27**, 300-1 or std. with a min. climb of 240' per NM to 700.

NOTE: **Rwy 27**, 100' AGL trees 3800' from departure end of runway, on centerline.

WHEELING, WV

WHEELING OHIO COUNTY

NOTE: **Rwy 3**, tree 95' from departure end of runway, 315' right of centerline, 13' AGL/1213' MSL. Tree 351' from departure end of runway, 264' left of centerline, 48' AGL/1227' MSL. Obstruction light on antenna 96' from departure end of runway, 240' left of centerline, 9' AGL/1208' MSL. Obstruction light on transmission tower 5596' from departure end of runway, 1128' right of centerline, 100' AGL/1341' MSL. **Rwy 16**, pole 125' from departure end of runway, 241' left of centerline, 4' AGL/1203' MSL. Pole 264' from departure end of runway, 261' right of centerline, 6' AGL/1205' MSL. Post 267' from departure end of runway, 242' left of centerline, 19' AGL/1198' MSL. Tree 299' from departure end of runway, 273' left of centerline, 46' AGL/1225' MSL. **Rwy 34**, multiple trees beginning 460' from departure end of runway, 402' right of centerline, up to 46' AGL/1225' MSL. Obstruction light on antenna 436' from departure end of runway, 599' left of centerline, 45' AGL/1224' MSL.

WILKES-BARRE/SCRANTON, PA

WILKES-BARRE/SCRANTON INTL

TAKE-OFF MINIMUMS: **Rwy 4**, 300-1½ or std. with a min. climb of 240' per NM to 1300. **Rwy 10**, NA-obstacles. **Rwy 22**, 400-2 or std. with a min. climb of 240' per NM to 1400.

DEPARTURE PROCEDURE: **Rwy 4**, climb via heading 044° and LHY R-255 to cross LHY VORTAC at or above 3000 before proceeding on course. **Rwy 22**, fly heading 224° to 1400, then climbing right turn via heading 250° and LVZ R-287 to 3000 before proceeding on course. **Rwy 28**, fly heading 283° to 1400, then climbing left turn via heading 250° and LVZ R-287 to 3000 before proceeding on course.

NOTE: **Rwy 4**, tower 4380' from departure end of runway, 414' left of centerline, 114' AGL/1026' MSL. Tree 1 NM from departure end of runway, 1647' left of centerline, 85' AGL/1064' MSL. Tree 1.3 NM from departure end of runway, 468' left of centerline, 100' AGL/1139' MSL. **Rwy 22**, tower 1.8 NM from departure end of runway, 2177' right of centerline, 352' AGL/1293' MSL.

WILLIAMSPORT, PA

WILLIAMSPORT RGNL

TAKE-OFF MINIMUMS: **Rwy 9**, 600-1 required or std. with a min. climb of 255' per NM to 1600. **Rwy 12**, 1300-1. **Rwy 15**, 1500-1 required; night IFR take-off NA. **Rwy 27**, 1300-1 required or 500-1 required with a min. climb of 235' per NM to 1400. **Rwy 30**, 900-1 required or std. with a min. climb of 236' per NM to 1400. **Rwy 33**, 1500-1 required or std. with a min. climb of 295' per NM to 2100.

DEPARTURE PROCEDURE: **Rwy 9**, climb straight ahead to 2500 via PIX NDB or IPT LOC Front Course before proceeding on course. **Rwys 12, 15**, left climbing turn as soon as practicable after take off, intercept IPT LOC Front Course and climb eastbound to 2500 before proceeding on course. **Rwy 27**, turn right, maintain visual reference until established on 300° heading. Intercept the MIP R-318 and continue climb to 2500 before proceeding on course. **Rwys 30, 33**, climb straight ahead to 2500 before proceeding on course.

WILLOW GROVE NAS JRB (KNXX)

WILLOW GROVE, PA ORIG, 05020

TAKE-OFF OBSTACLES: **Rwy 33**, trees within 4758' of departure end of runway, 455' MSL.

YORK, PA

YORK

TAKE-OFF MINIMUMS: **Rwys 17, 35**, 300-1.

DEPARTURE PROCEDURE: **Rwy 17**, climb on runway heading to 1000 feet before turning. **Rwy 35**, climb on runway heading to 800 feet before turning.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009

09295

TAKE-OFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

NE-4

09295

ZELIENOPE, PA

ZELIENOPE MUNI (PJC)

AMDT 3 08269 (FAA)

TAKE-OFF MINIMUMS: **Rwys 17,35**, 1100-2½ for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwys 17,35**, for climb in visual conditions: cross Zelienville Muni at or above 1900' before proceeding on course.

NOTE: **Rwy 17**, terrain and trees beginning 1.23 NM from departure end of runway, 1272' left of centerline, up to 100' AGL/1339' MSL. Vehicle on road beginning 18' from departure end of runway, 378' left of centerline, up to 15' AGL/946' MSL. Brush 278' from departure end of runway, 204' left of centerline, 21' AGL/921' MSL. Vehicle on road 451' from departure end of runway, 593' right of centerline, 15' AGL/946' MSL. Trees beginning 2442' from departure end of runway, 1110' right of centerline, up to 100' AGL/1299' MSL. Power lines beginning 3648' from departure end of runway, 644' right of centerline, up to 79' AGL/1046' MSL. Trees beginning 1.27 NM from departure end of runway, 477' right of centerline, up to 100' AGL/1359' MSL. **Rwy 35**, terrain and trees beginning 1.04 NM from departure end of runway, 1400' left of centerline, up to 100' AGL/1259' MSL. Trees 805' from departure end of runway, 287' right of centerline, 120' AGL/1014' MSL. Vehicle on road 161' from departure end of runway, 524' right of centerline, 15' AGL/946' MSL.

22 OCT 2009 to 19 NOV 2009

22 OCT 2009 to 19 NOV 2009

09295

NE-4