



15008

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

INSTRUMENT APPROACH PROCEDURE CHARTS



IFR TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

Civil Airports and Selected Military Airports

ALL USERS: Airports that have Departure Procedures (DPs) designed specifically to assist pilots in avoiding obstacles during the climb to the minimum enroute altitude, and/or airports that have civil IFR takeoff minimums other than standard, are listed below. Takeoff Minimums and Departure Procedures apply to all runways unless otherwise specified. Altitudes, unless otherwise indicated, are minimum altitudes in MSL.

DPs specifically designed for obstacle avoidance are referred to as Obstacle Departure Procedures (ODPs) and are textually described below, or published separately as a graphic procedure. If the ODP is published as a graphic procedure, its name will be listed below, and it can be found in either this volume (civil), or the applicable military volume, as appropriate. Users will recognize graphic obstacle DPs by the term "(OBSTACLE)" included in the procedure title; e.g., TETON TWO (OBSTACLE). If not specifically assigned an ODP, SID, or radar vector as part of an IFR clearance, an ODP may be required to be flown for obstacle clearance, even though not specifically stated in the IFR clearance. When doing so in this manner, ATC should be informed when the ODP being used contains a specified route to be flown, restrictions before turning, and/or altitude restrictions.

Some ODPs, which are established solely for obstacle avoidance, require a climb in visual conditions to cross the airport, a fix, or a NAVAID in a specified direction, at or above a specified altitude. These procedures are called Visual Climb Over Airport (VCOA). To ensure safe and efficient operations, the pilot must verbally request approval from ATC to fly the VCOA when requesting their IFR clearance.

At some locations where an ODP has been established, a diverse vector area (DVA) may be created to allow radar vectors to be used in lieu of an ODP. DVA information will state that headings will be as assigned by ATC and climb gradients, when applicable, will be published immediately following the specified departure procedure.

Graphic DPs designed by ATC to standardize traffic flows, ensure aircraft separation and enhance capacity are referred to as "Standard Instrument Departures (SIDs)". SIDs also provide obstacle clearance and are published under the appropriate airport section. ATC clearance must be received prior to flying a SID.

CIVIL USERS NOTE: Title 14 Code of Federal Regulations Part 91 prescribes standard takeoff rules and establishes takeoff minimums for certain operators as follows: (1) Aircraft having two engines or less - one statute mile. (2) Aircraft having more than two engines - one-half statute mile. These standard minima apply in the absence of any different minima listed below.

MILITARY USERS NOTE: Civil (nonstandard) takeoff minima are published below. For military takeoff minima, refer to appropriate service directives.

| NAME | TAKEOFF MINIMUMS | NAME | TAKEOFF MINIMUMS |
|------|------------------|------|------------------|
|------|------------------|------|------------------|

ADAK ISLAND, AK

ADAK (ADK) (PADK)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2 08213 (FAA)

TAKEOFF MINIMUMS: **Rwy 5**, Std. w/ min. climb of 370 feet per NM to 4400, or 4400-3 for climb in visual conditions. **Rwy 18**, NA-obstacles. **Rwy 23**, Std. w/ min. climb of 622 feet per NM to 4600, or 4400-3 for climb in visual conditions. **Rwy 36**, NA-obstacles.

DEPARTURE PROCEDURE: **Rwy 5**, Climb via 054° bearing from ADK NDB/DME to 4400, then climbing right turn to 5600 direct ADK NDB/DME. Continue climb in ADK NDB/DME holding pattern (hold, NE, RT, 234° inbound) to cross ADK NDB/DME at or above MEA/MCA for route of flight, or for climb in visual conditions: Cross ADK NDB/DME at or above 5600 before proceeding on course. **Rwy 23**, Climb to 4600 direct ADK NDB/DME and via 234° bearing from ADK NDB/DME then climbing left turn to 5600 direct ADK NDB/DME, continue climb in ADK NDB/DME holding pattern (hold, NE, RT, 234° inbound) to cross ADK NDB/DME at or above MEA/MCA for route of flight, or for climb in visual conditions: cross ADK NDB/DME at or above 5600 before proceeding on course.

NOTE: **Rwy 5**, Rising terrain beginning 39' from DER, 470' left of centerline, up to 50' MSL. Rising terrain beginning 68' from DER, 244' right of centerline, up to 23' MSL. **Rwy 23**, Rising terrain beginning 17' from DER, 356' right of centerline, up to 283' MSL. Bush 1.8NM from DER, 1470' right of centerline, up to 10' AGL/507' MSL. Bush 2 NM from DER, 20' left of centerline, up to 10' AGL/504' MSL. Bush 3766' from DER, 142' right of centerline, 10' AGL/310' MSL.

AKHIOK, AK

AKHIOK (AKK) (PAKH)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 07130 (FAA)

TAKEOFF MINIMUMS: **Rwy 22**, N/A-obstacles.
DEPARTURE PROCEDURE: **Rwy 4**, use JOGMO
DEPARTURE.

AKIAK, AK

AKIAK (AKI) (PFAK)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG 09239 (FAA)

DEPARTURE PROCEDURE: Use AKIAK
DEPARTURE.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)





15008

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



AKUTAN, AK

AKUTAN (7AK) (P7AK)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

ORIG 13346 (FAA)

TAKEOFF MINIMUMS: **Rwys 9, 27**, 3200-2½ for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwys 9, 27**, For climb in visual conditions: cross Akutan airport at or above 3200' MSL before proceeding on course. When executing VCOA, notify ATC prior to departure.

NOTE: **Rwy 9**, rising terrain beginning 91' from DER, 396' right of centerline, up to 163' MSL. Rising terrain beginning 2039' from DER, 923' left of centerline, up to 263' MSL. **Rwy 27**, rising terrain beginning 8' from DER, 495' left of centerline, up to 115' MSL. Rising terrain beginning 1796' from DER, 727' left of centerline, up to 182' MSL.

ALLAKAKET, AK

ALLAKAKET (6A8) (PFAL)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 2 13234 (FAA)

DEPARTURE PROCEDURE: **Rwy 5**, climb heading 052° to 1500 before turning left. **Rwy 23**, climb heading 232° to 1300 before turning.

NOTE: **Rwy 5**, tree 799' from DER, 606' right of centerline, 83' AGL/532' MSL. Tree 1297' from DER, 664' right of centerline, 85' AGL/534' MSL. Tree 2007' from DER, 342' right of centerline, 49' AGL/498' MSL.

ALLEN AAF (PABI)

DELTA JUNCTION/FORT GREELY, AK

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 4A 11125

DEPARTURE PROCEDURE: **Rwys 19, 28**, climbing right turn via heading 332° and BIG VORTAC R-287 to 3500, thence... **Rwys 1, 10**, climbing left turn via heading 242° and BIG VORTAC R-287 to 3500, thence...

...for V444 westbound departures continue on course, all others turn right direct BIG VORTAC or DJN NDB and proceed via airway radials/bearings on course.

TAKEOFF OBSTACLES: **Rwy 1**, multiple trees and fence beginning 46' from DER, 326' right of centerline, up to 59' AGL/1284' MSL. **Rwy 10**, multiple trees, fence, and REILS beginning 41' from DER, left and right of centerline, up to 70' AGL/1331' MSL. **Rwy 19**, multiple trees and power poles beginning 415' from DER, left and right of centerline, up to 46' AGL/1337' MSL. **Rwy 28**, multiple trees and REILS beginning 4' from DER, left and right of centerline, up to 47' AGL/1301' MSL.

AMBLER, AK

AMBLER (AFM) (PAFM)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

ORIG-A 14093 (FAA)

TAKEOFF MINIMUMS: **Rwys 9, 27**, NA - obstacles. DEPARTURE PROCEDURE: **Rwy 36**, turn right. **Rwy 18**, turn left, climb southeast bound on 156° bearing from AMF NDB to 2000, then climb on course.

ANAKTUVUK PASS, AK

ANAKTUVUK PASS (AKP) (PAKP)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 1 08101 (FAA)

TAKEOFF MINIMUMS: **Rwy 20**, NA-obstacles. DEPARTURE PROCEDURE: **Rwy 2**, Use AKUMY DEPARTURE (RNAV).

ANCHORAGE, AK

TED STEVENS ANCHORAGE INTL (ANC) (PANC)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 7A 13010 (FAA)

TAKEOFF MINIMUMS: **Rwy 7L**, 300-1¼, w/min. climb of 230' per NM to 1600 or std. w/min. climb of 255' per NM to 1600.

DEPARTURE PROCEDURE: **Rwys 7L, 7R, 15**, climbing right turn heading 250°; thence ...

Rwys 25L, 25R, climbing left turn heading 180°; thence...

Rwy 33, climbing left turn heading 160°; thence ...
... intercept TED R-211 and ENA R-028 to ENA VOR/DME before proceeding on course.

NOTE: **Rwy 7L**, NAVAID 10' from DER, 56' left of centerline, 2' AGL/92' MSL. Multiple poles beginning 1407' from DER, 608' left of centerline, up to 186' AGL/272' MSL. Trees beginning 787' from DER, 31' left of centerline, up to 60' AGL/162' MSL. Bush 10' from DER, 493' right of centerline, 4' AGL/95' MSL. Trees and poles beginning 1172' from DER, 10' right of centerline, up to 60' AGL/158' MSL. **Rwy 7R**, terrain beginning 3' from DER, 168' right of centerline, up to 112' MSL. Sign, post, bush, and poles, beginning 107' from DER, 462' right of centerline, up to 20' AGL/132' MSL. Trees beginning 1044' from DER, 575' right of centerline, up to 60' AGL/249' MSL. **Rwy 15**, terrain, bushes and NAVAID beginning 10' from DER, 64' right of centerline, up to 5' AGL/125' MSL. Antenna, antenna on obstruction light tower and NAVAID beginning 2212' from DER, 1020' left of centerline, up to 103' AGL/227' MSL. Trees beginning 1166' from DER, left and right of centerline, up to 60' AGL/269' MSL. **Rwy 25L**, multiple NAVAID items beginning 4' from DER, on centerline, up to 3' AGL/135' MSL. Fences, trees and bushes beginning 12' from DER, 385' left of centerline, up to 60' AGL/200' MSL. Trees beginning 396' from DER, on centerline and to the right of centerline, up to 60' AGL/177' MSL. **Rwy 25R**, bush and NAVAID beginning 10' from DER, 56' right of centerline, up to 3' AGL/129' MSL. **Rwy 33**, trees, bush and NAVAID beginning 10' from DER, 85' left of centerline, up to 60' AGL/182' MSL. Trees beginning 390' from DER, 326' right of centerline, up to 60' AGL/232' MSL.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



AK



15008

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



ANCHORAGE, AK (CON'T)

MERRILL FIELD (MRI) (PAMR)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 12040

TAKEOFF MINIMUMS: **Rwys 5, 23**, NA - ATC. **Rwy 7**, std. w/min. climb of 315' per NM to 2000. **Rwy 16**, std. w/min. climb of 230' per NM to 2000. **Rwy 25**, 300-1½ or std. w/min. climb of 340' per NM to 2000.

DEPARTURE PROCEDURE: **Rwy 7**, climbing right turn to 2000 direct TED VOR/DME, thence... **Rwy 16**, climbing right turn to 2000 direct TED VOR/DME, thence... **Rwy 25**, climbing left turn to 2000 direct TED VOR/DME, thence... **Rwy 34**, climbing left turn to 2000 direct TED VOR/DME, thence... climb in TED VOR/DME holding pattern (hold SW, left turns, 067° inbound) to MEA/MCA for route of flight before proceeding on course.

NOTE: **Rwy 7**, multiple trees beginning 718' from DER, 79' left of centerline, up to 29' AGL/165' MSL. Terrain 109' from DER, 280' left of centerline, up to 145' MSL. Terrain 403' from DER, 584' left of centerline, up to 150' MSL. Rod on hangar 165' from DER, 363' right of centerline, 32' AGL/168' MSL. **Rwy 16**, multiple trees beginning 96' from DER, 149' right of centerline, up to 54' AGL/193' MSL. Obstruction light on windsock, 14' from DER, 199' left of centerline, 7' AGL/131' MSL. **Rwy 25**, multiple buildings and towers beginning 273' from DER, 228' left of centerline, up to 293' AGL/403' MSL. Multiple buildings and towers beginning 343' from DER, 358' right of centerline, up to 285' AGL/383' MSL. Building 1.2 NM from DER, 228' left of centerline, 313' AGL/408' MSL. Multiple lights on poles and buildings, beginning 19' from DER, 370' right of centerline, up to 55' AGL/180' MSL. Multiple trees beginning 765' from DER, 48' right of centerline, up to 39' AGL/165' MSL. Multiple transmission poles beginning 2011' from DER, crossing left to right, up to 72' AGL/196' MSL. Fence 210' from DER, 79' left of centerline, 7' AGL/131' MSL. **Rwy 34**, fence 2' from DER, 349' left of centerline, 7' AGL/131' MSL. Multiple trees and light poles beginning 451' from DER, 106' left of centerline, up to 33' AGL/157' MSL. Antenna on hangar 503' from DER, 261' right of centerline, 49' AGL/173' MSL. Building 1071' from DER, 345' right of centerline, 78' AGL/ 178' MSL.

ANIAK, AK

ANIAK (ANI) (PANI)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 2 01081 (FAA)

DEPARTURE PROCEDURE: **Rwy 10**, climb runway heading to 1800 before turning on course. **Rwy 28**, climb runway heading to 1300 before turning on course.

ANVIK, AK

ANVIK (ANV) (PANV)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 08269 (FAA)

NOTE: **Rwy 17**, multiple trees beginning 56' from DER, 30' left of centerline, up to 50' AGL/436' MSL. Multiple trees beginning 87' from DER, 38' right of centerline, up to 50' AGL/349' MSL. **Rwy 35**, Multiple trees beginning 93' from DER, 129' left of centerline, up to 50' AGL/349' MSL. Multiple trees beginning 8' from DER, 10' right of centerline, up to 50' AGL/366' MSL.

ARCTIC VILLAGE, AK

ARCTIC VILLAGE (ARC) (PARC)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 06047 (FAA)

DEPARTURE PROCEDURE: Use TUVVO DEPARTURE.

ATKA, AK

ATKA (AKA) (PAAK)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 10210 (FAA)

DEPARTURE PROCEDURE: **Rwy 16**, use HIMKI DEPARTURE. **Rwy 34**, use INOTY DEPARTURE.

ATQASUK, AK

ATQASUK EDWARD BURNELL SR

MEMORIAL (ATK) (PATQ)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 10210 (FAA)

NOTE: **Rwy 6**, trees beginning 11' from DER, 433' right of centerline up to 15' AGL/114' MSL. **Rwy 24**, trees beginning 6' from DER, 449' left of centerline up to 15' AGL/114' MSL.

BARROW, AK

WILEY POST-WILL ROGERS MEMORIAL

(BRW) (PABR)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 10210 (FAA)

NOTE: **Rwy 25**, road 139' from DER, 464' left of centerline, 17' AGL/63' MSL. Road 231' from DER, 547' right of centerline, 17' AGL/60' MSL. Pole 468' from DER, 551' right of centerline, 68' AGL/72' MSL.

BARTER ISLAND, AK

BARTER ISLAND LRRS (BTI) (PABA)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 09351 (FAA)

NOTE: **Rwy 7**, ship 26' from DER, 354' right of centerline, 50' MSL. **Rwy 25**, ship 215' from DER, 157' left of centerline, 50' MSL.

BEAVER, AK

BEAVER (WBQ) (PAWB)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 09239 (FAA)

NOTE: **Rwy 5**, multiple trees beginning 229' from DER, 262' right of centerline, up to 60' AGL/419' MSL. Multiple trees beginning 1263' from DER, 373' right of centerline, up to 60' AGL/419' MSL. Vehicle on road 392' from DER, 9' right of centerline, 10' AGL/369' MSL. **Rwy 23**, multiple trees beginning 1259' from DER, 374' right of centerline, up to 60' AGL/419' MSL. Multiple trees beginning 1277' from DER, 366' left of centerline, up to 60' AGL/419' MSL.

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



AK



15008

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



BETHEL, AK

BETHEL (BET) (PABE)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 3 09183 (FAA)

TAKEOFF MINIMUMS: **Rwy 30**, 1¼ or std. w/ min. climb of 245' per NM to 400.

DEPARTURE PROCEDURE: **Rwy 1L**, tree 6' from DER, 218' right of centerline, 35' AGL/105' MSL. Tree 210' from DER, 251' left of centerline, 35' AGL/111' MSL.

Rwy 1R, tree 125' from DER, 452' left of centerline, 35' AGL/125' MSL. **Rwy 12**, multiple trees beginning 508' from DER, 129' left of centerline, up to 35' AGL/144' MSL.

Rwy 19L, multiple trees beginning 21' from DER, 175' right of centerline, up to 35' AGL/130' MSL. **Rwy 19R**, multiple trees beginning 21' from DER, 313' left of centerline, up to 35' AGL/130' MSL. **Rwy 30**, tree 95' from DER, 140' right of centerline, 35' AGL/128' MSL.

Multiple towers 5771' from DER, 65' right of centerline, up to 147' AGL/297' MSL.

BETTLES, AK

BETTLES (BTT) (PABT)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 2 07242 (FAA)

TAKEOFF MINIMUMS: **Rwy 1**, std. w/ min. climb of 400' per NM to 2500 or 3100-2½ for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 1**, climb heading 012° to 2500 then climbing left turn to 3600 direct BTT VOR/DME. Climb in BTT VOR/DME holding pattern (hold south, left turn, 338° inbound) to cross BTT VOR/DME at or above 3600 or as directed by ATC. For climb in visual conditions: cross Bettles VOR/DME at or above 3600 MSL before proceeding on course. **Rwy 19**, climb heading 192° to 1800 then climbing left turn to 3600 direct BTT VOR/DME. Climb in BTT VOR/DME holding pattern (hold south, left turn, 338° inbound) to cross BTT VOR/DME at or above 3600 or as directed by ATC.

NOTE: **Rwy 1**, multiple trees beginning 450' from DER, 267' right of centerline, up to 47' AGL/691' MSL. Multiple trees beginning 80' from DER, 148' left of centerline, up to 16' AGL/664' MSL. Antenna on building 395' from DER, 161' right of centerline, 14' AGL/658' MSL. DME antenna 412' from DER, 205' right of centerline, 12' AGL/656' MSL. **Rwy 19**, multiple trees beginning 140' from DER, 94' right of centerline up to 38' AGL/670' MSL. Multiple trees beginning 286' from DER, 152' left of centerline, up to 26' AGL/658' MSL.

BIG LAKE, AK

BIG LAKE (BGQ) (PAGQ)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 2 12040 (FAA)

TAKEOFF MINIMUMS: **Rwy 7**, 300-1 w/ min. climb of 310' per NM to 700, or 900-2½ for climb in visual conditions. **Rwy 25**, 400-2 or std. w/min. climb of 320' per NM to 700.

DEPARTURE PROCEDURE: **Rwy 7**, climbing left turn to BGQ VORTAC, thence..., or for climb in visual conditions cross Big Lake Airport at or above 900 then proceed direct BGQ VORTAC, thence... **Rwy 25**, climbing right turn direct BGQ VORTAC, thence...

...climb in BGQ VORTAC holding pattern (hold S, left turn, 356° inbound) to MCA/MEA for route of flight.

NOTE: **Rwy 7**, bushes beginning 33' from DER, 335' left of centerline, up to 10' AGL/259' MSL. Multiple trees beginning 1150' from DER, 310' left of centerline, up to 60' AGL/409' MSL. Multiple trees beginning 2265' from DER, 708' right of centerline, up to 60' AGL/309' MSL. **Rwy 25**, trees beginning 33' from DER, 109' left of centerline, up to 60' AGL/259' MSL. Trees beginning 960' from DER, 185' right of centerline, up to 60' AGL/259' MSL.

BREVIQ MISSION, AK

BREVIQ MISSION (KTS) (PFKT)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

ORIG 14149 (FAA)

TAKEOFF MINIMUMS: **Rwy 4**, NA-Terrain.

DEPARTURE PROCEDURE: **Rwys 12,22,30**, use BREVIQ DEPARTURE.

BUCKLAND, AK

BUCKLAND (BVK) (PABL)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 1 07186 (FAA)

TAKEOFF MINIMUMS: **Rwy 11**, std. w/ min. climb of 325' per NM to 1800, or 1900-3 for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 11**, climbing left turn to 3000 heading 280°, 314° bearing from BVK NDB and OTZ R-133 to OTZ VOR/DME, before proceeding on course, or for climb in visual conditions: cross Buckland Airport at or above 1800 MSL before proceeding on course. **Rwy 29**, climbing right turn to 3000 via BVK 314° bearing and OTZ R-133 to OTZ VOR/DME, before proceeding on course.

NOTE: **Rwy 11**, tower 1494' from DER, 112' right of centerline, 45' AGL/120' MSL. Trees 800' from DER, left and right of centerline, 50' AGL/99' MSL, tree 6001' from DER, 1169' left of centerline, 50' AGL/199' MSL.

CAPE LISBURNE LRRS (PALU)

CAPE LISBURNE

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 1 14317

Diverse departures not authorized.

DEPARTURE PROCEDURE: **Rwy 9**, use GRAAY

DEPARTURE (RNAV 1). **Rwy 27**, NA.

TAKE-OFF OBSTACLES: **Rwy 9**, Rising terrain up to 58' MSL, from DER out to 1521', 213' right of centerline. Multiple buildings up to 108' MSL, 234' from DER, 482' right of centerline. RADAR antennas, 91' MSL, 1361' from DER, 521' right of centerline. Weather antenna, 68' MSL, 278' from DER, 19' left of centerline. Tower, 110' AGL/151' MSL, 2419' from DER, 531' right of centerline.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



AK



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

15008

CAPE NEWENHAM LRRS (PAEH)

CAPE NEWENHAM, AK

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 2, 09015

Diverse departures not authorized.

DEPARTURE PROCEDURE: **Rwy 14**, NA. **Rwy 32**, use

CAPE NEWENHAM DEPARTURE.

TAKEOFF OBSTACLES: **Rwy 32**, terrain, 271' MSL, 500' right of centerline. Terrain, 249' MSL, 209' from DER, 390' right of centerline.

CAPE ROMANZOF LRRS (PACZ)

CAPE ROMANZOF, AK

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 3, 09015

Diverse departures not authorized.

DEPARTURE PROCEDURE: **Rwy 2**, NA. **Rwy 20**, use

CAPE ROMANZOF DEPARTURE.

TAKEOFF OBSTACLES: **Rwy 20**: DME antenna, 455' MSL, 38' prior to DER, 252' left of centerline. Terrain, 464' MSL, 47' from DER, 512' left of centerline. Terrain, 462' MSL, 237' from DER, 563' left of centerline. Terrain, 437' MSL, 379' from DER, 507' left of centerline. Terrain, 423' MSL, 24' from DER, 310' left of centerline.

CENTRAL, AK

CENTRAL (CEM) (PACE)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 14149 (FAA)

TAKEOFF MINIMUMS: **Rwys 8, 26**, 2900-3 for climb in visual conditions.DEPARTURE PROCEDURE: **Rwys 8, 26**, for climb in visual conditions, cross Central Airport at or above 3700 before proceeding on course. When executing VCOA, notify ATC prior to departure.NOTE: **Rwy 8**, trees beginning 149' from DER, left and right of centerline, up to 73' AGL/972' MSL. **Rwy 26**, trees beginning 80' from DER, left and right of centerline, up to 78' AGL/1045' MSL. Building, 179' from DER, 204' left of centerline, 23' AGL/952' MSL. Pole/antenna on buildings beginning 228' from DER, 198' left of centerline, up to 46' AGL/982' MSL. Vehicle on road, 491' from DER, 3' right of centerline, 15' AGL/955' MSL. Vent/chimney on buildings beginning 736' from DER, 10' right of centerline, up to 25' AGL/964' MSL. Building, 79' from DER, 294' right of centerline, 19' AGL/951' MSL. Vehicles on road beginning 84' from DER, 410' right of centerline, up to 15' AGL/951' MSL. Pole, 532' from DER, 298' right of centerline, 39' AGL/978' MSL.

CHALKYITSIK, AK

CHALKYITSIK (CIK) (PACI)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 09239 (FAA)

NOTE: **Rwy 3**, tree 330' from DER, 355' left of centerline, 15' AGL/564' MSL. Tree 1291' from DER, 191' right of centerline 15' AGL/564' MSL. **Rwy 21**, tree 237' from DER, 92' left of centerline, 15' AGL/564' MSL. Tree 692' from DER, 346' left of centerline, 15' AGL/564' MSL. Tree 909' from DER, 472' right of centerline, 15' AGL/564' MSL.

CHEVAK, AK

CHEVAK (VAK) (PAVA)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 07298 (FAA)

NOTE: **Rwy 2**, vegetation beginning 76' from DER, 210' left of centerline, up to 15' AGL/89' MSL. **Rwy 20**, vegetation beginning 71' from DER, 231' left of centerline, up to 15' AGL/89' MSL.

CHUATHBALUK, AK

CHUATHBALUK (9A3) (PACH)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 09295 (FAA)

DEPARTURE PROCEDURE: see EBSIH DEPARTURE.

CLARKS POINT, AK

CLARKS POINT (CLP) (PFCL)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 10042 (FAA)

NOTE: **Rwy 18**, trees and terrain beginning 50' from DER, 283' left of centerline, up to 35' AGL/201' MSL. **Rwy 36**, trees and terrain beginning 12' from DER, 168' left and right of centerline, up to 35' AGL/159' MSL.

COLD BAY, AK

COLD BAY (CDB) (PACD)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 7 13010 (FAA)

TAKEOFF MINIMUMS: **Rwy 26**, 900-2¼ or std. w/ min. climb of 400' per NM to 1200.DEPARTURE PROCEDURE: **Rwys 8, 15**, climbing left turn direct ELF NDB or CDB VORTAC, thence...**Rwy 26**, climbing right turn direct ELF NDB or CDB VORTAC, thence....**Rwy 33**, climb direct to ELF NDB or CDB VORTAC, thence...

...Climb in ELF NDB holding pattern (NW, left turns, 144° inbound) or CDB VORTAC holding pattern (NW, left turns, 145° inbound) to at or above MEA for route of flight.

NOTE: **Rwy 26**, rising terrain beginning 1.6 NM from DER, 1808' left of centerline, up to 935' MSL. Trees beginning 1.8 NM from DER, 3461' left of centerline, up to 15' AGL/950' MSL.

COLDFOOT, AK

COLDFOOT (CXF) (PACX)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 05244 (FAA)

DEPARTURE PROCEDURE: **Rwy 19**, Use BETTLES DEPARTURE.

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)





TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

15008

CORDOVA, AK

MERLE K. (MUDHOLE) SMITH (CDV)
(PACV)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 7 13010 (FAA)

TAKEOFF MINIMUMS: **Rwy 16**, NA- ATC. **Rwy 34**, NA-
obstacles and ATC.

DEPARTURE PROCEDURE: **Rwy 9**, climb to assigned
altitude on I-CDV localizer east course to FORAT/I-CDV
44.6 DME before proceeding on course. **Rwy 27**,
climbing left turn to 5000 on GCR NDB bearing 202° to
EYAKS INT and hold (S, right turns, 022° inbound),
continue Climb-in-hold to 5000 before proceeding on
course.

NOTE: **Rwy 9**, trees and poles beginning 101' from DER,
454' left of centerline, up to 30' AGL/68' MSL. **Rwy 27**,
trees beginning 15' from DER, 423' left of centerline, up
to 30' AGL/84' MSL.

DEADHORSE, AK

DEADHORSE (SCC) (PASC)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 3 13290 (FAA)

NOTE: **Rwy 5**, sign 13' from DER, 250' left of centerline,
2' AGL/62' MSL. **Rwy 23**, light 10' from DER, 4' right of
centerline, 1' AGL/68' MSL.

DEERING, AK

DEERING (DEE) (PADE)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 09239 (FAA)

TAKEOFF MINIMUMS: **Rwy 11**, std. w/ min. climb of 360'
per NM to 800, or 1100-2½ for climb in visual conditions.
Rwy 29, 300-1½ or std. w/ min. climb of 270' per NM to
300.

DEPARTURE PROCEDURE: **Rwy 11**, for climb in visual
conditions, cross Deering Airport at or above 1000
before proceeding on course. **Rwy 20**, climb heading
204° to 600 before turning left.

NOTE: **Rwy 2**, tree 82' from DER, 6' right of centerline,
30' AGL/55' MSL. Trees beginning 803' from DER, left
and right of centerline, up to 30' AGL/55' MSL. **Rwy 11**,
trees beginning 119' from DER, left and right of
centerline, up to 30' AGL/55' MSL. Tree 4592' from DER,
796' left of centerline, 30' AGL/179' MSL. Trees
beginning 5715' from DER, 110' left of centerline, up to
30' AGL/329' MSL. Trees beginning 1.3 NM from DER,
259' right of centerline, up to 30' AGL/429' MSL. **Rwy 20**,
trees beginning 151' from DER, left and right of
centerline, up to 30' AGL/79' MSL.

DILLINGHAM, AK

DILLINGHAM (DLG) (PADL)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 3 09015 (FAA)

DEPARTURE PROCEDURE: **Rwy 1**, climb on heading
between 023° CW to 191° from DER or minimum climb of
265' per NM to 3100' for all other courses. **Rwy 19**, climb
heading 191° to 800' before turning right.

NOTE: **Rwy 1**, vehicle on road 191' from DER, left and
right, up to 15' AGL/75' MSL. Multiple trees, poles, fence
and antenna 833' from DER, 222' right of centerline, up to
58' AGL/165' MSL. Multiple trees and poles beginning
1607' from DER, 222' left of centerline, up to 58' AGL/189'
MSL. **Rwy 19**, building and multiple trees beginning 177'
from DER, 191' right of centerline, up to 49' AGL/118'
MSL. Multiple trees, antenna and poles beginning 129'
from DER, 234' left of centerline, up to 38' AGL/114' MSL.

EAGLE, AK

EAGLE (EAA) (PAEG)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 14149 (FAA)

TAKEOFF MINIMUMS: **Rwy 7**, 4000-3 for climb in visual
conditions... **Rwy 25**, Std. w/min. climb of 695' to 6700 or
4000-3 for climb in visual conditions...

DEPARTURE PROCEDURE: **Rwy 25**, climb heading 266°
to 6700 before proceeding on course.

... For climb in visual conditions, cross Eagle Airport at or
above 4800 before proceeding on course. When executing
VCOA, notify ATC prior to departure.

NOTE: **Rwy 7**, trees beginning 194' from DER, 222' right of
centerline, up to 60' AGL/1024' MSL. Trees beginning 484'
DER, 84' left of centerline, up to 60' AGL/1859' MSL. **Rwy 25**,
pole 223' from DER, 296' right of centerline, 40'
AGL/912' MSL. Airport beacon 320' from DER, 493' left of
centerline, 20' AGL/931' MSL. Antenna on building 331'
from DER, 336' left of centerline, 20' AGL/917' MSL. Trees
beginning 159' from DER, 74' right of centerline, up to 60'
AGL/1259' MSL. Trees beginning 765' from DER, 129' left
of centerline, up to 60' AGL/1559' MSL.

EGEGIK, AK

EGEGIK (EII) (PAII)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 09239 (FAA)

TAKEOFF MINIMUMS: **Rwys 3, 21**, NA-Environmental.

EIELSON AFB (PAEI)

FAIRBANKS, AK

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 2, 15008

DEPARTURE PROCEDURE: **Rwy 32**, standard with Climb
Gradient of 250 ft/NM to 3800. **Rwy 14**, standard with
Climb Gradient of 280 ft/NM to 3800.

TAKE-OFF OBSTACLES: **Rwy 32**, Trees 2958' from DER,
1166' right of centerline, 85' AGL/619' MSL. Trees 2662'
from DER, 1234' right of centerline, 85' AGL/618' MSL.
Trees 3316' from DER, 1040' left of centerline, 70'
AGL/621' MSL. **Rwy 14**, Trees 3607' from DER, 1378' left
of centerline, 85' AGL/654' MSL.

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)





15008

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



ELIM, AK

ELIM (ELI) (PFEL)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 10098 (FAA)

TAKEOFF MINIMUMS: **Rwy 1**, NA-Obstacles.
DEPARTURE PROCEDURE: **Rwy 19**, use ELIM
(RNAV) DEPARTURE.

ELMENDORF AFB (PAED)

ANCHORAGE, AK

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 13178

TAKE-OFF MINIMUMS: **Rwy 16**, NA.
TEXTUAL DEPARTURE: **Rwy 6**, climb on heading
between 243° CW 358° from departure end of runway,
maintain ATC assigned altitude. **Rwy 24**, climb on
heading between 263° CW 012° from departure end of
runway, maintain ATC assigned altitude. **Rwy 34**, climb
on heading between 182° CW 322° from departure end
of runway, maintain ATC assigned altitude.

TAKE-OFF OBSTACLES: **Rwy 6**, Terrain 207' MSL, at
DER, 300' left of centerline. Terrain 211' MSL,
beginning 320' from DER, 586' left of centerline. **Rwy
24**, Terrain 194' MSL, beginning 349' from DER, 585'
right of centerline. Terrain 261' MSL, beginning 2281'
from DER, 1113' right of centerline. Trees 284' MSL,
3557' from DER, 1243' right of centerline. **Rwy 34**,
Terrain 259' MSL, beginning 66' from DER, 502' right of
centerline. Trees 299' MSL, beginning 1987' from DER,
856' left of centerline. Terrain 341' MSL, 1911' from
DER, 466' left of centerline. Terrain 311' MSL, 2322'
from DER, 8' right of centerline.

EMMONAK, AK

EMMONAK (ENM) (PAEM)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 07074 (FAA)

NOTE: **Rwy 34**, bush 11' from DER, 146' left of
centerline, 5' AGL/17' MSL.

FAIRBANKS, AK

FAIRBANKS INTL (FAI) (PAFA)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 5 09295 (FAA)

TAKEOFF MINIMUMS: **Rwys 2L, 2R**, std. w/ min. climb of
230' per NM to 2600.

DEPARTURE PROCEDURE: **Rwys 2L, 2R**, climb heading
032° to 2600 before proceeding on course. **Rwys 20L, 20R**,
climb heading 197° to 2600 before proceeding on course.
NOTE: **Rwy 2L**, terrain 11' from DER, 166' left of centerline
440' MSL. Building 331' from DER, 252' left of centerline, 13'
AGL/448' MSL. **Rwy 2R**, tank 32' from DER, 359' left of
centerline 6' AGL/439' MSL. Terrain 52' from DER, 389' left of
centerline, 440' MSL. Building 188' from DER, 450' left of
centerline, 9' AGL/442' MSL. Aircraft 211' from DER, 456'
right of centerline, 8' AGL/441' MSL. Terrain beginning 132'
from DER, 208' right of centerline, up to 447' MSL. Tree 502'
from DER, 369' left of centerline, 15' AGL/448' MSL. **Rwy
20L**, terrain 9' from DER, 130' left of centerline, 437' MSL.
Terrain 89' from DER, 467' right of centerline, 443' MSL.
Multiple trees beginning 335' from DER, 459' right of
centerline up to 68' AGL/521' MSL. Multiple trees beginning
870' from DER, 188' left of centerline, up to 60' AGL/491'
MSL. **Rwy 20R**, building 7' from DER, 425' right of centerline,
22' AGL/447' MSL. Terrain beginning 194' from DER, 122' left
of centerline, up to 453' MSL. Terrain beginning 34' from
DER, 66' right of centerline, up to 457' MSL.

FORT YUKON, AK

FORT YUKON (FYU) (PFYU)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 2 13346 (FAA)

NOTE: **Rwy 4**, terrain 2' from DER, 400' left of centerline, 449'
MSL. Multiple trees and poles beginning 4' from DER, 221'
right of centerline, up to 51' AGL/496' MSL. Bush 63' from
DER, 481' left of centerline, 4' AGL/459' MSL. Multiple trees
beginning 251' from DER, 262' left of centerline, up to 45'
AGL/494' MSL. **Rwy 22**, terrain 27' from DER, 75' right of
centerline, 450' MSL. Windssock 200' from DER, 375' right of
centerline, 22' AGL/463' MSL. Multiple trees and poles
beginning 442' from DER, 13' left of centerline, up to 66'
AGL/509' MSL. Trees beginning 72' from DER, 23' right of
centerline, up to 67' AGL/507' MSL.

GALENA, AK

EDWARD G. PITKA, SR (GAL) (PAGA)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 10098 (FAA)

NOTE: **Rwy 7**, trees beginning 8' from DER, 313' right of
centerline, up to 50' AGL/192' MSL. Trees 1728' from DER,
947' left of centerline, up to 50' AGL/211' MSL. Vehicles on
levee 175' from DER, left and right of centerline, up to 17'
AGL/176' MSL. **Rwy 25**, trees beginning 55' from DER, left
and right of centerline, up to 50' AGL/187' MSL. Vehicles on
levee 280' from DER, 183' left of centerline up to 17'
AGL/177' MSL. Pole 370' from DER, 139' left of centerline,
21' AGL/168' MSL. Antennas on buildings 360' from DER,
260' right of centerline, up to 19' AGL/166' MSL. Building 160'
from DER, 160' left of centerline, 15' AGL/160' MSL.
Obstruction light on levee 421' from DER, 91' left of centerline
18' AGL/165' MSL. Localizer antenna 422' from DER, on
centerline 18' AGL/165' MSL.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



AK



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

15008

GAMBELL, AK**GAMBELL (GAM) (PAGM)**

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 2 15008 (FAA)

DEPARTURE PROCEDURE: **Rwy 16**, climb heading 164° to 700 before turning left. **Rwy 34**, climb heading 344° to 700 before turning right.

NOTE: **Rwy 34**, tower at DER, 178' right of centerline, 22' AGL/42' MSL.

GOLOVIN, AK**GOLOVIN (GLV) (PAGL)**

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

ORIG 05356 (FAA)

DEPARTURE PROCEDURE: Use NOME DEPARTURE.

GULKANA, AK**GULKANA (GKN) (PAGK)**

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 7 07018 (FAA)

DEPARTURE PROCEDURE: **Rwy 15**, climb via heading 148° to 2800, then climbing left turn direct GKN VOR/DME or GLA NDB, thence. . . **Rwy 33**, climb via heading 328° to 2800, then climbing left turn direct GKN VOR/DME or GLA NDB, thence. . .

. . . climb in holding pattern (GKN VOR/DME hold NW, right turn, 143° inbound), (GLA NDB hold NW, right turn, 143° inbound) to cross GKN VOR/DME at or above 4000 or GLA NDB at or above 10000.

NOTE: **Rwy 15**, multiple trees beginning 1175' from DER, 709' right of centerline, up to 40' AGL/1599' MSL. Multiple trees beginning 1194' from DER, 668' left of centerline up to 40' AGL/1599' MSL. **Rwy 33**, multiple trees and vehicles beginning 478' from DER, 514' left of centerline up to 40' AGL/1639' MSL. Multiple trees beginning 746' from DER, 631' right of centerline up to 40' AGL/1639' MSL.

GUSTAVUS, AK**GUSTAVUS (GST) (PAGS)**

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 3 13178 (FAA)

DEPARTURE PROCEDURE: Use GUSTAVUS
DEPARTURE.

HOLY CROSS, AK**HOLY CROSS (HCA) (PAHC)**

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 2 09239 (FAA)

DEPARTURE PROCEDURE: **Rwy 1**, climb heading 013° to 1000 before proceeding on course. **Rwy 19**, climb heading 193° to 1000 before proceeding on course.

NOTE: **Rwy 1**, multiple trees beginning 11' from DER, 163' right of centerline, up to 60' AGL/159' MSL. Multiple trees beginning 14' from DER, 140' left of centerline, up to 60' AGL/159' MSL. **Rwy 19**, multiple trees beginning 21' from DER, 98' right of centerline, up to 60' AGL/159' MSL. Multiple trees beginning 47' from DER, 117' left of centerline, up to 60' AGL/159' MSL.

HOMER, AK**HOMER (HOM) (PAHO)**

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 2 13178(FAA)

TAKEOFF MINIMUMS: **Rwy4**, std. w/min. climb of 347' per NM to 2000.

DEPARTURE PROCEDURE: **Rwy 4**, climb on heading 038° to 2000, then climbing right turn heading 240° to intercept and track out-bound on HOM R-200 thence . . .

Rwy 22, climbing right turn heading 265° to intercept HOM R-200 thence . . .

Northeast through southwest bound (020° CW 210') climb to 2600 via HOM R-200 then right turn direct HOM VORTAC. Cross HOM VORTAC at or above 4000, then climb on course. Southwest through northeast bound (211° CW 019') climb to 2600 via HOM R-200 outbound then climb on course.

NOTE: **Rwy 4**, terrain beginning 6' from DER, 322' right of centerline, up to 91' MSL. Bushes beginning 14' from DER, 360' right of centerline, up to 24' AGL/98' MSL. Trees beginning 626' from DER, 611' left of centerline up to 100' AGL/195' MSL. Airport navaid 771' from DER, 197' right of centerline, 23' AGL/97' MSL. Trees beginning 864' from DER, 333' right of centerline up to 100' AGL/ 178' MSL. Ships beginning 3721' from DER right and left of centerline up to 200' AGL. **Rwy 22**, fence 17' from DER, 417' left of centerline, up to 10' AGL/ 80' MSL. Trees beginning 322' from DER, 313' left of centerline, up to 100' AGL/123' MSL. Towers beginning 522' from DER, 523' right of centerline, up to 60' AGL/130' MSL. Obstruction lights 660' from DER, 517' right of centerline, 33' AGL/103' MSL. Trees beginning 1932' from DER, 695' right of centerline up to 100' AGL/140' MSL. Ships beginning 3695' from DER, right and left of centerline up to 200' AGL.

HOOPER BAY, AK**HOOPER BAY (HPB) (PAHP)**

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

ORIG-A 09071 (FAA)

DEPARTURE PROCEDURE: **Rwy 31**, climb heading 316° to 800 before turning east.

NOTE: **Rwy 13**, mobile crane 527' from DER, 144' right of centerline, 86' AGL/114' MSL. Pole 453' from DER, 446' left of centerline, 6' AGL/33' MSL, road 349' from DER, on centerline, 15' AGL/28' MSL, light on wind indicator 590' from DER, 389' left of centerline, 7' AGL/34' MSL, hanger 132' from DER, 361' left of centerline, 12' AGL/19' MSL.

HUSLIA, AK**HUSLIA (HLA) (PAHL)**

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

ORIG 08269 (FAA)

NOTE: **Rwy 3**, multiple trees beginning 115' from DER, 278' right of centerline, up to 20' AGL/261' MSL. Multiple trees beginning 181' from DER, 20' left of centerline, up to 20' AGL/275' MSL. **Rwy 21**, pole 1125' from DER, 795' right of centerline, 87' AGL/260' MSL. Multiple trees and bushes beginning 169' from DER, 164' left of centerline, up to 20' AGL/284' MSL. Multiple trees and bushes beginning 141' from DER, 204' right of centerline, up to 20' AGL/260' MSL.

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



15008

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



IGIUGIG, AK

IGIUGIG (IGG) (PAIG)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 09015 (FAA)

NOTE: **Rwy 5**, trees beginning 13' from DER, 154' right of centerline, up to 60' AGL/159' MSL. **Rwy 23**, trees beginning 13' from DER, 153' left of centerline, up to 60' AGL/209' MSL.

ILIAMNA, AK

ILIAMNA (ILI) (PAIL)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 2 09071 (FAA)

TAKEOFF MINIMUMS: **Rwy 35**, std. w/ min. climb of 400' per NM to 2900, or 2900-3 for climb in visual conditions.
DEPARTURE PROCEDURE: **Rwy 7**, climb to 2100, then climbing right turn via 278° bearing to ILI NDB. Climb in ILI NDB/DME holding pattern (South, Right turn, 003° inbound) to 4500 before proceeding enroute. **Rwy 17**, climb to 2100, then climbing left turn via 328° bearing to ILI NDB. Climb in ILI NDB/DME holding pattern (South, Right turn, 003° inbound) to 4500 before proceeding enroute. **Rwy 25**, climb heading 240° to 2100, then climbing left turn via 041° bearing to ILI NDB. Climb in ILI NDB/DME holding pattern (South, Right turn, 003° inbound) to 4500 before proceeding enroute. **Rwy 35**, climb to 2900, then climbing left turn via 139° bearing to ILI NDB. Climb in ILI NDB/DME holding pattern (South, Right turn, 003° inbound) to 4500 before proceeding enroute or for climb in visual conditions: Cross Iliamna airport at or above 2900 MSL before proceeding on course.

NOTE: **Rwy 7**, WSK 1' from DER, 358' left of centerline, 16' AGL/160' MSL. Tree 304' from DER, 363' left of centerline, 11' AGL/155' MSL. **Rwy 17**, trees beginning 59' from DER, 442' right of centerline, up to 30' AGL/199' MSL. **Rwy 25**, trees beginning 76' from DER, 211' right of centerline, up to 30' AGL/262' MSL. Trees beginning 208' from DER, 12' left of centerline, up to 30' AGL/263' MSL. **Rwy 35**, trees beginning 85' from DER, 18' left of centerline, up to 30' AGL/239' MSL. Trees beginning 757' from DER, 39' right of centerline, up to 30' AGL/238' MSL. Bushes beginning 247' from DER, 281' left of centerline, up to 30' AGL/205' MSL. Bush 434' from DER, 258' right of centerline, 11' AGL/194' MSL. Vehicle on road 436' from DER, 407' left of centerline, up to 15' AGL/219' MSL.

INDIAN MOUNTAIN LRRS (PAIM)

UTOPIA CREEK
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 2 13066

Diverse departures not authorized.

CAUTION: Uncontrolled Airspace below 700' AGL within 4 NM of Indian Mountain airport.

TAKEOFF MINIMUMS: **Rwy 6**, 3500-3 for climb in visual conditions. **Rwy 24**, NA.

DEPARTURE PROCEDURE: **Rwy 6**, for climb in visual conditions: Remain within 5.8 NM of Indian Mountain Airport, cross UTO NDB at or above 4600 before proceeding via published route. Max airspeed 250 KIAS.

TAKE-OFF OBSTACLES: **Rwy 6**, Terrain, 888' from DER, 738' right of centerline, 1005' MSL. Terrain, 634' from DER, 670' right of centerline, 1012' MSL. Terrain, 880' from DER, 640' right of centerline, 994' MSL. Terrain, 147' from DER, 506' right of centerline, 994' MSL. Terrain, at DER, 287' right of centerline, 963' MSL. Building, 34' inward of DER, 421' left of centerline, 22' AGL/1023' MSL.

JUNEAU, AK

JUNEAU INTL (JNU) (PAJN)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 4 13234 (FAA)
DEPARTURE PROCEDURE: **Rwys 8, 26**, Use JUNEAU DEPARTURE.

KAKE, AK

KAKE (AFE) (PAFE)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 08213 (FAA)
DEPARTURE PROCEDURE: Use KAKE DEPARTURE.

KALKSAG, AK

KALKSAG (KLG) (PALG)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 05188 (FAA)
TAKEOFF MINIMUMS: **Rwy 6**, NA-high terrain.
DEPARTURE PROCEDURE: **Rwy 24**, climb via heading 243° to 1000 before proceeding on course.
NOTES: **Rwy 24**, numerous trees beginning 1000' from DER, on centerline, up to 100' AGL/154' MSL. Numerous trees beginning 750' from DER, 500' right of centerline, up to 100' AGL/154' MSL. Numerous trees beginning 960' left of centerline, up to 100' AGL/154' MSL.

KALTAG, AK

KALTAG (KAL) (PAKV)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 05244 (FAA)
TAKEOFF MINIMUMS: **Rwy 3**, std. w/ a min. climb of 460' per NM to 4000, or 1300-3 for climb in visual conditions. **Rwy 21**, std. w/ a min. climb of 481' per NM to 4000, or 1300-3 for climb in visual conditions.
DEPARTURE PROCEDURE: **Rwy 3**, climb via 029° heading to 1100 before proceeding on course or climb in visual conditions to cross Kaltag Airport at or above 2700 before proceeding on course. **Rwy 21**, climb via 209° heading to 1100 before proceeding on course or climb in visual conditions to cross Kaltag Airport at or above 2700 before proceeding on course.
TAKEOFF NOTE: **Rwy 3**, trees 400' from DER, 400' right of centerline, 50' AGL/250' MSL.

KALTAG, AK

KALTAG (KAL) (PAKV)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 05244 (FAA)
DEPARTURE PROCEDURE: **Rwy 17**, Climb heading 174° to 800 before proceeding on course.
NOTE: **Rwy 35**, bush 13 feet from DER, 52 feet left of centerline, 6 feet AGL/31 feet MSL.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



AK



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

15008

KASIGLUK, AK

KASIGLUK (Z09) (PFKA)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 13234 (FAA)
DEPARTURE PROCEDURE: **Rwy 17**, climb heading 174°
to 800 before proceeding on course.
NOTE: **Rwy 35**, bush 13' from DER, 52' left of centerline, 6'
AGL/31' MSL.

KENAI, AK

KENAI MUNI (ENA) (PAEN)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 07298 (FAA)
DEPARTURE PROCEDURE: **Rwys 1L/R**, climb on a
heading between 300° clockwise to 190° from DER. **Rwys
19L/R**, climb heading 192° to 1100, then climb on a
heading between 222° counter clockwise to 010° from
DER.
NOTE: **Rwy 1L**, multiple trees beginning 58' from DER,
349' right of centerline, up to 60' AGL/113' MSL. Multiple
trees beginning 67' from DER, 376' left of centerline, up to
60' AGL/121' MSL. **Rwy 1R**, tree 1034' from DER, 264'
right of centerline, 60' AGL/134' MSL. Multiple trees
beginning 314' from DER, 477' left of centerline, up to 60'
AGL/108' MSL. **Rwy 19L**, multiple buildings and antennas
beginning 2053' from DER, 662' left of centerline, up to 63'
AGL/169' MSL. **Rwy 19R**, multiple bushes and trees 24'
from DER, 90' right of centerline, up to 60' AGL/148' MSL.
Multiple trees beginning 986' from DER, 160' left of
centerline, up to 60' AGL/147' MSL. Pole 492' from DER,
600' left of centerline, 33' AGL/125' MSL.

KETCHIKAN, AK

KETCHIKAN INTL (KTN) (PAKT)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 8 09127 (FAA)
DEPARTURE PROCEDURE: **Rwy 11**, use KETCHIKAN
DEPARTURE. **Rwy 29**, use SKOWL DEPARTURE.

KIANA, AK

BOB BAKER MEMORIAL (IAN) (PAIK)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG-A 09183 (FAA)
TAKEOFF MINIMUMS: **Rwy 24**, NA-Terrain.
DEPARTURE PROCEDURE: **Rwy 6**, Use SELAWIK
DEPARTURE.

KING COVE, AK

KING COVE (KVC) (PAVC)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG-A 09183 (FAA)
TAKEOFF MINIMUMS: **Rwy 25**, NA-Terrain.
DEPARTURE PROCEDURE: **Rwy 7**, Use Cold Bay RNAV
departure.

KING SALMON, AK

KING SALMON (AKN) (PAKN)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 08269 (FAA)
NOTE: **Rwy 12**, trees beginning 549' from DER, 353' left
of centerline, up to 30' AGL/108' MSL. **Rwy 36**, trees
beginning 750' from DER, 265' left of centerline, up to
30' AGL/93' MSL. Bush and trees beginning 59' from
DER, 180' right of centerline, up to 30' AGL/87' MSL.

KIPNUK, AK

KIPNUK (IIK) (PAKI)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 14093 (FAA)
NOTE: **Rwy 17**, trees beginning 384' from DER, left and
right of centerline, up to 35' AGL/59' MSL. **Rwy 35**,
trees beginning 304' from DER, left and right of
centerline, up to 35' AGL/59' MSL.

KLAWOCK, AK

KLAWOCK (AKW) (PAKW)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 4 13178 (FAA)
DEPARTURE PROCEDURE: Use KLAWOCK
DEPARTURE.

KOBUK, AK

KOBUK (OBU) (PAOB)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 07354 (FAA)
TAKEOFF MINIMUMS: **Rwy 27**, 300-1 or std. w/ a min.
climb of 661' per NM to 400.
DEPARTURE PROCEDURE: **Rwy 9**, climbing right turn
via heading 220° and AMF NDB 283° course to AMF
NDB before proceeding on course. **Rwy 27**, climb via
heading 267° and AMF NDB 283° course to AMF NDB
before proceeding on course.
NOTE: **Rwy 9**, multiple trees beginning 169' from DER,
36' right of centerline, up to 50' AGL/199' MSL. Multiple
trees beginning 231' from DER, 385' left of centerline, up
to 50' AGL/199' MSL. **Rwy 27**, multiple trees beginning
79' from DER, 220' left of centerline, up to 50' AGL/182'
MSL. Multiple trees beginning 17' from DER, 299' right
of centerline, up to 50' AGL/249' MSL.

KODIAK, AK

KODIAK (ADQ) (PADQ)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 3 11069 (FAA)
TAKEOFF MINIMUMS: **Rwy 25**, NA-terrain.
DEPARTURE PROCEDURE: **Rwys 7, 11, 18, 29, 36**,
Use KODIAK DEPARTURE.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)





TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

15008

KOKHANOK, AK

KOKHANOK (9K2) (PFKK)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 07018 (FAA)

TAKEOFF MINIMUMS: **Rwy 6**, 400-1½ Y AMor std. w/ min. climb of 420' per NM to 600.

DEPARTURE PROCEDURE: **Rwy 6**, climbing left turn direct ILI NDB/DME, climb in ILI NDB/DME holding pattern (South, right turn, 360° inbound) to cross ILI NDB/DME at or above MEA for route of flight. **Rwy 24**, climbing right turn direct ILI NDB/DME, climb in ILI NDB/DME holding pattern (South, right turn, 360° inbound) to cross ILI NDB/DME at or above MEA for route of flight.

NOTE: **Rwy 6**, multiple trees beginning 58' from DER, 40' left of centerline, up to 60' AGL/309' MSL. Multiple trees beginning 240' from DER, 86' right of runway centerline, up to 60' AGL/459' MSL. **Rwy 24**, multiple trees beginning 3356' from DER, 914' left of centerline, up to 60' AGL/209' MSL. Multiple trees beginning 3723' from DER, 689' right of centerline, up to 60' AGL/209' MSL.

KOLIGANEK, AK

KOLIGANEK (JZZ) (PAJZ)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 2 09239 (FAA)

TAKEOFF MINIMUMS: **Rwy 9**, 300-2 or std. w/ min. climb of 205' per NM to 700', or alternatively, with standard takeoff minimums and a normal 200'/NM climb gradient, takeoff must occur no later than 1300' prior to DER.

DEPARTURE PROCEDURE: **Rwy 9**, climb heading 087° to 900 before turning North. **Rwy 27**, climb heading 267° to 1500 before turning North.

NOTE: **Rwy 9**, multiple trees beginning 133' from DER, 29' right of centerline, up to 50' AGL/399' MSL. Multiple trees beginning 263' from DER, 194' left of centerline, up to 50' AGL/399' MSL. **Rwy 27**, multiple bushes and power lines beginning 76' from DER, 76' left of centerline, up to 50' AGL/309' MSL. Bushes and trees beginning 242' from DER, 4' right of centerline, up to 50' AGL/309' MSL.

KOTZEBUE, AK

RALPH WIEN MEMORIAL (OTZ) (PAOT)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 15008 (FAA)

TAKEOFF MINIMUMS: **Rwy 18**, 300-1¼ or std. w/ min. climb of 280' per NM to 300.

NOTE: **Rwy 9**, terrain beginning 400' from DER, left and right of centerline, up to 130' MSL. Vehicles on road beginning 477' from DER, left and right of centerline, up to 15' AGL/136' MSL. Multiple bushes beginning 1000' from DER, left and right of centerline, up to 15' AGL/136' MSL. Trees beginning 1581' from DER, 740' right of centerline, up to 9' AGL/137' MSL. Navigation equipment 3950' from DER, 695' left of centerline, 32' AGL/152' MSL. **Rwy 18**, terrain beginning 3' from DER left and right of centerline, up to 15' MSL. Threshold lighting 10' from DER left and right of centerline, up to 3' AGL/13' MSL. Vehicles on road beginning 12' from DER, left and right of centerline, up to 15' AGL/26' MSL. Tree 83' from DER, 458' right of centerline 8' AGL/22' MSL. Tower 5815' from DER 1690' right of centerline 107' AGL/218' MSL. **Rwy 27**, vehicles on road beginning 99' from DER, left and right of centerline, up to 15' AGL/22' MSL. Buildings beginning 162' from DER, left and right of centerline, up to 19' AGL/32' MSL. Antenna 227' from DER, 555' right of centerline 9' AGL/20' MSL. **Rwy 36**, threshold lighting 9' from DER, left and right of centerline, up to 1' AGL/13' MSL. Pole 11' from DER, 90' left of centerline 2' AGL/14' MSL. Vehicles on road beginning 11' from DER, up to 15' AGL/24' MSL. Sign 11' from DER, 67' left of centerline 2' AGL/14' MSL. Rod on obstruction light amom 311' from DER, 300' right of centerline, 15' AGL/38' MSL. Buildings beginning 372' from DER, 600' left of centerline, up to 33' AGL/47' MSL. Tower 379' from DER, 532' left of centerline, 66' AGL/76' MSL.

KOYUK, AK

KOYUK ALFRED ADAMS (KKA) (PAKK)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 09239 (FAA)

TAKEOFF MINIMUMS: **Rwy 1**, NA-Obstacles.

DEPARTURE PROCEDURE: **Rwy 19**, climb heading 188° to 800 before proceeding on course.

NOTE: **Rwy 19**, multiple trees beginning 35' from DER, 12' right of centerline, up to 30' AGL/279' MSL.

KOYUKUK, AK

KOYUKUK (KYU) (PFKU)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 09295 (FAA)

DEPARTURE PROCEDURE: Use DIBVY DEPARTURE.

KWETHLUK, AK

KWETHLUK (KWT) (PFKW)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 09015 (FAA)

TAKEOFF MINIMUMS: **Rwy 18**, 400-2 or std. w/ min. climb of 240' per NM to 500.

NOTE: **Rwy 18**, trees beginning 292' from DER, 373' right of centerline, up to 35' AGL/63' MSL. Trees beginning 341' from DER, 399' left of centerline, up to 35' AGL/134' MSL.

Rwy 36, trees beginning 95' from DER, 491' left of centerline, up to 35' AGL/84' MSL. Trees beginning 203' from DER, 396' right of centerline, up to 18' AGL/42' MSL.

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)





15008

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



LADD AAF, AK

FAIRBANKS/FORT WAINWRIGHT, AK
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 1B, 13122

TAKE-OFF MINIMUMS: **Rwy 7R/25L**, NA
DEPARTURE PROCEDURE: **Rwy 25R**, Climbing left
turn via heading 180° and FAI VORTAC R-090 to
5000 direct FAI (hold S, right turn, 348° inbound)
continue climb in hold to 5000, before proceeding
on course. **Rwy 7L**, Climbing right turn via heading
180° and FAI VORTAC R-090 to 5000 direct FAI (hold
S, right turn, 348° inbound) continue climb in hold to
5000, before proceeding on course.

MANOKOTAK, AK

MANOKOTAK (MBA) (PAMB)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 1 09239 (FAA)

DEPARTURE PROCEDURE: **Rwy 3**, climbing right
turn to 2000 direct DLG VOR/DME, continue climb in
DLG VOR/DME holding pattern (hold South, right
turn, 011° inbound) to cross DLG VOR/DME at or
above MEA for route of flight. **Rwy 21**, climbing left
turn to 2000 direct DLG VOR/DME, continue climb in
DLG VOR/DME holding pattern (hold South, right
turn, 011° inbound) to cross DLG VOR/DME at or
above MEA for route of flight.

NOTE: **Rwy 3**, trees beginning 1519' from DER, 899'
right of centerline, up to 35' AGL/134' MSL. Trees
beginning 595' from DER, 150' left of centerline, up to
35' AGL/134' MSL. Rising terrain 42' from DER, 136'
right of centerline up to 105' MSL. Rising terrain 12'
from DER, 301' left of centerline up to 102' MSL.
Rwy 21, multiple trees beginning 136' from DER,
133' right of centerline, up to 35' AGL/109' MSL.
Multiple buildings beginning 359' from DER, 343' left
of centerline, up to 30' AGL/96' MSL.

MARSHALL, AK

MARSHALL DON HUNTER SR (MDM)
(PADM)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 1 10210 (FAA)

DEPARTURE PROCEDURE: use BIBNE RNAV

DEPARTURE.

MC GRATH, AK

MC GRATH (MCG) (PAMC)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 2B 14205 (FAA)

TAKEOFF MINIMUMS: **Rwys 5, 23**, NA-Environmental. **Rwy
16**, std. w/ min. climb of 470' per NM to 1700, or
2300-3 for climb in visual conditions. **Rwy 34**, std. w/ min.
climb of 420' per NM to 2200, or 2300-3 for climb in visual
conditions.

DEPARTURE PROCEDURE: **Rwy 16**, climb via heading 160° to
1700, then climbing left turn via heading 014° thence. . .
or for climb in visual conditions: cross Mc Grath Airport at or
above 2200, thence. . .

Rwy 34, climb via heading 340° to 2200, then climbing right
turn heading 166° to MCG R-104 or direct VTR NDB thence. . .
or for climb in visual conditions: cross Mc Grath Airport at or
above 2200, thence. . .

. . . climb to 4000 southeast bound via MCG R-104, or 100°
bearing from VTR NDB. Aircraft southeast bound (079°
clockwise 119° continue climb on course to MEA for route of
flight. All others reverse course via the MCG R-104 to MCG
VORTAC, or 280° course to VTR NDB, then continue climb on
course to MEA for route of flight.

NOTE: **Rwy 16**, trees beginning 2.2 NM from DER, 2392' left of
centerline, up to 80' AGL/1346' MSL.

MEKORYUK, AK

MEKORYUK (MYU) (PAMY)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 1 06327 (FAA)

DEPARTURE PROCEDURE: **Rwy 23**, climb heading 234° to
900 before turning left.

NOTE: **Rwy 5**, tree 1028' from DER, 745' left of centerline, 15'
AGL/114' MSL, tree 1619' from DER, 862' left of centerline, 15'
AGL/114' MSL, road 41' from DER, 302' left of centerline, 15'
AGL/50' MSL. **Rwy 23**, tree 75' from DER, 200' left of
centerline, 15' AGL/64' MSL, tree 62' from DER, on centerline,
15' AGL/64' MSL, tree 482' from DER, 157' right of centerline,
15' AGL/114' MSL.

MIDDLETON ISLAND, AK

MIDDLETON ISLAND (MDO) (PAMD)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

ORIG-A 13010 (FAA)

TAKEOFF MINIMUMS: **Rwys 13, 31**, NA-Environmental.

NOTE: **Rwy 2**, aircraft on taxiway, 5' from DER, 195' left of
centerline, up to 20' AGL/119' MSL. Vehicle on taxiway, 131'
from DER, 193' left of centerline, up to 15' AGL/114' MSL. **Rwy 20**,
vehicles on road beginning 3' from DER, 124' right of
centerline, up to 15' AGL/164' MSL.

MINCHUMINA, AK

MINCHUMINA (MHM) (PAMH)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 2 06047 (FAA)

TAKEOFF MINIMUMS: **Rwy 3**, 1600-3 for climb in visual
conditions. Procedure NA at night

DEPARTURE PROCEDURE: **Rwy 3**, for climb in visual
conditions: Cross MHM NDB north bound at or above 1600
MSL before proceeding on course. **Rwy 21**, climb via heading
204° to 1600 before proceeding on course.

NOTE: **Rwy 3**, trees 269' from DER, 540' left of centerline, 45'
AGL/749' MSL. Trees 170' from DER, 340' left of centerline,
45' AGL/964' MSL.

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



AK



15008

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



MOUNTAIN VILLAGE, AK

MOUNTAIN VILLAGE (MOU) (PAMO)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 09239 (FAA)

NOTE: **Rwy 2**, vehicle on road abeam DER, 250' left of centerline, 15' AGL/364' MSL. **Rwy 20**, bushes beginning 100' from DER, 35' right of centerline, up to 15' AGL/314' MSL. Bushes beginning 140' from DER, 24' left of centerline, up to 15' AGL/314' MSL.

NAPAKIAK, AK

NAPAKIAK (WNA) (PANA)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 13290 (FAA)

NOTE: **Rwy 16**, numerous trees beginning 47' from DER, 161' right of centerline, up to 13' AGL/30' MSL. Tree 465' from DER, 22' left of centerline, 16' AGL/33' MSL. **Rwy 34**, numerous poles beginning 299' from DER, 287' left of centerline, up to 29' AGL/46' MSL. Numerous poles beginning 177' right of centerline, 273' right of centerline, up to 26' AGL/43' MSL. Rod on tower 359' from DER, 430' left of centerline, 30' AGL/47' MSL. Antenna 357' from DER, 408' right of centerline, 29' AGL/46' MSL. Catenary 215' from DER, 352' right of centerline, 19' AGL/36' MSL. Tree 206' from DER, 297' left of centerline, 15' AGL/32' MSL. Multiple buildings beginning 639' from DER, 414' left of centerline, up to 26' AGL/43' MSL. Tree 520' from DER, 437' right of centerline, 13' AGL/30' MSL.

NELSON LAGOON, AK

NELSON LAGOON (OUL) (PAOU)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 03359 (FAA)
DEPARTURE PROCEDURE: Use BINAL DEPARTURE.

NENANA, AK

NENANA MUNI (ENN) (PANN)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 4 09295 (FAA)

TAKEOFF MINIMUMS: **Rwy 4L**, 600-2½ or std. with a min. climb of 325' per NM to 1100. **Rwys 4R, 4W, 22L, 22W**, NA-ATC.

DEPARTURE PROCEDURE: **Rwy 4L**, climbing right turn via heading 127° to 1900 then climbing right turn direct ENN VORTAC, thence...

Rwy 22R, climb via heading 218° to 1800 then climbing left turn direct ENN VORTAC, thence...

...continue climb in ENN VORTAC holding pattern (Southwest, left turn, 042° inbound) to MEA for route of flight before proceeding on course.

NOTE: **Rwy 4L**, trees beginning 1.9 NM from DER, 3209' left of centerline, up to 60' AGL/859' MSL.

NEW STUYAHOK, AK

NEW STUYAHOK (KNW) (PANW)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 07354 (FAA)

NOTE: **Rwy 14**, tree 700' from DER, 647' right of centerline, 60' AGL/409' MSL. Multiple trees beginning 549' from DER, 499' left of centerline, up to 60' AGL/434' MSL. **Rwy 32**, tree 743' from DER, 104' right of centerline, 60' AGL/445' MSL.

NIKOLAI, AK

NIKOLAI (FSP) (PAFS)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 06047 (FAA)

DEPARTURE PROCEDURE: **Rwy 4**, climbing left turn to 6000 via heading 224° and MCG VORTAC R-055 to MCG VORTAC, thence... **Rwy 22**, climb to 6000 via heading 224° and MCG VORTAC R-065 to MCG VORTAC, thence...

...continue climb in MCG VORTAC holding pattern (hold east, right turn, 280° inbound) to cross MCG VORTAC at or above MEA/MCA for route of flight.

NOTE: **Rwy 4**, multiple trees beginning 145' from DER, 534' left of centerline, up to 50' AGL/549' MSL; multiple trees beginning 229' from DER, 531' right of centerline, 50' AGL/549' MSL. **Rwy 22**, multiple trees, power poles, and buildings beginning 48' from DER, 32' left of centerline, up to 50' AGL/549' MSL; multiple trees and power pole 365' from DER, 187' right of centerline, 30' AGL/471' MSL.

NOATAK, AK

NOATAK (WTK) (PAWN)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 07186 (FAA)

DEPARTURE PROCEDURE: **Rwy 1**, climb via heading 007° to 1900 before proceeding on course.

NOTE: **Rwy 1**, multiple buildings and trees beginning 475' from DER, 221' right of centerline, up to 30' AGL/ 104' MSL. Tower 1938' from DER, 875' left of centerline, 47' AGL/146' MSL.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



AK



15008

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



NOME, AK

NOME (OME) (PAOM)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMD T 6 14317 (FAA)

TAKEOFF MINIMUMS: **Rwy 3**, std. w/min. climb of 480' per NM to 1800, or 1600-2½ for VCOA.

DEPARTURE PROCEDURE: **Rwy 3**, climbing right turn to OME VOR/ DME, thence ... **Rwy 10**, climb on heading 099° to 1200 thence ...

Rwys 21, 28, turn left direct OME VOR/DME/FDV NDB, thence ...
... Departures northeast CW through westbound (040° CW 260°), climb on course. Departures west CW through northeast bound (260° CW 040°), climb southeast bound on OME VOR/DME R-144 or 148° bearing from FDV NDB to 2200, then turn right via direct OME VOR/ DME/FDV NDB. Continue climb on course.

VCOA: **Rwy 3**, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Nome Airport at or above 1500 before proceeding on course.

NOTE: **Rwy 3**, pole 1058' from DER, 236' right of centerline, 37' AGL/88' MSL. Secondary road beginning 27' from DER, 19' right of centerline up to 15' AGL/69' MSL. Trees beginning 249' from DER, 2' right of centerline, up to 15' AGL/61' MSL. Poles beginning 1519' from DER, 310' left of centerline, up to 43' AGL/101' MSL. Secondary road beginning 23' from DER, 17' left of centerline, up to 15' AGL/78' MSL. Bushes beginning 17' from DER, 118' left of centerline, up to 2' AGL/50' MSL. Trees beginning 339' from DER, 6' left of centerline, up to 10' AGL/62' MSL. **Rwy 10**, chimney/stacks beginning 752' from DER, 503' right of centerline, up to 64' AGL/76' MSL. Pole 748' from DER, 608' right of centerline, 38' AGL/59' MSL. Pole 423' from DER, 471' right of centerline, 20' AGL/48' MSL. Pole 777' from DER, 610' right of centerline, 35' AGL/56' MSL. Antenna on pole 674' from DER, 521' right of centerline, 39' AGL/52' MSL. Pole 792' from DER, 502' right of centerline, 40' AGL/53' MSL. Pole 867' from DER, 666' right of centerline, 43' AGL/55' MSL. Antenna on pole 676' from DER, 572' right of centerline, 34' AGL/46' MSL. Pole 956' from DER, 735' right of centerline, 39' AGL/51' MSL. Pole 784' from DER, 603' right of centerline, 30' AGL/43' MSL. Building 764' from DER, 589' right of centerline, 28' AGL/54' MSL. Road beginning 199' from DER, 493' right of centerline, 15' AGL/30' MSL. Tower 3753' from DER 1355' right of centerline, 90' AGL/120' MSL. Pole 1707' from DER, 923' left of centerline, 41' AGL/93' MSL. Pole 1874' from DER, 611' left of centerline, 36' AGL/86' MSL. Pole 1731' from DER, 594' left of centerline, 24' AGL/71' MSL. Building 1051' from DER, 742' left of centerline, 18' AGL/63' MSL. **Rwy 21**, trees beginning 377' from DER, 48' right of centerline, up to 11' AGL/46' MSL. Bushes beginning 187' from DER, 174' right of centerline, up to 3' AGL/45' MSL. Secondary road beginning 559' from DER, 140' right of centerline, up to 15' AGL/47' MSL. Ground 188' from DER, 396' right of centerline, 19' MSL. Bushes beginning 595' from DER, 152' left of centerline, 13' AGL/48' MSL. Trees beginning 585' from DER, 2' left of centerline, up to 9' AGL/40' MSL. Secondary road beginning 540' from DER, 47' left of centerline, up to 15' AGL/43' MSL. Poles beginning 1547' from DER, 89' left of centerline, up to 32' AGL/62' MSL. Ground 597' from DER, 397' left of centerline, 29' MSL. **Rwy 28**, Obstruction light on localizer 1303' from DER, 42' right of centerline, 15' AGL/51' MSL. Navaid 15' from DER, 152' right of centerline, 4' AGL/17' MSL. Pole 122' from DER, 521' left of centerline, 45' AGL/72' MSL. Pole 121' from DER, 399' left of centerline, 15' AGL/42' MSL. Debris 415' from DER, 377' left of centerline, up to 9' AGL/50' MSL. Secondary road beginning 181' from DER, 259' left of centerline, up to 15' AGL/48' MSL. Ground beginning 168' from DER, 262' left of centerline, up to 63' MSL. Buildings beginning 398' from DER, 203' left of centerline, up to 32' AGL/57' MSL. Trees beginning 90' from DER, 361' left of centerline, up to 10' AGL/21' MSL. Trees beginning 919' from DER, 357' left of centerline, 9' AGL/62' MSL. Fence beginning 919' from DER, 245' left of centerline, up to 7' AGL/30' MSL. Antenna on DME LTD 1314' from DER, 213' left of centerline, 28' AGL/63' MSL. Sign 390' from DER, 246' left of centerline, 2' AGL/29' MSL. Navaid 15' from DER, 152' left of centerline, 4' AGL/17' MSL.

NONDALTON, AK

NONDALTON (5NN) (PANO)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 06047 (FAA)

TAKEOFF MINIMUMS: **Rwy 2**, NA-obstacles.

DEPARTURE PROCEDURE: **Rwy 20**, Use ILLIAMA DEPARTURE.

NOORVIK, AK

ROBERT/BOB/CURTIS MEMORIAL

(D76) (PFNO)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 10042 (FAA)

DEPARTURE PROCEDURE: **Rwy 6**, climbing left turn to a heading between 239° CW to 282° from DER to 3700 before proceeding on course, or minimum climb of 345' per NM to 2700 for all other courses. **Rwy 24**, climb on a heading between 104° CW to 309° from DER to 3700 before proceeding on course, or minimum climb of 265' per NM to 3500 for all other courses.

NOTE: **Rwy 6**, trees beginning at DER, 400' left and right of centerline, up to 20' AGL/119' MSL.

Rwy 24, trees beginning at DER, 400' left and right of centerline, up to 20' AGL/94' MSL.

NORTHWAY, AK

NORTHWAY (ORT) (PAOR)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMD T 2 07018 (FAA)

DEPARTURE PROCEDURE: **Rwy 5**, climbing right turn to 4000 via OR T-R-100, then climbing right turn to 8000 direct OR T VORTAC, continue climb in OR T VORTAC holding pattern (West, right turn, 108° inbound) to 8000 before proceeding on course. . . **Rwy 23**, climbing left turn to 4000 via OR T R-170, then climbing left turn to 8000 direct OR T VORTAC, continue climb in OR T VORTAC holding pattern (West, right turn, 108° inbound) to 8000 before proceeding on course. . . continue climb via assigned route.

NOTE: **Rwy 5**, multiple trees beginning 1133' from DER, 727' right of centerline, up to 60' AGL/1859' MSL. Multiple trees beginning 3881' from DER, 1522' left of centerline, up to 60' AGL/1859' MSL.

Rwy 23, multiple trees beginning 777' from DER, 560' left of centerline, up to 60' AGL/1809' MSL. Multiple trees beginning 1365' from DER, 527' right of centerline, up to 60' AGL/1809' MSL.

NUIQSUT, AK

NUIQSUT (AQT) (PAQT)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 10098 (FAA)

NOTE: **Rwy 5**, road with vehicles beginning 165' from DER, left and right of centerline, up to 15' AGL/89' MSL. **Rwy 23**, terrain beginning 211' from DER, 523' left of centerline to 450' right of centerline, up to 74' MSL.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



AK



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

15008



NULATO, AK

NULATO (NUL) (PANU)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 04330 (FAA)

TAKEOFF MINIMUMS: **Rwy 2**, 700-2 ¾ w/min. climb of 356 feet per NM to 1300 or 1000-3 for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 2**, climb via heading 024° to 1300 before proceeding on course or climb in visual conditions to cross Nulato Airport at or above 1300 before proceeding on course. **Rwy 20**, climb via heading 204° to 1500 before proceeding on course.

NOTE: **Rwy 2**, tree 3078' from DER 355' left of centerline 100' AGL 655' MSL. Tree 5041' from DER 154' right of centerline 100' AGL 699' MSL. Tree 1.03 NM from DER 122' right of centerline 100' AGL 799' MSL. Tree 1.24 NM from DER 705' left of centerline 100' AGL 899' MSL. Tree 1.44 NM from DER 2385' left of centerline 100' AGL 999' MSL. Tree 2.57 NM from DER 5740' left of centerline 100' AGL 1035' MSL. **Rwy 20**, tree 3.33 NM from DER 1.64 NM right of centerline 100' AGL 957' MSL. Tree 3.10 NM from DER 1.94 NM right of centerline 100' AGL 965' MSL. Tree 1.49 NM from DER 7.39 NM right of centerline 200' AGL 1850' MSL.

PALMER, AK

PALMER MUNI (PAQ) (PAAQ)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 2 08101 (FAA)

TAKEOFF MINIMUMS: **Rwy 9**, NA-obstacles.DEPARTURE PROCEDURE: **Rwys 16,27,34**, Use PALMER RNAV DEPARTURE.

PERRYVILLE, AK

PERRYVILLE (PEV) (PAPE)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 07018 (FAA)

TAKEOFF MINIMUMS: **Rwy2**, NA-obstacles.DEPARTURE PROCEDURE: **Rwy20**, Use CILAC (RNAV) DEPARTURE.

PETERSBURG, AK

PETERSBURG JAMES A. JOHNSON (PSG) (PAPG)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 6 13178 (FAA)

DEPARTURE PROCEDURE: Use PETERSBURG DEPARTURE.

PILOT POINT, AK

PILOT POINT (PNP) (PAPN)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 03359 (FAA)

DEPARTURE PROCEDURE: Use ZILKO RNAV DEPARTURE.

PLATINUM, AK

PLATINUM (PTU) (PAPM)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 11013 (FAA)

TAKEOFF MINIMUMS: **Rwy 14**, std. w/min climb of 631' per NM to 2800 or 2400-3 for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 14**, for climb in visual conditions cross Platinum Airport at or above 2300 before proceeding on course. **Rwy 32**, climb heading 319° to 1500 before proceeding on course.

NOTE: **Rwy 14**. Ships 986' from DER, 746' right of centerline, up to 150' MSL.

POINT HOPE, AK

POINT HOPE (PHO) (PAPO)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 13290 (FAA)

NOTE: **Rwy 1**, barge/iceberg 778' from DER, 632' left of centerline, 50' AGL/50' MSL. Lights 16' from DER, 37' left and right of centerline, 3' AGL/20' MSL. **Rwy 19**, barge/iceberg 912' from DER, 237' left of centerline, 50' AGL/50' MSL. Lights 2' from DER, 38' left and right of centerline, 3' AGL/21' MSL.

PORT HEIDEN, AK

PORT HEIDEN (PTH) (PAPH)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 2 07074 (FAA)

DEPARTURE PROCEDURE: **Rwy 5**, climb heading 054° to 1000, then climbing left turn to 2500 direct PDN NDB/DME, thence. . . **Rwy 13**, climb heading 131° to 1000, then climbing right turn to 2500 direct PDN NDB/DME, thence. . . **Rwy 23**, climbing right turn to 2500 direct PDN NDB/DME, thence. . . **Rwy 31**, climbing left turn to 2500 direct PDN NDB/DME, thence. . .
 . . . continue climb in PDN NDB/DME holding pattern (hold southwest, left turn, 052° inbound) to cross PDN NDB at or above MEA for route of flight.

QUINHAGAK, AK

QUINHAGAK (PAQH)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 09295 (FAA)

TAKEOFF MINIMUMS: **Rwy 12**, std. w/ min. climb of 220' per NM to 3600, or 1100-3 for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 12**, for climb in visual conditions: cross Quinhagak airport at or above 1000 MSL before proceeding on course.

NOTE: **Rwy 30**, tree 22' from DER, 425' left of centerline 15' AGL/64' MSL. **Rwy 12**, tree 248' from DER, 438' left of centerline 15' AGL/64' MSL. Tree 9' from DER, 411' right of centerline 15' AGL/64' MSL. Reflector 19' from DER, 279' right of centerline, 21' AGL/46' MSL.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)





15008

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



RUBY, AK

RUBY (RBY) (PARY)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 10322 (FAA)

TAKEOFF MINIMUMS: **Rwy 3**, std. w/ min. climb of 340' per NM to 4000 or 1900-2½ for climb in visual conditions. **Rwy 21**, std. w/min. climb of 566' per NM to 4000 or 1900-2½ for climb in visual conditions.

DEPARTING PROCEDURE: **Rwy 3**, climb heading 031° to 1400 then climbing right turn heading 282° to intercept GAL VOR/DME-072 to GAL VOR/DME, or for climb in visual conditions cross Ruby at or above 2400 before proceeding on course. **Rwy 21**, climb heading 211° to 1300 then climbing right turn heading 282° to intercept GAL VOR/DME -072 to GAL VOR/DME, or for climb in visual conditions cross Ruby at or above 2400 before proceeding on course.

NOTE: **Rwy 3**, trees beginning 177' from DER, 150' left of centerline, up to 50' AGL/714' MSL. **Rwy 21**, trees beginning 1299' from DER, 79' left of centerline, up to 50' AGL/874' MSL. Rising terrain beginning 1895' from DER, 64' left of centerline, up to 801' MSL. Tree 1272' from DER, on centerline, 27' AGL/726' MSL. Trees beginning 122' from DER, 400' right of centerline, up to 50' AGL/881' MSL. Rising terrain 4724' from DER, 101' right of centerline, up to 827' MSL.

RUSSIAN MISSION, AK

RUSSIAN MISSION (RSH) (PARS)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 09239 (FAA)

TAKEOFF MINIMUMS: **Rwy 17**, 500-2 w/ min. climb of 430' per NM to 1400 or 1900-2 for climb in visual conditions. Climb in visual conditions NA at night. **Rwy 35**, 500-2 w/ min. climb of 330' per NM to 3800 or 1900-2 for climb in visual conditions. Climb in visual conditions NA at night.

DEPARTURE PROCEDURE: **Rwys 17, 35**, for climb in visual conditions: cross Russian Mission Airport at or above 1800. Do not exceed 180 knots until proceeding on course.

NOTE: **Rwy 17**, multiple trees beginning 1193' from DER, 808' right of centerline, up to 80' AGL/279' MSL. **Rwy 35**, multiple trees 2116' from DER, 907' left of centerline, up to 80' AGL/329' MSL.

ST. GEORGE, AK

ST. GEORGE (PBV) (PAPB)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 09351 (FAA)

TAKEOFF MINIMUMS: **Rwy 11**, std. w/ min. climb of 454' per NM to 1100 or 700-3 with a minimum climb of 311' per NM to 1200 or 1300-3 for climb in visual conditions.

Rwy 29, std. w/ min. climb of 690' per NM to 1200 or 800-3 with a minimum climb of 300' per NM to 1200 or 1300-3 for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 11**, climb heading 107° to 1100 then climbing right turn via heading 225° to intercept the 180° bearing from SRI NDB/DME before proceeding on course or for climb in visual conditions: cross St George airport at or above 1300 before proceeding on course. **Rwy 29**, climb heading 287° to 1200 then climbing left turn via heading 135° to intercept the 180° bearing from SRI NDB/DME before proceeding on course or for climb in visual conditions: cross St. George airport at or above 1300 before proceeding on course.

NOTE: **Rwy 29**, terrain beginning 102' from DER, 43' right of centerline up to 260' MSL.

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



ST. MARYS, AK

ST. MARYS (KSM) (PASM)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 87043 (FAA)

TAKEOFF MINIMUMS: **Rwys 6,17,24**, 200-1.

DEPARTURE PROCEDURE: **Rwys 6,17,24,35**, climb straight ahead to 1000, continue climb on course.

ST. MICHAEL, AK

ST. MICHAEL (SMK) (PAMK)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 05188 (FAA)

DEPARTURE PROCEDURE: **Rwy 20**, climb via heading 196° to 700' before turning right.

NOTE: **Rwy 2**, tree 36' from DER, 377' right of centerline, 20' AGL/83' MSL. **Rwy 20**, terrain beginning 2' to 2276' from DER, 51' to 966' right of centerline, up to 151' MSL. Terrain beginning 110' to 917' from DER, 13' to 533' left of centerline, up to 119' MSL. Tree 1779' from DER, 504' right of centerline, 20' AGL/219' MSL. Tree 1.2 NM from DER 1 NM right of centerline, 20' AGL/520' MSL.

ST. PAUL ISLAND, AK

ST. PAUL ISLAND (SNP) (PASN)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 3 10322 (FAA)

DEPARTURE PROCEDURE: **Rwy 18**, climb heading 180° to 800 before proceeding on course. **Rwy 36**, climb heading 360° to 600 before proceeding on course.

NOTE: **Rwy 36**, Terrain beginning 217' from DER, 84' left of centerline up to 79' MSL.

SAND POINT, AK

SAND POINT (SDP) (PASD)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 4 13122 (FAA)

DEPARTURE PROCEDURE: Use BORLAND DEPARTURE.

SAVOONGA, AK

SAVOONGA (SVA) (PASA)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 10210 (FAA)

TAKEOFF MINIMUMS: **Rwy 23**, std. w/ min climb of 250' per NM to 1000, or 1600-2½ for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 5**, aircraft departing via ULL R-260 CW R-080 climb on course, all others climb via ULL R-059 to 2200 before turning South. **Rwy 23**, aircraft departing via ULL R-260 CW R-080 climb on course. All others climbing right turn direct ULL VOR/DME then via ULL R-059 to 2200 before turning South. For climb in visual conditions: cross Savoonga Airport at or above 1500, then proceed on ULL R-059 to 2200.

NOTE: **Rwy 23**, trees 2791' from DER, 140' left of centerline, 20' AGL/140' MSL. Rising terrain beginning 590' from DER, 351' left of centerline, up to 99' MSL.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015



15008

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



SCAMMON BAY, AK

SCAMMON BAY (SCM) (PACM)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 09239 (FAA)

TAKEOFF MINIMUMS: **Rwy 10**, std. w/ min. climb of 590' per NM to 1300, or 2200-3 for climb in visual conditions. **Rwy 28**, std. w/ min. climb of 240' per NM to 2400, or 2200-3 for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 10**, climb heading 101° to 2100 before proceeding on course, or for climb in visual conditions, cross Scammon Bay airport at or above 2100 before proceeding on course. **Rwy 28**, climb heading 281° to 2400 before turning south, or for climb in visual conditions, cross Scammon Bay airport at or above 2100 before proceeding on course.

NOTE: **Rwy 10**, bushes beginning 1.27 NM from DER, 546' left of centerline, up to 15' AGL/322' MSL. Bush 1.49 NM from DER, 2163' right of centerline, 15' AGL/464' MSL.

SELAWIK, AK

SELAWIK (WLK) (PASK)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1A 14149 (FAA)

NOTE: **Rwy 4**, multiple bushes beginning 176' from DER, 429' left of centerline, up to 18' AGL/18' MSL. **Rwy 22**, antenna on building, 1040' from DER, 448' right of centerline, 30' AGL/ 47' MSL. **Rwy 27**, multiple antennas and buildings beginning 270' from DER, right and left of centerline, up to 108' AGL/125' MSL. Bridge 2148' from DER, 249' right of centerline, 60' AGL/90' MSL. Wind turbines beginning 3310' from DER, 1194' right of centerline, up to 110' AGL/165' MSL.

SEWARD, AK

SEWARD (SWD) (PAWD)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG-A 12264 (FAA)

DEPARTURE PROCEDURE: **Rwy 13**, Use SEWAR DEPARTURE. **Rwys 16, 31, 34**, NA - Terrain.

SHAGELUK, AK

SHAGELUK (SHX)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 08325 (FAA)

DEPARTURE PROCEDURE: **Rwy 16**, climb heading 180° to 1400 before turning left. **Rwy 34**, climb heading 345° to 1200 before turning right.

NOTE: **Rwy 16**, vehicles on road, beginning 160' from DER, 153' right of centerline, up to 15' AGL/93' MSL. Bush 322' from DER, 9' left of centerline, 9' AGL/87' MSL. Trees beginning 2' from DER, 393' right of centerline, up to 40' AGL/118' MSL. Trees beginning 720' from DER, 122' left of centerline, up to 53' AGL/131' MSL. **Rwy 34**, trees beginning 34' from DER, 386' right of centerline, up to 53' AGL/131' MSL.

SHAKTOOLIK, AK

SHAKTOOLIK (2C7) (PFSH)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 09239 (FAA)

DEPARTURE PROCEDURE: **Rwy 14**, climb on heading between 115° CW to 322° from DER, or min. climb of 220' per NM to 3200 for all other courses.

NOTE: **Rwy 14**, buildings beginning 199' from DER, 483' left of centerline, up to 21' AGL/55' MSL.

SHISHMAREF, AK

SHISHMAREF (SHH) (PASH)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 09071 (FAA)

NOTE: **Rwy 5**, multiple trees, 9' from DER, 179' left of centerline, up to 15' AGL/85' MSL. Multiple trees, 92' from DER, 94' right of centerline, up to 15' AGL/88' MSL. NDB tower, 236' from DER, 561' left of centerline, 40' AGL/66' MSL. **Rwy 23**, boat, 703' from DER, 663' right of centerline, 50' AGL/50' MSL.

SHUNGNAK, AK

SHUNGNAK (SHG) (PAGH)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 04330 (FAA)

DEPARTURE PROCEDURE: **Rwy 9**, climbing right turn direct AMF NDB. **Rwy 27**, climbing right turn direct AMF NDB.

SITKA, AK

SITKA ROCKY GUTIERREZ (SIT) (PASI)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 3 07018 (FAA)

DEPARTURE PROCEDURE: Use BIORKA DEPARTURE.

SOLDOTNA, AK

SOLDOTNA (SXQ) (PASX)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 2 07242 (FAA)

TAKEOFF MINIMUMS: **Rwy 25**, 200-1. DEPARTURE PROCEDURE: **Rwy 7**, climb on a heading between 050° counter clockwise to 251° or 175° clockwise to 251° from DER. **Rwy 25**, climb heading 251° to 800, then climb on a heading between 160° clockwise to 065° from DER.

NOTE: **Rwy 7**, multiple trees beginning 1668' from DER, 454' right of centerline, up to 60' AGL/259' MSL. **Rwy 25**, multiple trees beginning 316' from DER, 517' left of centerline, up to 60' AGL/309' MSL.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



AK



15008

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



SPARREVOHN LRRS (PASV)

SPARREVOHN, AK

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG, 14205

Diverse departures not authorized.

CAUTION: Uncontrolled Airspace below 700' AGL within 3 NM of Sparrevohn airport.

TAKE-OFF MINIMUMS: **Rwy 16**, 2200-3 for climb in visual conditions. **Rwy 34**, NA.

DEPARTURE PROCEDURE: **Rwy 16**, obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Sparrevohn LRRS at or above 3600' MSL before proceeding on course. Remain within 3 NM of Sparrevohn LRRS during climb in visual conditions. **Rwy 34**, NA.

TAKE-OFF OBSTACLES: **Rwy 16**, terrain 1493' MSL, 1415' from DER, 850' left of centerline. Terrain 1513' MSL, 1124' from DER, 801' left of centerline. Terrain 1404' MSL, 196' from DER, 329' right of centerline.

TALKEETNA, AK

TALKEETNA (TKA) (PATK)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 2 10154 (FAA)

TAKEOFF MINIMUMS: **Rwy 18**, 300-1½.

DEPARTURE PROCEDURE: **Rwy 18**, Climb heading 188° to 1500 then climbing right turn direct TKA VOR/DME, thence...**Rwy 36**, Climb heading 008° to 1000 then climbing left turn direct TKA VOR/DME, thence...

...continue climb-in-hold in TKA VOR/DME holding pattern (hold South, left turns, 352° inbound) to cross TKA VOR/DME at or above MCA/MCA for route of flight before proceeding on course.

NOTE: **Rwy 18**, trees beginning 1829' from DER, 978' left of centerline, up to 60' AGL/648' MSL. **Rwy 36**, tree 1117' from DER, 390' right of centerline, 60' AGL/484' MSL.

TANANA, AK

RALPH M. CALHOUN MEMORIAL (TAL)

(PATA)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 07354 (FAA)

TAKEOFF MINIMUMS: **Rwy 7**, std. w/ a min. climb of 405' per NM to 1300, or 1200-2½ for climb in visual conditions.

Rwy 25, std. w/ a min. climb of 230' per NM to 600, or 1200-2½ for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 7**, climbing right turn via heading 102° and TAL VOR/DME R-081 to SATUE/TAL 12 DME, or climb in visual conditions to cross Ralph M. Calhoun Memorial at or above 1300 then climb via TAL VOR/DME R-081 to SATUE. **Rwy 25**, climbing left turn via heading 078° and TAL VOR/DME R-081 to SATUE, or climb in visual conditions to cross Ralph M. Calhoun Memorial at or above 1300 then climb via TAL VOR/DME R-081 to SATUE. All aircraft continue climb in SATUE/12 DME holding pattern (hold east, left turn, 261° inbound) to cross SATUE at or above 4000 before proceeding on course.

NOTE: **Rwy 7**, multiple trees beginning 9000' from DER, 2149' left of centerline, up to 60' AGL/809' MSL. **Rwy 25**, trees 845' from DER, 1156' right of centerline, up to 60' AGL/459' MSL.

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



AK

TATALINA LRRS (PATL)

TAKOTNA, AK

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG, 14149

Diverse departures not authorized.

CAUTION: Uncontrolled Airspace below 1200' AGL within 4 NM of Tatalina airport.

DEPARTURE PROCEDURE: **Rwy 17**, use TATALINA DEPARTURE (RNAV1). **Rwy 35**, NA.

TATITLEK, AK

TATITLEK (7KA) (PAKA)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG-A 13010 (FAA)

TAKEOFF MINIMUMS: **Rwy 13**, std. w/min. climb of 358' per NM to 2500 or 3400-2 for climb in visual conditions.

Rwy 31, std. w/min. climb of 370' per NM to 900 or 3400-2 for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 13**, climbing right turn heading 146° and JOH R-338 to JOH VOR/DME before proceeding on course or...

Rwy 31, climbing left turn heading 252° to intercept JOH R-316 to JOH VOR/DME before proceeding on course. Do not exceed 180 KIAS until established on JOH R-316 or...

Rwys 13, 31, ... for climb in visual conditions: cross Tattilek airport at or above 3300 then via JOH R-336 to JOH VOR/DME before proceeding on course. Do not exceed 180 KIAS until established on JOH R-336 to JOH VOR/DME.

Note: rapidly rising terrain northwest of procedure.

NOTE: **Rwy 13**, trees 335' from DER, 411' right of centerline, 39' AGL/79' MSL. Trees 11' from DER, 467' left of centerline, 34' AGL/74' MSL. Bush 429' from DER, 48' right of centerline, 12' AGL/52' MSL. Vent on building 1172' from DER, 767' left of centerline, 58' AGL/98' MSL. Pole 3072' from DER, 194' left of centerline, 99' AGL/139' MSL. **Rwy 31**, trees beginning 23' from DER, 339' right of centerline, up to 100' AGL/703' MSL.

TELLER, AK

TELLER (TER) (PATE)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 09239 (FAA)

TAKEOFF MINIMUMS: **Rwy 7**, 500-2 w/ min. climb of 201' per NM to 1100 or std. w/ min. climb of 310' to 1100 or 1500-3 for climb in visual conditions. **Rwy 25**, 300-2 or std. w/ min. climb of 220' per NM to 700.

DEPARTURE PROCEDURE: **Rwy 7**, climb heading 075° to 1400 before turning right. For climb in visual conditions cross Teller Airport at or above 1600 before proceeding on course. **Rwy 25**, climb heading 255° to 1200 before turning left.

NOTE: **Rwy 7**, vehicles and vegetation beginning 57' from DER, 500' left of centerline, up to 15' AGL/314' MSL. **Rwy 25**, vegetation and terrain beginning 1052' from DER, 276' right of centerline, up to 10' AGL/359' MSL.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



15008

TIN CITY LRRS (PATC)

TIN CITY, AK

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG, 15008

Diverse Departures not authorized.

TAKE-OFF MINIMUMS: **Rwy 34**, 2500-3 for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 16**, use HONPO DEPARTURE. **Rwy 34**, use JEKLI DEPARTURE.

VISUAL CLIMB OVER AIRPORT: **Rwy 34**, Obtain ATC approval for VCOA when requesting IFR clearance. Climb in visual conditions to cross Tin City airport at or above 2600 before proceeding on course. Remain within 3.0 NM of Tin City airport during climb in visual conditions.

TAKE-OFF OBSTACLES: **Rwy 34**, terrain at the DER, 353' right of centerline, 260' MSL. Terrain 4228' from DER, 1027' left of centerline, 407' MSL. Terrain 4835' from DER, 970' left of centerline, 407' MSL. **Rwy 16**, NA - Terrain.

TOGIAC VILLAGE, AK

TOGIAC (TOG) (PATG)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 07018 (FAA)

TAKEOFF MINIMUMS: **Rwys 10, 28**, NA-environmental DEPARTURE PROCEDURE: **Rwy 3**, climb heading 028° to 1000, then climbing right turn to 2800 direct TOG NDB/DME, continue climb in TOG NDB/DME holding pattern (hold southwest, right turn, 023° inbound) to cross TOG NDB/DME at or above 2800 before proceeding on course.

Rwy 21, climb heading 208° to 1000, then climbing left turn to 2800 direct TOG NDB/DME, continue climb in TOG NDB/DME holding pattern (hold southwest, right turn, 023° inbound) to cross TOG NDB/DME at or above 2800 before proceeding on course.

NOTE: **Rwy 21**, boats beginning 150' from DER, 500' left of centerline, up to 50' AGL/50' MSL.

TOK, AK

TOK JUNCTION (6K8) (PFTO)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 06047 (FAA)

TAKEOFF MINIMUMS: **Rwy 7**, std. with a min. climb of 280' per NM to 2700, or 1200-3 for climb in visual conditions.

Rwy 25, 300-1½ or std. with a min. climb of 360' per NM to 2300 and 230' per NM to 3600, or 1200-3 for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 7**, climb to 8000 via heading 070° and ORT VORTAC R-286 direct ORT VORTAC, or for climb in visual conditions: cross Tok Junction Airport at or above 2700, then continue climbing to 8000 via heading 070° and ORT VORTAC R-286 direct ORT VORTAC. **Rwy 25**, climb to 2300 via heading 251°, then climbing right turn to 8000 via heading 060° and ORT VORTAC R-286 direct ORT VORTAC, or for climb in visual conditions: cross Tok Junction Airport at or above 2700, then continue climbing to 8000 via heading 070° and ORT VORTAC R-286 direct ORT VORTAC.

NOTE: **Rwy 25**, tower 1 NM from DER, 2150' left of centerline, 228' AGL/1863' MSL.

TOKSOOK BAY, AK

TOKSOOK BAY (OOK) (PAOO)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1A 13234 (FAA)

TAKEOFF MINIMUMS: **Rwy 34**, std. w/min. climb of 481' per NM to 1700, or 1600-2½ for climb in visual conditions. DEPARTURE PROCEDURE: **Rwy 16**, climb heading 165° to 1000 before proceeding on course. **Rwy 34**, for climb in visual conditions: Cross Toksook Bay Airport at or above 1500' MSL before proceeding on course. When executing VCOA notify ATC prior to departure.

NOTE: **Rwy 16**, multiple lights beginning at DER, 40' left of centerline, up to 4' AGL/51' MSL. Light 4' from DER, 78' right of centerline 2' AGL/52' MSL. Lights 50' from DER, 356' right of centerline, 34' AGL/84' MSL. **Rwy 34**, multiple lights beginning at DER, 39' left of centerline, up to 3' AGL/74' MSL. Multiple lights beginning at DER, 39' right of centerline, up to 3' AGL/74' MSL.

UNALAKLEET, AK

UNALAKLEET (UNK) (PAUN)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 09183 (FAA)

TAKEOFF MINIMUMS: **Rwy 8**, 600-2½ or std. w/ a min. climb of 380' per NM to 800. **Rwy 33**, 500-2 or std. w/ a min. climb of 380' per NM to 700.

DEPARTURE PROCEDURE: **Rwy 8**, climbing right turn to 1800 via heading 175° and UNK R-210, then climbing right turn to intercept UNK R-240 to UNK VOR/DME before proceeding on course. **Rwy 15**, climbing right turn to 1600 via heading 175° and UNK R-210, then climbing right turn to intercept UNK R-235 to UNK VOR/DME before proceeding on course. **Rwy 26**, climb to 1600 via heading 263° and UNK R-250, then climbing left turn to intercept UNK R-229 to UNK VOR/DME before proceeding on course. **Rwy 33**, climbing left turn to 1600 via heading 255° and UNK R-265, then climbing left turn to intercept UNK R-238 to UNK VOR/DME before proceeding on course.

NOTE: **Rwy 8**, tower 2.1 NM from DER, 2981' left of centerline, 308' AGL/608' MSL. Tree 2.4 NM from DER, 2858' left of centerline, 35' AGL/434' MSL. Vehicle on road 100' from DER, 152' left of centerline, 15' AGL/24' MSL. **Rwy 15**, antenna 1280' from DER, 133' left of centerline, 38' AGL/62' MSL. **Rwy 33**, trees beginning 1.4 NM from DER, 1877' right of centerline, up to 35' AGL/484' MSL. Vehicles on road beginning 18' from DER, 146' right of centerline, up to 15' AGL/33' MSL.

UNALASKA, AK

UNALASKA (DUT) (PADU)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 4A 13234 (FAA)

TAKEOFF MINIMUMS: **Rwy 12**, 1000-3. NA at night-Obstacles. **Rwy 30**, 600-2.

DEPARTURE PROCEDURE: **Rwys 12, 30**, climb in visual conditions until established on DUT NDB/DME 355° bearing over JADPI/DUT 2 DME (visual conditions must be maintained from TAKEOFF until established over JADPI at or above 400). Cross JADPI at or above 400 then climb on the 355° bearing from DUT NDB/DME to 5500 before proceeding on course.

NOTE: Rapidly rising terrain to above 2000' MSL East, South, and West of airport.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)





15008

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



VALDEZ, AK

VALDEZ PIONEER FIELD (VDZ) (PAVD)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 6 12040 (FAA)
DEPARTURE PROCEDURE: **Rwys 6, 24**, use JMAAL
DEPARTURE.

VENETIE, AK

VENETIE (VEE) (PAVE)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG-A 14093 (FAA)
DEPARTURE PROCEDURE: **Rwy 4**, climbing right
turn to intercept FYU VORTAC R-299 to FYU
VORTAC. **Rwy 22**, climbing left turn to intercept FYU
VORTAC R-292 to FYU VORTAC.

WALES, AK

WALES (IWK) (PAIW)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 04218 (FAA)
TAKEOFF MINIMUMS: **Rwy 18**, 400-1½ or std. with a
min. climb of 445' per NM to 600.
DEPARTURE PROCEDURE: **Rwy 18**, climb via
heading 177° until crossing TNC NDB/DME bearing
228° then turn left heading 018° to intercept the 048°
course to TNC NDB/DME. **Rwy 36**, climb via heading
357° to 2000 then turn right heading 183° to intercept
the 153° course to TNC NDB/DME.
NOTE: **Rwy 18**, trees 1.2 NM from DER, 2334' left of
centerline, 50' AGL/349' MSL.

WASILLA, AK

WASILLA (IYS) (PAWS)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 2 14205 (FAA)
DEPARTURE PROCEDURE: **Rwy 4**, climbing left turn
direct BGQ VORTAC. Do not exceed 180 KIAS until
passing BGQ VORTAC, thence ...
Rwy 22, climbing right turn direct BGQ VORTAC,
thence ...
... aircraft departing BGQ VORTAC on radials 161° CW
336° climb on course. All other aircraft climb in holding
pattern (hold N, right turns, 174° inbound) to cross
BGQ VORTAC at or above appropriate MCA before
proceeding on course.
NOTE: **Rwy 4**, trees beginning 150' from DER, left and
right of centerline, up to 60' AGL/504' MSL. **Rwy 22**,
trees beginning 9' from DER, left and right of
centerline, up to 60' AGL/470' MSL.

WHITE MOUNTAIN, AK

WHITE MOUNTAIN (WMO) (PAWM)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 13346 (FAA)
TAKEOFF MINIMUMS: **Rwy 33**, std. w/min. climb of 275' per
NM to 1000 or 1000-2½ for climb in visual conditions.
DEPARTURE PROCEDURE: **Rwy 33**, climb heading 332° to
800 before turning right or for climb in visual conditions, cross
White Mountain airport at or above 1100 before proceeding
on course. When executing VCOA, notify ATC prior to
departure.
NOTE: **Rwy 15**, cross 134' from DER, 323' left of centerline,
23' AGL/273' MSL. **Rwy 33**, trees beginning 32' from DER,
321' left of centerline, up to 55' AGL/255' MSL.

WILLOW, AK

WILLOW (UJO) (PAUO)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 06271 (FAA)
DEPARTURE PROCEDURE: Use BIG LAKE DEPARTURE.

WRANGELL, AK

WRANGELL (WRG) (PAWG)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 2 11237 (FAA)
DEPARTURE PROCEDURE: **Rwys 10, 28**, use LEVEL
ISLAND DEPARTURE.

YAKUTAT, AK

YAKUTAT (YAK) (PAYA)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 5A 14149 (FAA)
DEPARTURE PROCEDURE: **Rwys 2, 11, 20, 29**, all aircraft
climb to airway MEA for direction of flight direct YAK VOR/
DME or OCC NDB, continue climb to MEA via assigned
airway.
NOTE: **Rwy 2**, trees, obstruction light on tacan monitor, tower
beginning 372' from DER, 237' left of centerline, up to 89'
AGL/114' MSL. Trees beginning 457' from DER 317' right of
centerline up to 74' AGL/99' MSL. Tree 4347' from DER,
1617' left of centerline, 148' AGL/167' MSL. **Rwy 11**, trees
beginning 94' from DER, 344' right of centerline, up to 75'
AGL/98' MSL. Trees beginning 121' from DER, 376' left of
centerline, up to 63' AGL/86' MSL. Trees beginning 1658'
from DER, 442' left of centerline, up to 92' AGL/115' MSL.
Rwy 20, tree beginning 78' from DER, 364' left of centerline,
up to 67' AGL/181' MSL. Trees beginning 129' from DER,
471' right of centerline, up to 50' AGL/60' MSL. Trees
beginning 1013' from DER, 283' left of centerline, up to 86'
AGL/96' MSL. Trees beginning 1087' from DER, 340' right of
centerline, up to 50' AGL/64' MSL. Trees beginning 3657'
from DER, 497' left of centerline, up to 137' AGL/147' MSL.
Trees beginning 4184' from DER, 296' right of centerline, up
to 148' AGL/158' MSL. **Rwy 29**, tree 50' from DER, 280' left
of centerline, 27' AGL/54' MSL. Tree 122' from DER, 389'
right of centerline, 52' AGL/79' MSL. Tree 1268' from DER,
696' left of centerline, 42' AGL/69' MSL. Trees beginning
1676' from DER, 729' right of centerline, up to 90' AGL/120'
MSL. Trees 2675' from DER, 860' left of centerline, up to 108'
AGL/138' MSL. Trees beginning 3303' from DER, 1050' right
of centerline, up to 123' AGL/153' MSL.

08 JAN 2015 to 05 MAR 2015

08 JAN 2015 to 05 MAR 2015

15008



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)



AK