



INSTRUMENT APPROACH PROCEDURE CHARTS

A IFR ALTERNATE AIRPORT MINIMUMS

Standard alternate minimums for non-precision approaches and approaches with vertical guidance [NDB, VOR, LOC, TACAN, LDA, SDF, VOR/DME, ASR, RNAV (GPS) or RNAV (RNP)] are 800-2. Standard alternate minimums for precision approaches (ILS, PAR, or GLS) are 600-2. Airports within this geographical area that require alternate minimums other than standard or alternate minimums with restrictions are listed below. NA - means alternate minimums are not authorized due to unmonitored facility, absence of weather reporting service, or lack of adequate navigation coverage. Civil pilots see FAR 91. IFR Alternate Minimums: Ceiling and Visibility Minimums not applicable to USA/USN/USAF. Pilots must review the IFR Alternate Minimums Notes for alternate airfield suitability.

NAME ALTERNATE MINIMUMS
APALACHICOLA, FL

APALACHICOLA
RGNL (AAF) RNAV (GPS) Rwy 6
RNAV (GPS) Rwy 14
RNAV (GPS) Rwy 18
RNAV (GPS) Rwy 24
RNAV (GPS) Rwy 32
RNAV (GPS) Rwy 36

NA when local weather not available.

BARTOW, FL

BARTOW MUNI (BOW) RNAV (GPS) Rwy 5
RNAV (GPS) Rwy 9L
RNAV (GPS) Rwy 23
RNAV (GPS) Rwy 27R

NA when local weather not available.

BOCA RATON, FL

BOCA RATON (BCT) RNAV (GPS) Rwy 5
RNAV (GPS) Y Rwy 23¹
VOR/DME-A

NA when local weather not available.

¹Category D, 900-2½.

BROOKSVILLE, FL

BROOKSVILLE-TAMPA BAY
RGNL (BKV) RNAV (GPS) Rwy 3
RNAV (GPS) Rwy 9
RNAV (GPS) Rwy 21
RNAV (GPS) Rwy 27

NA when local weather not available.

CHARLOTTE AMALIE, ST. THOMAS, VI

CYRIL E. KING (STT) ILS or LOC Rwy 10¹³
RNAV (GPS) Rwy 10¹²
VOR-A, 1200-3

¹NA when control tower closed.

²Categories A, B, 1000-2¼, Category C, 1000-

2¾, Category D, 1000-3

³ILS, 700-2.

NAME ALTERNATE MINIMUMS
CHRISTIANSTED, ST. CROIX, VI

HENRY E
ROHLESEN (STX) ILS or LOC Rwy 10¹
NDB Rwy 10¹²
RNAV (GPS) Rwy 10³
VOR Rwy 28¹⁴

¹NA when control tower closed.

²Category A, B, 1200-2; Category C, D, 1200-3.

³Category A, B, 1000-2; Category C, D, 1000-3.

⁴Category A, B, 900-2; Category C, D, 900-3.

CRESTVIEW, FL

BOB SIKES (CEW) ILS Rwy 17¹²
RNAV (GPS) Rwy 17¹
RNAV (GPS) Rwy 35¹
VOR-A³

¹NA when local weather not available.

²Category D, 700-2.

³Category D, 800-2¼.

CRYSTAL RIVER, FL

CRYSTAL RIVER (CGC) RNAV (GPS) Rwy 9
RNAV (GPS) Rwy 27

NA when local weather not available.

Category C, 800-2¼; Category D, 900-2¾.

DAYTONA BEACH, FL

DAYTONA BEACH
INTL (DAB) ILS or LOC Rwy 7L¹⁴
ILS or LOC Rwy 25R²⁴
VOR Rwy 16³

¹ILS, Categories A, B, C, D, 700-2.

²Categories A, B, 1100-2; Category C, D, 1100-3.

³Category D, 800-2¼.

⁴NA when control tower closed.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017





ALTERNATE MINS

17117

M2



NAME ALTERNATE MINIMUMS

DELAND, FL

DELAND MUNI- SIDNEY H.
TAYLOR FIELD (DED) RNAV (GPS) Rwy 5
RNAV (GPS) Rwy 12
RNAV (GPS) Rwy 23
RNAV (GPS) Rwy 30

NA when local weather not available.

DESTIN, FL

DESTIN
EXECUTIVE (DTS)..... RNAV (GPS) Rwy 14
RNAV (GPS) Rwy 32

NA when local weather not available.

FERNANDINA BEACH, FL

FERNANDINA BEACH
MUNI (FHB)..... RNAV (GPS) Rwy 13
RNAV (GPS) Rwy 22

NA when local weather not available.

FORT LAUDERDALE, FL

FORT LAUDERDALE
EXECUTIVE (FXE)..... ILS or LOC Rwy 9¹
RNAV (GPS) Rwy 9²
RNAV (GPS) Rwy 27²

NA when local weather not available.

¹ILS, Category B, 700-2; Category C, 800-2¹/₄;
Category D, 800-2¹/₂; LOC, Category C,
800-2 ¹/₄; Category D, 800-2 ¹/₂.

²Category C, 800-2¹/₄; Category D, 800-2¹/₂.

FORT LAUDERDALE-HOLLYWOOD

INTL (FLL)..... ILS or LOC Rwy 10L²
ILS or LOC Rwy 10R⁴
ILS or LOC Rwy 28L³
ILS or LOC Rwy 28R²
RNAV (GPS) Rwy 10R¹
RNAV (GPS) Rwy 28L¹
RNAV (GPS) Z Rwy 10L¹
RNAV (GPS) Y Rwy 28R¹

¹Category D, 800-2¹/₄.

²ILS, Category C, 700-2¹/₄; Category D, 700-2¹/₂.
LOC, Category C, 800-2¹/₄; Category D,
800-2¹/₂.

³ILS, Categories A, B, 700-2; Categories C,
800-2; Category D, 800-2¹/₄. LOC, Category D,
800-2¹/₄.

⁴ILS, Categories A, B, 700-2; Categories C, D,
800-2¹/₄. LOC, Categories C, D, 800-2¹/₄.

FORT MYERS, FL

SOUTHWEST
FLORIDA INTL (RSW) ...ILS or LOC/DME Rwy 6
NA when control tower closed.
ILS, Category E, 700-2¹/₄; LOC, Category E,
800-2¹/₄.

NAME ALTERNATE MINIMUMS

FORT PIERCE, FL

TREASURE COAST
INTL (FPR)..... NDB Rwy 28L
RNAV (GPS) Rwy 10R¹
RNAV (GPS) Rwy 14
RNAV (GPS) Rwy 28L
RNAV (GPS) Rwy 32
VOR/DME Rwy 14

NA when local weather not available.

¹Category C, 900-2¹/₂; Category D, 900-2³/₄.

GAINESVILLE, FL

GAINESVILLE
RGNL (GNV)..... RNAV (GPS) Rwy 7¹
RNAV (GPS) Rwy 11¹
RNAV (GPS) Rwy 25¹
RNAV (GPS) Rwy 29¹
VOR Rwy 25²

¹NA when local weather not available.

²Categories A, B, 900-2; Category C 900-2¹/₂.

HOLLYWOOD, FL

NORTH PERRY (HWO)... RNAV (GPS) Rwy 10R
RNAV (GPS) Rwy 28R

NA when local weather not available.

INVERNESS, FL

INVERNESS (INF) RNAV (GPS) Rwy 1
RNAV (GPS) Rwy 19

NA when local weather not available.

JACKSONVILLE, FL

CECIL (VQQ)..... ILS or LOC RWY 36R¹²
RNAV (GPS) Rwy 9R
RNAV (GPS) Rwy 18L
RNAV (GPS) Rwy 27L
RNAV (GPS) Rwy 36R
TACAN Rwy 9R²
TACAN Rwy 27L²
VOR Rwy 9R

NA when local weather not available.

¹NA when control tower closed.

²Category E, 900-3.

JACKSONVILLE EXECUTIVE AT CRAIG

(CRG)..... ILS or LOC Rwy 32
RNAV (GPS) Rwy 32
VOR Rwy 14¹

NA when local weather not available.

¹Categories C, D, 800-2¹/₂.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017



ALTERNATE MINS

17117

M2

SE-3





ALTERNATE MINS

17117

M3



NAME ALTERNATE MINIMUMS
JACKSONVILLE, FL (CON'T)
 JACKSONVILLE
 INTL (JAX) **ILS or LOC Rwy 8¹**
 ILS or LOC Rwy 14²
 ILS or LOC Rwy 26²
 VOR/DME Rwy 32³

¹ILS, Category D, 700-2, Category E, 800-2^{1/2}.
²ILS, Category D, 700-2.
³Category E, 800-2^{1/2}.

KEY WEST, FL
 KEY WEST INTL (EYW)..... **RNAV (GPS) Rwy 9**
 RNAV (GPS) Rwy 27
 NA when local weather not available.

LAKE CITY, FL
 LAKE CITY
 GATEWAY (LCQ)..... **RNAV (GPS) Rwy 10**
 RNAV (GPS) Rwy 28
 NA when local weather not available.

LAKELAND, FL
 LAKELAND LINDER
 RGNL (LAL)..... **ILS or LOC/DME Rwy 9**
 RNAV (GPS) Rwy 5
 RNAV (GPS) Rwy 9
 RNAV (GPS) Rwy 23
 RNAV (GPS) Rwy 27
 VOR Rwy 9
 VOR Rwy 27¹
 NA when local weather not available.
¹Categories C, D, 800-2^{1/2}.

LEESBURG, FL
 LEESBURG INTL (LEE)..... **RNAV (GPS) Rwy 3**
 RNAV (GPS) Rwy 13
 RNAV (GPS) Rwy 31
 NA when local weather not available.

MARATHON, FL
 THE FLORIDA KEYS
 MARATHON INTL (MTH) **NDB-A**
 RNAV (GPS) Rwy 7
 RNAV (GPS) Rwy 25
 NA when local weather not available.

MARIANNA, FL
 MARIANNA MUNI (MAI).... **RNAV (GPS) Rwy 18²**
 VOR-A¹
 VOR-B¹
¹NA when local weather not available.
²Category D, 800-2^{1/2}.

NAME ALTERNATE MINIMUMS
MAYAGUEZ, PR
 EUGENIO MARIA
 DE HOSTOS (MAZ) **RNAV (GPS) Rwy 9**
 VOR Rwy 9
 Categories A, B, 1100-2; Category C, 1100-3.
 NA except standard for operators with approved weather reporting service.

MERRITT ISLAND, FL
 MERRITT ISLAND
 (COI) **RNAV (GPS) Rwy 11**
 NA when local weather not available.

MIAMI, FL
 MIAMI
 EXECUTIVE (TMB)..... **ILS or LOC Rwy 9R¹²**
 RNAV (GPS) Rwy 9L
 RNAV (GPS) Rwy 9R
 RNAV (GPS) Rwy 27L
 RNAV (GPS) Rwy 27R
 NA when local weather not available.
²NA when control tower closed.
¹Category D, 700-2.

MIAMI INTL (MIA) **ILS or LOC Rwy 26L¹**
 ILS or LOC Rwy 27²
 ILS or LOC Rwy 30³
¹LOC, Categories A, B, 900-2, Categories C, D, 900-2^{1/2}.
²LOC, Categories A, B, 1300-2, Categories C, D, E, 1300-3.
³Categories A, B, 900-2; Category C 900-2^{1/2}; Category D, 900-2^{3/4}.

OPA-LOCKA
 EXECUTIVE (OPF) **ILS or LOC Rwy 9L¹**
 ILS or LOC Rwy 12¹
 ILS or LOC Rwy 27R¹
 RNAV (GPS) Rwy 9L
 RNAV (GPS) Rwy 12
 RNAV (GPS) Rwy 27R
 NA when local weather not available.
¹NA when control tower closed.

NAPLES, FL
 NAPLES MUNI (APF) **RNAV (GPS)-A¹**
 RNAV (GPS)-B¹
 RNAV (GPS) Rwy 5
 RNAV (GPS) Rwy 23
 NA when local weather not available.
¹Category D, 800-2^{1/4}.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017



ALTERNATE MINS

17117

M3

SE-3





ALTERNATE MINS

17117

M4



NAME ALTERNATE MINIMUMS

OCALA, FL

OCALA INTL-JIM TAYLOR FIELD (OCF) ILS or LOC/DME Rwy 36
RNAV (GPS) Rwy 18
RNAV (GPS) Rwy 36
VOR Rwy 36

NA when local weather not available.

OKEECHOBEE, FL

OKEECHOBEE COUNTY (OBE) RNAV (GPS) Rwy 5
RNAV (GPS) Rwy 14
RNAV (GPS) Rwy 23
RNAV (GPS) Rwy 32

NA when local weather not available.

ORLANDO, FL

EXECUTIVE (ORL) ILS or LOC Rwy 7
ILS or LOC Rwy 25

NA when control tower closed.
ILS, LOC, Category C, 800-2¼; Category D, 800-2½.

KISSIMMEE

GATEWAY (ISM) ILS or LOC Rwy 15
RNAV (GPS) Rwy 6
RNAV (GPS) Rwy 15
RNAV (GPS) Rwy 33
VOR/DME-A

NA when local weather not available.

ORLANDO

INTL (MCO) ILS or LOC Rwy 17L
ILS or LOC Rwy 17R
ILS or LOC Rwy 18R
ILS or LOC Rwy 35L
ILS or LOC Rwy 35R
ILS or LOC Rwy 36R

ILS, Categories A, B, C, D, 700-2.

ORLANDO SANFORD

INTL (SFB) ILS or LOC Rwy 9L¹²
ILS or LOC Rwy 9R¹²
ILS or LOC Rwy 27R¹
NDB-B²
NDB-C²
RNAV (GPS) Rwy 9L¹
RNAV (GPS) Rwy 9R¹
RNAV (GPS) Rwy 18¹
RNAV (GPS) Rwy 27L¹
RNAV (GPS) Rwy 27R¹

¹NA when local weather not available.
²NA when control tower closed.

NAME ALTERNATE MINIMUMS

ORMOND BEACH, FL

ORMOND BEACH MUNI (OMN) RNAV (GPS) Rwy 8
RNAV (GPS) Rwy 17
RNAV (GPS) Rwy 26

NA when local weather not available.

PALM COAST, FL

FLAGLER EXECUTIVE (FIN) RNAV (GPS) Rwy 6
RNAV (GPS) Rwy 11
RNAV (GPS) Rwy 24
RNAV (GPS) Rwy 29

NA when local weather not available.
Category D, 800-2¼.

PANAMA CITY, FL

NORTHWEST FLORIDA BEACHES INTL (ECP) ILS or LOC/DME Rwy 16¹
RNAV (GPS) Rwy 16
RNAV (GPS) Rwy 34

NA when local weather not available.
¹NA when control tower closed.

PENSACOLA, FL

PENSACOLA INTL (PNS) ILS or LOC Rwy 17¹²
VOR Rwy 8³

¹NA when control tower closed.
²ILS, Categories A, B, C, D, 700-2.
³Category D, 800-2¼.

PERRY, FL

PERRY-FOLEY (40J) RNAV (GPS) Rwy 18
RNAV (GPS) Rwy 36

NA when local weather not available.
Category D, 900-2¾.

PLANT CITY, FL

PLANT CITY (PCM) RNAV (GPS) Rwy 10
RNAV (GPS) Rwy 28

NA when local weather not available.

POMPANO BEACH, FL

POMPANO BEACH AIRPARK (PMP) LOC Rwy 15¹
RNAV (GPS) Rwy 6
RNAV (GPS) Rwy 15
RNAV (GPS) Rwy 24
RNAV (GPS) Rwy 33

NA when local weather not available.
¹NA when control tower closed.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017



ALTERNATE MINS

17117

M4

SE-3





ALTERNATE MINS

17117

M5



NAME ALTERNATE MINIMUMS

PUNTA GORDA, FL

PUNTA GORDA (PGD) **ILS or LOC Rwy 4¹²**
RNAV (GPS) Rwy 4³
RNAV (GPS) Rwy 15³
RNAV (GPS) Rwy 22³
RNAV (GPS) Rwy 33³
VOR Rwy 4³
VOR Rwy 22³

NA when local weather not available.

¹NA when control tower closed.

²ILS, LOC, Category D, 800-2¼.

³Category D, 800-2¼.

ST. AUGUSTINE, FL

NORTHEAST FLORIDA

RGNL (SGJ) **RNAV (GPS) Rwy 13¹**
RNAV (GPS) Rwy 31¹
VOR Rwy 13²

¹NA when local weather not available.

²NA when control tower closed.

ST. PETERSBURG, FL

ALBERT

WHITTED (SPG) **RNAV (GPS) Rwy 7**
RNAV (GPS) Rwy 18
RNAV (GPS) Rwy 36
VOR Rwy 18¹

NA when local weather not available.

¹Categories A, B, 900-2.

ST. PETERSBURG-CLEARWATER, FL

ST. PETE- CLEARWATER

INTL (PIE) **ILS or LOC Rwy 18⁴⁵**
ILS or LOC Rwy 36²⁴
RNAV (GPS)-A¹
RNAV (GPS) Rwy 36¹
VOR Rwy 4¹³

¹NA when local weather not available.

²ILS, Categories A, B, C, D, 700-2; Category E, 1000-3; LOC, Category E, 1000-3.

³Categories A, B, 1000-2; Category C, D, 1000-3.

⁴NA when control tower closed.

⁵ILS, Categories C, D, 700-2; Category E, 1000-3; LOC, Category E, 1000-3

SAN JUAN, PR

LUIS MUNOZ

MARIN INTL (SJU) **ILS or LOC Rwy 10¹**
VOR or TACAN Rwy 8²
VOR or TACAN Rwy 10³
VOR or TACAN Rwy 26²

¹ILS, Category E, 700-2¼. LOC, Category E, 800-2¼.

²Category E, 900-3.

³Category E, 800-2¼.

NAME ALTERNATE MINIMUMS

SARASOTA/BRADENTON, FL

SARASOTA/BRADENTON
INTL (SRQ) **ILS or LOC Rwy 14**
ILS or LOC Rwy 32
NA when control tower closed.

SEBRING, FL

SEBRING RGNL (SEF) **RNAV (GPS) Rwy 14**
RNAV (GPS) Rwy 32
NA when local weather not available.

STUART, FL

WITHAM FIELD (SUA) **RNAV (GPS) Rwy 12**
RNAV (GPS) Rwy 30
NA when local weather not available.

TALLAHASSEE, FL

TALLAHASSEE

INTL (TLH) **ILS or LOC Rwy 27¹²³**
ILS or LOC/DME Rwy 36¹²
RADAR-1⁵
RNAV (GPS) Rwy 9²⁵
RNAV (GPS) Rwy 18²⁵
RNAV (GPS) Rwy 27¹²⁵
RNAV (GPS) Rwy 36²⁵
VOR/DME or TACAN Rwy 36²⁴
VOR Rwy 18²⁵

¹NA when control tower closed.

²NA when local weather not available.

³ILS, Categories A, B, C 800-2; Category D, 800-2¼; Category E, 1000-3; LOC, Category D, 800-2¼; Category E, 1000-3.

⁴Category E, 1000-3.

⁵Category D, 800-2¼.

TAMPA, FL

PETER O

KNIGHT (TPF) **RNAV (GPS) Rwy 22**
RNAV (GPS) Rwy 36
NA when local weather not available.

TAMPA

EXECUTIVE (VDF) **ILS or LOC Rwy 23¹**
RNAV (GPS) Rwy 5
RNAV (GPS) Rwy 18
RNAV (GPS) Rwy 23
NA when local weather not available.

¹ILS, Categories B, C, 800-2.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017



ALTERNATE MINS

17117

M5

SE-3





ALTERNATE MINS

17117

M6



NAME ALTERNATE MINIMUMS
TAMPA, FL (CON'T)
 TAMPA INTL (TPA).....**ILS or LOC Rwy 19R⁴**
 ILS or LOC Rwy 1L⁴
 LOC Rwy 1R²
 RNAV (GPS) Rwy 19R¹
 RNAV (GPS) Rwy 1L¹
 RNAV (GPS) Rwy 1R³
 RNAV (GPS) Rwy 10⁵

- ¹Category E, 1000-3.
- ²Categories A, B, 1300-2; Categories C, D, 1300-3.
- ³Categories D, E, 1000-3.
- ⁴ILS, Category C, 700-2; Categories D, E, 1000-3; LOC Categories D, E, 1000-3.
- ⁵Category D, 1000-3.

TITUSVILLE, FL
 NASA SHUTTLE LANDING
 FACILITY (TTS)**RNAV (GPS) Rwy 15³**
 RNAV (GPS) Rwy 33¹²

- ¹NA when local weather not available.
- ²Categories D, E, 1000-3.
- ³Category C, 1000-2³/₄, Category D, E, 1000-3.

SPACE COAST
 RGNL (TIX)**ILS or LOC Rwy 36²**
 RNAV (GPS) Rwy 9¹
 RNAV (GPS) Y Rwy 18¹
 RNAV (GPS) Z Rwy 18²
 RNAV (GPS) Rwy 36¹

- ¹NA when local weather not available.
- ²NA when control tower closed.

VENICE, FL
 VENICE
 MUNI (VNC)**RNAV (GPS) Rwy 5**
 RNAV (GPS) Rwy 13
 RNAV (GPS) Rwy 23
 RNAV (GPS) Rwy 31

- NA when local weather not available.
- Category D, 1000-3.

VERO BEACH, FL
 VERO BEACH
 MUNI (VRB)**RNAV (GPS) Rwy 4**
 RNAV (GPS) Rwy 12R
 RNAV (GPS) Rwy 22
 RNAV (GPS) Rwy 30L
 VOR Rwy 12R
 VOR/DME Rwy 30L

- NA when local weather not available.

NAME ALTERNATE MINIMUMS
WEST PALM BEACH, FL
 PALM BEACH
 INTL (PBI).....**ILS or LOC Rwy 10L³**
 ILS or LOC Rwy 28R¹
 RNAV (GPS) Y Rwy 14²

¹ILS, Categories C, D, 700-2.
²Category D, 800-2¹/₄.
³ILS, Category C, 700-2; Category D, 800-2¹/₂;
 LOC, Category D 800-2¹/₂.

WINTER HAVEN, FL
 WINTER HAVEN'S
 GILBERT (GIF)**RNAV (GPS) Rwy 5**
 RNAV (GPS) Rwy 11
 VOR/DME-A

 NA when local weather not available.
 Category D, 800-2¹/₄.

ZEPHYRHILLS, FL
 ZEPHYRHILLS
 MUNI (ZPH)**RNAV (GPS) Rwy 1**
 RNAV (GPS) Rwy 5
 RNAV (GPS) Rwy 19
 RNAV (GPS) Rwy 23

 NA when local weather not available.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017



ALTERNATE MINS

17117

M6

SE-3



TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005



INSTRUMENT APPROACH PROCEDURE CHARTS

IFR TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

Civil Airports and Selected Military Airports

ALL USERS: Airports that have Departure Procedures (DPs) designed specifically to assist pilots in avoiding obstacles during the climb to the minimum enroute altitude, and/or airports that have civil IFR takeoff minimums other than standard, are listed below. Takeoff Minimums and Departure Procedures apply to all runways unless otherwise specified. Altitudes, unless otherwise indicated, are minimum altitudes in MSL.

DPs specifically designed for obstacle avoidance are referred to as Obstacle Departure Procedures (ODPs) and are textually described below, or published separately as a graphic procedure. If the ODP is published as a graphic procedure, its name will be listed below, and it can be found in either this volume (civil), or the applicable military volume, as appropriate. Users will recognize graphic obstacle DPs by the term "(OBSTACLE)" included in the procedure title; e.g., TETON TWO (OBSTACLE). If not specifically assigned an ODP, SID, or radar vector as part of an IFR clearance, an ODP may be required to be flown for obstacle clearance, even though not specifically stated in the IFR clearance. When doing so in this manner, ATC should be informed when the ODP being used contains a specified route to be flown, restrictions before turning, and/or altitude restrictions.

Some ODPs, which are established solely for obstacle avoidance, require a climb in visual conditions to cross the airport, a fix, or a NAVAID in a specified direction, at or above a specified altitude. These procedures are called Visual Climb Over Airport (VCOA). To ensure safe and efficient operations, the pilot must verbally request approval from ATC to fly the VCOA when requesting their IFR clearance.

At some locations where an ODP has been established, a diverse vector area (DVA) may be created to allow radar vectors to be used in lieu of an ODP. DVA information will state that headings will be as assigned by ATC and climb gradients, when applicable, will be published immediately following the specified departure procedure.

Graphic DPs designed by ATC to standardize traffic flows, ensure aircraft separation and enhance capacity are referred to as "Standard Instrument Departures (SIDs)". SIDs also provide obstacle clearance and are published under the appropriate airport section. ATC clearance must be received prior to flying a SID.

CIVIL USERS NOTE: Title 14 Code of Federal Regulations Part 91 prescribes standard takeoff rules and establishes takeoff minimums for certain operators as follows: (1) For aircraft, other than helicopters, having two engines or less – one statute mile visibility. (2) For aircraft having more than two engines – one-half statute mile visibility. (3) For helicopters – one-half statute mile visibility. These standard minima apply in the absence of any different minima listed below.

MILITARY USERS NOTE: Civil (nonstandard) takeoff minima are published below. For military takeoff minima, refer to appropriate service directives.

NAME	TAKEOFF MINIMUMS	NAME	TAKEOFF MINIMUMS
------	------------------	------	------------------

AGUADILLA, PR

RAFAEL HERNANDEZ (BQN)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

ORIG 09071 (FAA)

DEPARTURE PROCEDURE: **Rwy 8**, climb on a heading between 262° CW to 158° from DER. **Rwy 26**, climb on a heading between 230° CW to 082° from DER.

NOTE: **Rwy 8**, vehicles on roadway beginning 1489' from DER, left and right of centerline, up to 15' AGL/242' MSL. **Rwy 26**, vehicles on roadway beginning 751' from DER, left and right of centerline, up to 17' AGL/275' MSL. Trees beginning 939' from DER, 447' right of centerline, up to 100' AGL/343' MSL.

APALACHICOLA, FL

APALACHICOLA RGNL-CLEVE
RANDOLPH FIELD (AAF)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 1A 14205 (FAA)

NOTE: **Rwy 6**, trees beginning 1152' from DER, 97' left of centerline, up to 83' AGL/101' MSL. Trees beginning 22' from DER, 14' right of centerline, up to 89' AGL/108' MSL. **Rwy 14**, trees beginning 32' from DER, 63' left of centerline, up to 78' AGL/97' MSL. Trees beginning 2137' from DER, 67' right of centerline, up to 89' AGL/99' MSL. **Rwy 18**, tree beginning 513' from DER, 193' right of centerline, 100' AGL/120' MSL. **Rwy 24**, trees beginning 71' from DER, 77' left of centerline, up to 76' AGL/88' MSL. Poles beginning 583' from DER, 268' left of centerline, up to 28' AGL/47' MSL. Bush 1018' from DER, 394' left of centerline, 30' AGL/47' MSL. **Rwy 32**, trees beginning 52' from DER, 88' left of centerline, up to 69' AGL/82' MSL. Trees beginning 137' from DER, 75' right of centerline, up to 71' AGL/87' MSL. **Rwy 36**, trees beginning 3408' from DER, 327' left of centerline, 100' AGL/113' MSL. Tree 1397' from DER, 441' right of centerline, 100' AGL/109' MSL.

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

APOPKA, FL

ORLANDO APOPKA (X04)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 12264 (FAA)

TAKEOFF MINIMUMS: **Rwy 15**, 300-2 or std. w/min. climb of 263' per NM to 400. **Rwy 33**, 400-1¾ or std. w/min. climb of 325' per NM to 600.

NOTE: **Rwy 15**, trees beginning at DER, 173' left of centerline, up to 100' AGL/229' MSL. Railroad and vehicles beginning at DER, 181' left of centerline, up to 23' AGL/152' MSL. Trees beginning 214' from DER, 552' right of centerline, up to 100' AGL/189' MSL. Poles beginning 230' from DER, 239' left of centerline, up to 49' AGL/178' MSL. Tower 5781' from DER, 1326' left of centerline, 199' AGL/317' MSL. **Rwy 33**, trees beginning 2' from DER, 183' left of centerline, up to 100' AGL/249' MSL. Poles beginning 7' from DER, 61' right of centerline, up to 49' AGL/198' MSL. Railroad and vehicles beginning 36' from DER, 90' right of centerline, up to 23' AGL/172' MSL. Antenna 1166' from DER, 539' left of centerline, 29' AGL/173' MSL. Tower 1.2 NM from DER, 2338' left of centerline, 350' AGL/421' MSL.

ARCADIA, FL

ARCADIA MUNI (X06)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 14149 (FAA)

NOTE: **Rwy 5**, trees beginning 6' from DER, 107' left of centerline, up to 20' AGL/81' MSL. **Rwy 23**, vehicle on road 234' from DER, 538' right of centerline 15' AGL/74' MSL. Trees beginning 315' from DER, 120' left of centerline, up to 50' AGL/109' MSL. Trees beginning 340' from DER, 435' right of centerline, up to 40' AGL/95' MSL. Building 449' from DER, 409' left of centerline, 25' AGL/84' MSL.

AVON PARK, FL

AVON PARK EXECUTIVE (AVO)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 09351 (FAA)

TAKEOFF MINIMUMS: **Rwy 5**, 300-1 or std. w/ min. climb of 430' per NM to 500.

NOTE: **Rwy 5**, trees beginning 219' from DER, 84' left of centerline, up to 100' AGL/284' MSL. Trees beginning 1007' from DER, 298' right of centerline, up to 100' AGL/289' MSL. Building 327' from DER, 431' right of centerline, 21' AGL/182' MSL. **Rwy 10**, buildings beginning 293' from DER, 251' left of centerline, up to 30' AGL/285' MSL. Line of trees beginning 298' from DER, 149' right to 229' left of centerline, up to 100' AGL/269' MSL. **Rwy 23**, trees beginning 52' from DER, 118' right of centerline, up to 26' AGL/186' MSL. Trees beginning 23' from DER, 93' left of centerline, up to 38' AGL/198' MSL. Power lines beginning 2691' from DER, 1019' left to 2034' right of centerline, up to 79' AGL/235' MSL. **Rwy 28**, numerous trees beginning 371' from DER, 218' right of centerline, up to 100' AGL/259' MSL. Buildings and light poles beginning 1491' from DER, 187' left of centerline, up to 40' AGL/194' MSL. Power pylons beginning 2082' from DER, 935' left to 252' right of centerline, up to 79' AGL/233' MSL.

BARTOW, FL

BARTOW MUNI (BOW)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 08157 (FAA)

NOTE: **Rwy 5**, trees beginning 816' from DER, 7' left of centerline, up to 79' AGL/198' MSL. Trees beginning 164' from DER, 9' right of centerline, up to 65' AGL/184' MSL. **Rwy 9L**, vehicles on roadway and trees beginning 16' from DER, 19' left of centerline, up to 55' AGL/174' MSL. Trees beginning 49' from DER, 54' right of centerline, up to 54' AGL/173' MSL. **Rwy 9R**, trees beginning 637' from DER, 113' left of centerline, up to 64' AGL/173' MSL. Trees beginning 1311' from DER, 253' right of centerline, up to 69' AGL/178' MSL. **Rwy 23**, trees beginning 143' from DER, 87' left of centerline, up to 72' AGL/191' MSL. Trees beginning 419' from DER, 33' right of centerline, up to 100' AGL/239' MSL. **Rwy 27L**, trees beginning 939' from DER, 644' left of centerline, up to 100' AGL/249' MSL. Trees beginning 2007' from DER, 517' right of centerline, up to 36' AGL/175' MSL. Tower 2880' from DER, 1015' left of centerline, 50' AGL/188' MSL. **Rwy 27R**, trees beginning 2433' from DER, 1069' left of centerline, up to 100' AGL/249' MSL. Vehicles on roadway, poles and multiple trees beginning 1179' from DER, 260' right of centerline, up to 100' AGL/249' MSL.

BOCA RATON, FL

BOCA RATON (BCT)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 06271 (FAA)

TAKEOFF MINIMUMS: **Rwy 23**, 300-1, or std. w/ a min. climb of 230' per NM to 300. Alternatively, with standard takeoff minimums and a normal 200'/NM climb gradient, takeoff must occur no later than 1700' prior to DER.

NOTE: **Rwy 5**, numerous trees and poles beginning 185' from DER, 20' left of centerline, up to 35' AGL/49' MSL. Numerous trees and poles beginning 6' from DER, 267' right of centerline, up to 28' AGL/45' MSL. **Rwy 23**, numerous trees, poles, and buildings beginning 278' from DER, 41' left of centerline, up to 137' AGL/154' MSL. Numerous trees, poles and buildings beginning 626' from DER, 171' right of centerline, up to 154' AGL/171' MSL.

BONIFAY, FL

TRI COUNTY (1J0)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 88098 (FAA)

DEPARTURE PROCEDURE: **Rwys 1, 19**, climb runway heading to 2000 before turning west.

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

BROOKSVILLE, FL

BROOKSVILLE-TAMPA BAY RGNL
(BKV)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG-A 14205 (FAA)

TAKEOFF MINIMUMS: **Rwy 9**, 300-1¼ or std. w/ a min. climb of 220' per NM to 300, or alternatively, with standard takeoff minimums and a normal 200'/NM climb gradient, takeoff must occur no later than 1200' prior to DER.

NOTE: **Rwy 3**, obstruction light and trees beginning 297' from DER, 34' right of centerline, up to 81' AGL/151' MSL. Trees beginning 1681' from DER, 29' left of centerline, up to 83' AGL/153' MSL. **Rwy 9**, trees 9' from DER, 287' right of centerline, up to 69' AGL/73' MSL. Trees beginning 2021' left and right of centerline, up to 92' AGL/171' MSL. **Rwy 21**, pole and trees beginning 46' from DER, 27' right of centerline, up to 70' AGL/138' MSL. Building and trees beginning 108' from DER, 39' left of centerline, up to 85' AGL/155' MSL. **Rwy 27**, trees 2143' from DER, 891' left of centerline, up to 89' AGL/189' MSL. Trees 4755' from DER, 1684' right of centerline, up to 99' AGL/199' MSL.

CAPE CANAVERAL AFS SKID STRIP (XMR)

COCO A BEACH, FL

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 2, 16203

DEPARTURE PROCEDURES: **Rwy 13**, diverse departure authorized. **Rwy 31**, diverse departure authorized 322° CCW to 143° only.

TAKE-OFF OBSTACLES: **Rwy 13**, terrain at DER, 419' right of cntrln, 14' MSL. Terrain 12' from DER, 372' right of cntrln, 13' MSL. Terrain at DER, 500' left of cntrln, 13' MSL. **Rwy 31**, light pole 1795' from DER, 498' left of cntrln, 8' MSL. Bushes 144' from DER, 500' left of cntrln, 18' MSL. Pylon 4172' from DER, 380' right of cntrln, 56' AGL/79' MSL. Pylon 3795' from DER, 363' left of cntrln, 56' AGL/77' MSL. Bushes 221' from DER, 509' left of cntrln, 18' MSL. Pylon 3974' from DER, 8' right of cntrln, 56' AGL/83' MSL. Terrain at DER, 500' left of cntrln, 17' MSL. Terrain at DER, 434' left of cntrln, 16' MSL. Terrain 25' from DER, 101' left of cntrln, 13' MSL. Bushes 305' from DER, 508' left of cntrln, 19' MSL. Pylon 3426' from DER, 1073' left of cntrln, 56' AGL/66' MSL. Bushes 573' from DER, 622' right of cntrln, 26' MSL. Pylon 3627' from DER, 688' left of cntrln, 56' AGL/71' MSL.

CHARLOTTE AMALIE, ST. THOMAS, VI

CYRIL E. KING (STT)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 08157 (FAA)

TAKEOFF MINIMUMS: **Rwy 10**, 400-1 with minimum climb of 462' per NM to 1400 or 2100-2½ for climb in visual conditions. **Rwy 28**, 800-3 or std. w/ min. climb of 366' per NM to 1000.

DEPARTURE PROCEDURE: **Rwy 10**, climbing right turn heading 120° to 2000 before turning north or for climb in visual conditions, cross Cyril E King airport at or above 2000 before proceeding on course. **Rwy 28**, climb heading 280° to 2000 before turning north.

NOTE: **Rwy 10**, antenna on building 258' from DER, 485' left of centerline, 25' AGL/41' MSL. Multiple trees beginning 729' from DER, 244' right of centerline up to 100' AGL/259' MSL. Pole 300' from DER, 430' right of centerline, 23' AGL/39' MSL. **Rwy 28**, antenna 33' from DER, 412' left of centerline, 16' AGL/29' MSL. Bush 175' from DER, 178' right of centerline, 2' AGL/29' MSL. Bush 206' from DER, 121' left of centerline, 2' AGL/29' MSL. Trees beginning 2.39 NM from DER, 4351' right of centerline, 100' AGL/710' MSL.

CHRISTIANSTED, ST. CROIX, VI

HENRY E. ROHLSSEN (STX)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 9 14149 (FAA)

TAKEOFF MINIMUMS: **Rwy 10**, 300-1¼ or std. w/min. climb of 300' per NM to 300.

DEPARTURE PROCEDURE: **Rwy 10**, climb heading 108° to 1300 before proceeding on course. **Rwy 28**, climb heading 277° to 1200 before proceeding on course.

NOTE: **Rwy 10**, bushes beginning 103' from DER, 283' right of centerline, up to 10' AGL/32' MSL. Pole 794' from DER, 572' right of centerline, up to 29' AGL/44' MSL. Bushes beginning 127' from DER, 324' left of centerline, up to 10' AGL/34' MSL. Pole 595' from DER, 653' left of centerline, up to 41' AGL/62' MSL. Trees beginning 935' from DER, 562' left of centerline, up to 29' AGL/70' MSL. Refinery buildings beginning 5289' from DER, 798' left of centerline, up to 203' AGL/231' MSL. **Rwy 28**, trees beginning 517' from DER, 553' right of centerline, up to 53' AGL/114' MSL. Tower 1499' from DER, 802' right of centerline, 50' AGL/140' MSL.

CLEWISTON, FL

AIRGLADES (2IS)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 09071 (FAA)

NOTE: **Rwy 31**, vehicle on road, 362' from DER, 578' right of centerline, 15' AGL/38' MSL.

CRESTVIEW, FL

BOB SIKES (CEW)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 08213 (FAA)

NOTE: **Rwy 17**, trees beginning 92' from DER, 248' right of centerline up to 100' AGL/203' MSL. Trees beginning 171' from DER, 9' left of centerline, up to 100' AGL/205' MSL.

Rwy 35, trees beginning 329' from DER, 222' right of centerline up to 100' AGL/272' MSL. Trees beginning 152' from DER, 184' left of centerline, up to 100' AGL/278' MSL.

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

CROSS CITY, FL

CROSS CITY (CTY)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 08157 (FAA)

NOTE: **Rwy 4**, trees beginning 527' from DER, left and right of centerline, up to 100' AGL/149' MSL. **Rwy 13**, trees beginning 158' from DER, left and right of centerline, up to 100' AGL/149' MSL. Tank 3302' from DER, 927' right of centerline, 101' AGL/141' MSL. **Rwy 22**, trees beginning 1510' from DER, left and right of centerline, up to 100' AGL/149' MSL. Power lines 2807' from DER, 58' left of centerline, 73' AGL/114' MSL. **Rwy 31**, trees beginning 195' from DER, left and right of centerline, up to 100' AGL/149' MSL.

CRYSTAL RIVER, FL

CRYSTAL RIVER-CAPTAIN TOM DAVIS

FIELD (CGC)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG-A 14345 (FAA)

TAKEOFF MINIMUMS: **Rwy 9**, std. w/ min. climb of 260' per NM to 600, or 500-2¾ with min. climb of 210' per NM to 900, or 900-2½ for climb in visual conditions. **Rwys 18, 36**, NA-Environmental.

DEPARTURE PROCEDURE: **Rwy 9**, climb heading 096° to 700 before turning right, or for climb in visual conditions cross Crystal River-Tom Davis Field at or above 800 before proceeding on course.

NOTE: **Rwy 9**, vehicles on road beginning 6' from DER, from left to right of centerline, up to 15' AGL/24' MSL. Multiple trees beginning 364' from DER, from 680' left of centerline to 820' right of centerline, up to 100' AGL/129' MSL. **Rwy 27**, trees 17' from DER, 484' right of centerline, up to 100' AGL/109' MSL. Vehicles on road beginning 368' from DER, from left to right of centerline, up to 15' AGL/24' MSL. Power line beginning 474' from DER, from left to right of centerline, up to 26' AGL/45' MSL. Building 916' from DER, on centerline, 26' AGL/35' MSL. Multiple trees beginning 762' from DER, from 915' left of centerline to 641' right of centerline, up to 100' AGL/119' MSL.

DAYTONA BEACH, FL

DAYTONA BEACH INTL (DAB)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 4 09239 (FAA)

NOTE: **Rwy 7L**, multiple trees beginning 1834' from DER, 646' right of centerline, up to 64' AGL/95' MSL. **Rwy 7R**, tower, trees beginning 1042' from DER, 413' right of centerline, up to 100' AGL/135' MSL. Hanger, multiple trees beginning 901' from DER, 55' left of centerline, up to 67' AGL/101' MSL. **Rwy 16**, multiple trees beginning 57' from DER, 19' left of centerline, up to 75' AGL/104' MSL. Multiple trees beginning 871' from DER, 3' right of centerline, up to 83' AGL/112' MSL. **Rwy 25L**, multiple trees beginning 123' from DER, 75' left of centerline, up to 80' AGL/109' MSL. Multiple trees and antenna beginning 1002' from DER, 85' right of centerline, up to 72' AGL/101' MSL. **Rwy 25R**, multiple trees, signs, and poles beginning 428' from DER, 38' right of centerline, up to 88' AGL/115' MSL. Multiple trees beginning 1254' from DER, 41' left of centerline, up to 84' AGL/108' MSL. **Rwy 34**, multiple trees, building and obstruction light beginning 1013' from DER, 90' left of centerline, up to 82' AGL/111' MSL. Multiple trees, beginning 1108' from DER, 6' right of centerline, up to 78' AGL/107' MSL.

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

DEFUNIAK SPRINGS, FL

DEFUNIAK SPRINGS (54J)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 09127 (FAA)

TAKEOFF MINIMUMS: **Rwy 9**, 400-2¼ or std. w/ min. climb of 254' per NM to 800. **Rwys 18,36**, NA - dirt. NOTE: **Rwy 9**, multiple roads, railroad, building, fence, light on pole, poles, signs, towers and trees beginning 25' from DER, 1' left of centerline, up to 431' AGL/617' MSL. Multiple trees and roads beginning 71' from DER, 118' right of centerline, up to 74' AGL/343' MSL. **Rwy 27**, multiple trees, poles, fences, roads and building beginning 8' from DER, 39' left of centerline, up to 64' AGL/353' MSL. Multiple trees, poles, roads, buildings and light on pole beginning 82' from DER, 15' right of centerline, up to 53' AGL/342' MSL.

DELAND, FL

DELAND MUNI/SIDNEY H. TAYLOR

FIELD (DED)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 3 06159 (FAA)

DEPARTURE PROCEDURE: **Rwy 5**, climb via heading 054° to 1800 before proceeding on course. **Rwy 12**, climb via heading 122° to 1800 before proceeding on course. **Rwy 23**, climb via heading 234° to 1800 before proceeding on course. **Rwy 30**, climb via heading 302° to 1800 before proceeding on course.

NOTE: **Rwy 5**, numerous trees beginning 64' from DER, 245' left of centerline, up to 100' AGL/143' MSL. Numerous trees beginning 869' from DER, 410' right of centerline, up to 100' AGL/154' MSL. **Rwy 12**, numerous trees beginning 154' from DER, 129' left of centerline, up to 100' AGL/153' MSL. Numerous trees beginning 456' from DER, 289' right of centerline, up to 100' AGL/162' MSL. **Rwy 30**, numerous trees beginning 624' from DER, 9' left of centerline, up to 100' AGL/156' MSL. Numerous trees beginning 159' from DER, 341' right of centerline, up to 100' AGL/162' MSL. **Rwy 23**, light pole and numerous trees beginning 381' from DER, 44' right of centerline, up to 100' AGL/132' MSL. Pole, building, vent on building, hangar, and trees beginning 164' from DER, 26' left of centerline, up to 100' AGL/129' MSL.

DESTIN, FL

DESTIN EXECUTIVE (DTS)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

ORIG-B 15148 (FAA)

TAKEOFF MINIMUMS: **Rwy 14**, 200-1 or std. w/ min. climb of 252' per NM to 300.

DEPARTURE PROCEDURE: **Rwy 14**, climb runway heading to 400 before making turn.

NOTE: **Rwy 14**, trees beginning 175' from DER, 351' left of centerline, up to 50' AGL/71' MSL. Buildings/rods beginning 3753' from DER, 76' left of centerline, up to 150' AGL/176' MSL. Buildings/rods 261' from DER, 76' right of centerline, up to 129' AGL/139' MSL. **Rwy 32**, trees beginning 65' from DER, 14' left of centerline, up to 50' AGL/83' MSL. Buildings/poles beginning 240' from DER, 457' left of centerline, up to 30' AGL/54' MSL. Trees beginning 78' from DER, 17' right of centerline, up to 50' AGL/84' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

DUNNELLON, FL

MARION COUNTY (X35)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 12152 (FAA)

NOTE: **Rwy 5**, trees beginning 308' from DER, 265' right of centerline, 100' AGL/179' MSL. Trees beginning 114' from DER, 170' left of centerline, 100' AGL/199' MSL. **Rwy 9**, trees beginning 85' from DER, 276' right of centerline, 100' AGL/164' MSL. Trees beginning 82' from DER, 311' left of centerline, 100' AGL/164' MSL. **Rwy 23**, trees beginning 1100' from DER, 431' right of centerline, 100' AGL/179' MSL. Trees beginning 601' from DER, 610' left of centerline, 100' AGL/169' MSL. **Rwy 27**, trees beginning 268' from DER, 404' right of centerline, 100' AGL/169' MSL. Trees beginning 363' from DER, 273' left of centerline, 100' AGL/179' MSL.

FERNANDINA BEACH, FL

FERNANDINA BEACH MUNI (FHB)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 13262 (FAA)

NOTE: **Rwy 4**, trees beginning 317' from DER, 11' left of centerline, up to 100' AGL/110' MSL. Wall 77' from DER, 301' left of centerline, 6' AGL/20' MSL. Vehicle on road 552' from DER, 437' left of centerline, 15' AGL/29' MSL. Poles beginning 178' from DER, 441' left of centerline, 39' AGL/52' MSL. Fence 71' from DER, 311' left of centerline, 10' AGL/23' MSL. Trees beginning 660' from DER, 4' right of centerline, up to 105' AGL/115' MSL. Signs beginning 112' from DER, 292' right of centerline, up to 78' AGL/92' MSL. **Rwy 9**, trees beginning 210' from DER, 15' left of centerline, up to 92' AGL/107' MSL. Vehicle on road 463' from DER, 252' left of centerline, 15' AGL/30' MSL. Trees beginning 39' from DER, 17' right of centerline, up to 82' AGL/97' MSL. Vehicle on road beginning 422' from DER, 129' right of centerline, 15' AGL/30' MSL. **Rwy 13**, trees beginning 503' from DER, 7' left of centerline, up to 84' AGL/99' MSL. Vehicle on road beginning 426' from DER, 309' left of centerline 15' AGL/up to 35' MSL. Trees beginning 19' from DER, 12' right of centerline, up to 85' AGL/100' MSL. Vehicle on road beginning 355' from DER, 70' right of centerline, up to 15' AGL/31' MSL. Multiple buildings beginning 4513' from DER, 286' right of centerline, up to 119' AGL/141' MSL. **Rwy 22**, trees beginning 55' from DER, 118' left of centerline, up to 78' AGL/83' MSL. Fence beginning 64' from DER, 267' left of centerline, 10' AGL/22' MSL. Trees beginning 42' from DER, 210' right of centerline, up to 95' AGL/100' MSL. Navaid 10' from DER, 85' right of centerline, 2' AGL/14' MSL. Boat mast 2903' from DER, 336' right of centerline, up to 86' MSL. **Rwy 27**, trees beginning 195' from DER, 30' left of centerline, up to 99' AGL/104' MSL. Trees beginning 836' from DER, 42' right of centerline, up to 96' AGL/101' MSL. Bush 338' from DER, 186' right of centerline, 11' AGL/21' MSL. **Rwy 31**, trees beginning 29' from DER, 216' left of centerline, up to 96' AGL/101' MSL. Bush 24' from DER, 379' left of centerline, 11' AGL/21' MSL. Trees beginning 646' from DER, 561' right of centerline, up to 71' AGL/81' MSL.

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

FORT LAUDERDALE, FL

FORT LAUDERDALE EXECUTIVE (FXE)
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE
PROCEDURES
AMDT 5 15176 (FAA)

DEPARTURE PROCEDURE: **Rwy 27**, climb heading 271° to 600 before turning left.

NOTE: **Rwy 9**, building 833' from DER, 721' left of centerline, 40' AGL/51' MSL. Tree 1903' from DER, 484' right of centerline, 85' AGL/89' MSL. Building 4130' from DER, 41' right of centerline, 122' AGL/129' MSL. Building 4720' from DER, 78' right of centerline 150' AGL/157' MSL. **Rwy 13**, buildings beginning 2' from DER, 465' left and 303' right of centerline, up to 32' AGL/42' MSL. Trees, poles and buildings beginning 452' from DER, 290' left and 167' right of centerline up to 45' AGL/54' MSL. Trees beginning 1976' from DER, 259' right of centerline, up to 92' AGL/101' MSL. Tower 5130' from DER, 1826' right of centerline, 139' AGL/147' MSL. **Rwy 27**, trees beginning 2040' from DER, 256' left of centerline up to 105' AGL/116' MSL. **Rwy 31**, trees and pole beginning 703' from DER, 338' right of centerline, up to 66' AGL/81' MSL. Building 1289' from DER, 290' left of centerline, 43' AGL/53' MSL.

FORT LAUDERDALE-HOLLYWOOD INTL (FLL)
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE
PROCEDURES
AMDT 6A 15232 (FAA)

DEPARTURE PROCEDURE: **Rwy 10L**, climb on heading 096° to 500 before turning left. **Rwy 28L**, climb heading 276° to 700 before turning left. **Rwy 28R**, climb heading 276° to 500 before turning left.

NOTE: **Rwy 10L**, approach light 296' from DER, on centerline, 11' AGL/15' MSL. Building 469' from DER, 378' left of centerline, 13' AGL/18' MSL. Lights beginning 496' from DER, from 28' left to 27' right of centerline, up to 16' AGL/20' MSL. Train on railroad beginning 510' from DER, from 632' left to on centerline, 23' AGL/30' MSL. Light poles beginning 666' from DER, on centerline, up to 32' AGL/36' MSL. Poles and trees beginning 1290' from DER, 548' left and 633' right of centerline, up to 49' AGL/53' MSL. Trees and pole beginning 1975' from DER, 827' left and 271' right of centerline, up to 79' AGL/83' MSL. Bridge 2429' from DER, 1123' left of centerline, 65' AGL/70' MSL. **Rwy 10R**, trees beginning 199' from DER, 259' left of centerline, up to 21' AGL/86' MSL. Trees beginning 273' from DER, 181' right of centerline, up to 31' AGL/96' MSL. Trees beginning 495' from DER, 144' left of centerline, up to 44' AGL/109' MSL. **Rwy 28L**, tree 491' from DER, 444' left of centerline, 24' AGL/34' MSL. Trees beginning 773' from DER, 399' left of centerline, up to 80' AGL/90' MSL. Poles and trees beginning 865' from DER, 534' right of centerline, up to 81' AGL/91' MSL. Buildings, trees, and signs beginning 1317' from DER, 455' left of centerline, up to 100' AGL/109' MSL. Trees and pole beginning 1636' from DER, 290' right of centerline, up to 90' AGL/100' MSL. Towers beginning 3190' from DER, 666' right of centerline, up to 108' AGL/114' MSL. **Rwy 28R**, building and light pole beginning 260' from DER, 253' left of centerline and on centerline, up to 14' AGL/18' MSL. Vehicles on road beginning 323' from DER, from 28' left to 281' right of centerline, 15' AGL/21' MSL. Approach lights beginning 441' from DER, from 28' left to 27' right of centerline, up to 16' AGL/25' MSL. Vehicles on road beginning 455' from DER, from 647' left to 685' right of centerline, up to 17' AGL/33' MSL. Approach lights beginning 652' from DER, on centerline, up to 24' AGL/33' MSL. Train on railroad beginning 849' from DER, from 683' left to 379' right of centerline, up to 23' AGL/34' MSL. Trees and sign beginning 1017' from DER, 122' left of centerline, up to 63' AGL/72' MSL. Trees beginning 2231' from DER, 354' left of centerline, up to 88' AGL/97' MSL. Trees beginning 2286' from DER, 530' right of centerline, up to 108' AGL/112' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

17005

FORT MYERS, FL**PAGE FIELD (FMY)****TAKEOFF MINIMUMS AND (OBSTACLE)****DEPARTURE PROCEDURES**

AMDT 5 09239 (FAA)

NOTE: **Rwy 5**, bush, train, and multiple trees beginning 81' from DER, 52' right of centerline, up to 73' AGL/90' MSL. Multiple antennas and trees beginning 330' from DER, 81' left of centerline, up to 70' AGL/86' MSL.

Rwy 13, bush, road, buildings and multiple trees beginning 66' from DER, 138' right of centerline, up to 52' AGL/66' MSL. Rod on light pole 306' from DER, 375' right of centerline, up to 22' AGL/37' MSL. Trees 644' from DER, 375' right of centerline, up to 72' AGL/87' MSL. Fence 241' from DER, 138' left of centerline, 10' AGL/24' MSL. Obstruction light on building 829' from DER, 447' left of centerline, 34' AGL/48' MSL. **Rwy 23**, sign, concrete pole, obstruction light on pole, tree and antenna beginning 98' from DER, 95' right of centerline, up to 36' AGL/49' MSL. Vehicles, concrete pole, obstruction light on pole, and trees beginning 288' from DER, 8' left of centerline, up to 62' AGL/75' MSL. **Rwy 31**, concrete pole, power poles, light poles, floodlights, vehicles, trees, antenna towers and bridge beginning 5' from DER, 285' right of centerline up to 113' AGL/126' MSL. Power poles, concrete pole and trees beginning 67' from DER, 235' left of centerline, up to 74' AGL/88' MSL.

SOUTHWEST FLORIDA INTL (RSW)**TAKEOFF MINIMUMS AND (OBSTACLE)****DEPARTURE PROCEDURES**

AMDT 1 07074 (FAA)

NOTE: **Rwy 6**, trees beginning 1398' from DER, 582' left of centerline, up to 84' AGL/104' MSL. Trees beginning 1763' from DER, 860' right of centerline, up to 95' AGL/115' MSL. **Rwy 24**, tree 1692' from DER, 916' right of centerline, 78' AGL/98' MSL.

FORT PIERCE, FL**TREASURE COAST INTL (FPR)****TAKEOFF MINIMUMS AND (OBSTACLE)****DEPARTURE PROCEDURES**

AMDT 4A 16175 (FAA)

TAKEOFF MINIMUMS: **Rwys 10L, 28R**, NA-Environmental.

NOTE: **Rwy 10R**, fence, bush, pole, and trees beginning 24' from DER, 195' left of centerline, up to 79' AGL/133' MSL. Tower and trees beginning 287' from DER, 265' right of centerline, up to 98' AGL/117' MSL. **Rwy 14**, trees beginning 1081' from DER, 528' left of centerline, up to 39' AGL/63' MSL. Pole and trees beginning 274' from DER, 488' right of centerline, up to 57' AGL/81' MSL. **Rwy 28L**, airport sign and trees beginning 41' from DER, 256' left of centerline, up to 72' AGL/91' MSL. Navaid and trees beginning 40' from DER, 152' right of centerline, up to 58' AGL/77' MSL. **Rwy 32**, trees beginning 1344' from DER, 123' left of centerline, up to 62' AGL/86' MSL. Fence and trees beginning 186' from DER, 153' right of centerline, up to 72' AGL/96' MSL.

GAINESVILLE, FL**GAINESVILLE RGNL (GNV)****TAKEOFF MINIMUMS AND (OBSTACLE)****DEPARTURE PROCEDURES**

NOTE: **Rwy 7**, multiple trees beginning 1397' from DER, 348' left of centerline, up to 99' AGL/229' MSL. Multiple trees beginning 1444' from DER, 144' right of centerline, up to 72' AGL/202' MSL. **Rwy 11**, multiple trees beginning 653' from DER, 438' right of centerline, up to 30' AGL/134' MSL. Tree 522' from DER, 402' left of centerline, 18' AGL/122' MSL. **Rwy 25**, tower and multiple trees beginning 2415' from DER, 9' left of centerline, up to 126' AGL/291' MSL. Obstruction light on localizer and multiple trees beginning 208' from DER, 463' right of centerline, up to 82' AGL/243' MSL. **Rwy 29**, multiple trees beginning 1279' from DER, 8' right of centerline, up to 76' AGL/233' MSL. Multiple trees beginning 2679' from DER, 366' left of centerline, up to 88' AGL/240' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

HOLLYWOOD, FL

NORTH PERRY (HWO)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 5 13234 (FAA)

TAKEOFF MINIMUMS: **Rwys 10L, 10R**, std. w/min.
climb of 500' per NM to 1400 or 1400-2½ for climb in
visual conditions.

DEPARTURE PROCEDURE: **Rwy 1R**, climb heading
006° to 900 before turning right. **Rwy 1L**, climb
heading 006° to 900 before turning right. **Rwys
10R, 10L**, for climb in visual conditions cross North
Perry airport at or above 1400 before proceeding on
course, when executing VCOA, notify ATC prior to
departure. **Rwys 19R, 19L**, climb heading 186° to
1300 before turning left. **Rwys 28R, 28L**, climb heading
276° to 1000 before proceeding on course.

NOTE: **Rwy 1R**, multiple trees beginning 54' from DER,
215' right of centerline, up to 60' AGL/68' MSL.

Multiple trees beginning 1312' from DER, 85' left of
centerline, up to 68' AGL/74' MSL. Multiple poles
beginning 50' from DER, 341' right of centerline up to
62' AGL/68' MSL. Multiple poles beginning 979' from
DER, 646' left of centerline, up to 49' AGL/55' MSL.
Sign 106' from DER, 342' right of centerline, 7'

AGL/13' MSL. **Rwy 1L**, vehicles on roadway beginning
45' from DER, 322' left of centerline, up to 15' AGL/22'

MSL. Multiple trees beginning 169' from DER, 284' left
of centerline up to 31' AGL/39' MSL. Multiple poles

beginning 740' from DER, 376' left of centerline, up to

48' AGL/56' MSL. Multiple buildings beginning 163'

from DER, 375' right of centerline up to 36' AGL/43'

MSL. Multiple poles beginning 765' from DER, 386'

right of centerline, up to 48' AGL/55' MSL. Multiple

trees beginning 860' from DER, 2' left of centerline, up

to 58' AGL/66' MSL. Multiple trees beginning 886' from

DER, 46' right of centerline, up to 68' AGL/74' MSL.

Crane 3214' from DER, 762' left of centerline, 111'

AGL/117' MSL. Tower 3233' from DER, 1264' left of

centerline, up to 150' AGL/158' MSL. **Rwy 10R**, pole

168' from DER, 543' right of centerline, 31' AGL/38'

MSL. Buildings beginning 541' from DER, 377' right of

centerline, up to 25' AGL/33' MSL. Multiple trees

beginning 649' from DER, 20' right of centerline, up to

77' AGL/85' MSL. Multiple poles beginning 168' from

DER, 543' left of centerline, up to 62' AGL/70' MSL.

Multiple trees beginning 847' from DER, 152' left of

centerline, up to 76' AGL/84' MSL. **Rwy 10L**, fence

113' from DER, 325' left of centerline, 8' AGL/14' MSL.

Multiple trees beginning 272' from DER, 359' left of

centerline, up to 39' AGL/46' MSL. Multiple poles

beginning 660' from DER, 515' right of centerline, up to

61' AGL/69' MSL. Multiple trees beginning 1124' from

DER, 67' right of centerline, up to 77' AGL/84' MSL.

Pole 1085' from DER, 450' left of centerline, 40'

AGL/47' MSL. Multiple trees beginning 1100' from

DER, 44' left of centerline, up to 72' AGL/80' MSL.

Tower 1.2 NM from DER, 2371' left of centerline, 194'

AGL/204' MSL. **Rwy 19L**, vehicles on roadway 174'

from DER, 222' right of centerline, up to 15' AGL/22'

MSL. Multiple trees beginning 217' from DER, 35' right

of centerline, up to 78' AGL/85' MSL. Multiple trees

beginning 369' from DER, 20' left of centerline, up to

75' AGL/82' MSL. Building 288' from DER, 448' right of

centerline, 15' AGL/23' MSL. Multiple buildings

beginning 459' from DER, 478' left of centerline, up to

25' AGL/32' MSL. Multiple poles beginning 521' from

DER, 29' left of centerline, up to 39' AGL/46' MSL.

Multiple poles beginning 848' from DER, 99' right of

centerline, up to 35' AGL/41' MSL.

HOLLYWOOD, FL (CON'T)

NORTH PERRY (CON'T)

Rwy 19R, multiple poles beginning 843' from DER, 35'
right of centerline, up to 36' AGL/43' MSL. Multiple poles
beginning 1070' from DER, 49' left of centerline, up to 36'
AGL/43' MSL. Multiple trees beginning 962' from DER,
24' right of centerline, up to 68' AGL/76' MSL. Multiple
trees beginning 1169' from DER, 165' left of centerline,
up to 78' AGL/85' MSL. Tower 1335' from DER, 211' left
of centerline, 68' AGL/74' MSL.

Rwy 28L, tower 911' from DER, 605' right of centerline,
55' AGL/61' MSL. Multiple poles beginning 978' from
DER, 39' right of centerline, up to 72' AGL/80' MSL.
Multiple poles beginning 1115' from DER, 49' left of
centerline, up to 39' AGL/48' MSL. Multiple trees
beginning 1259' from DER, 309' left of centerline, up to
82' AGL/90' MSL. Multiple trees beginning 1309' from
DER, 391' right of centerline, up to 104' AGL/112' MSL.
Building 1626' from DER, 29' left of centerline, 60'

AGL/69' MSL. Multiple buildings beginning 1996' from

DER, 22' right of centerline, up to 60' AGL/67' MSL. **Rwy**

28R, multiple trees beginning 15' from DER, 28' left of

centerline, up to 105' AGL/112' MSL. Multiple trees

beginning 17' from DER, 116' right of centerline, up to 82'

AGL/90' MSL. Multiple poles beginning 687' from DER,

38' left of centerline, up to 59' AGL/65' MSL. Multiple

poles beginning 965' from DER, 65' right of centerline, up

to 39' AGL/47' MSL. Building 1804' from DER, 981' left of

centerline, 50' AGL/59' MSL.

HOMESTEAD, FL

HOMESTEAD GENERAL AVIATION (X51)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

ORIG-A 13346 (FAA)

DEPARTURE PROCEDURE: **Rwy 36**, climb on a
heading between 186° CW 046° from DER or minimum
climb of 461' per NM to 2500 for headings 047° through

185°. **Rwy 10**, climb on a heading between 096° CW

275° from DER or minimum climb of 512' per NM to 2500

for headings 276° through 095°. **Rwy 18**, climb heading

185° to 1100 before proceeding North or Northeast. **Rwy**

28, climb heading 276° to 1100 before proceeding East or

Northeast.

NOTE: **Rwy 36**, fence 231' from DER, 457' left of
centerline, 5' AGL/14' MSL. **Rwy 10**, building 170' from
DER, 415' right of centerline, 17' AGL/26' MSL.

Rwy 28, light pole 118' from DER, 371' left of centerline,
26' AGL/35' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

HOMESTEAD ARB (KHST)

HOMESTEAD, FL

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 14317

DEPARTURE PROCEDURE: **Rwy 6**, Climb on a heading between 351° CW to 232° from DER. **Rwy 24**, Climb on a heading between 259° CCW to 053° from DER.

TAKE-OFF OBSTACLES: **Rwy 6**, Aircraft 37' inward of DER, 273' left of centerline, 65' AGL/70' MSL. Aircraft 37' inward of DER, 521' left of centerline, 65' AGL/70' MSL. Sign 54' from DER, 310' right of centerline, 5' AGL/8' MSL. Multiple trees 1697' from DER, 211' right of centerline, 25' AGL/28' MSL. Multiple trees 2005' from DER, 984' right of centerline, 89' AGL/94' MSL. Multiple trees 3468' from DER, 1335' right of centerline, 89' AGL/94' MSL. Multiple trees 3558' from DER, 355' left of centerline, 89' AGL/94' MSL. Multiple trees 3562' from DER, 394' right of centerline, 89' AGL/94' MSL. **Rwy 24**, Aircraft 37' inward of DER, 273' right of centerline, 65' AGL/70' MSL. Aircraft 37' inward of DER, 521' right of centerline, 65' AGL/70' MSL. Multiple trees 2401' from DER, 1143' right of centerline, up to 52' AGL/62' MSL. Multiple trees 2481' from DER, 790' right of centerline, up to 62' AGL/67' MSL.

INVERNESS, FL

INVERNESS (INF)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 12096 (FAA)

TAKEOFF MINIMUMS: **Rwy 1**, 300-1½ or std. w/min. climb of 420' per NM to 500.

NOTE: **Rwy 1**, terrain beginning 110' from DER, 27' left of centerline, up to 49' MSL. Terrain beginning 137' from DER, 238' right of centerline, up to 49' MSL. Trees beginning 110' from DER, 293' left of centerline, up to 100' AGL/149' MSL. Vehicles on roadway 598' from DER, across centerline, up to 15' AGL/65' MSL. Trees beginning 785' from DER, on centerline, up to 100' AGL/149' MSL. Tower 5479' from DER, 1312' left of centerline, up to 220' AGL/279' MSL. Tower 5764' from DER, 1596' left of centerline, up to 164' AGL/250' MSL. Trees beginning 164' from DER, 238' right of centerline, up to 100' AGL/149' MSL. **Rwy 19**, trees beginning 340' from DER, 239' left of centerline, up to 100' AGL/169' MSL. Trees beginning 793' from DER, 596' right of centerline, up to 100' AGL/189' MSL. Trees beginning 2066' from DER, on centerline, up to 100' AGL/209' MSL. Trees beginning 2523' from DER, 274' right of centerline, up to 100' AGL/209' MSL.

HURLBURT FLD (KHRT)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

MARY ESTHER, FL AMDT 1, 16231

TAKE-OFF OBSTACLES: **Rwy 36**, tree 85' AGL, 3141' from DER, 708' right of centerline. Tree 70' AGL, 3104' from DER, 1231' right of centerline. Tree 70' AGL, 3196' from DER, 78' right of centerline. Tree 70' AGL, 3251' from DER, 864' left of centerline.

ISLA DE VIEQUES, PR

ANTONIO RIVERA RODRIGUEZ (VQS)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 2 10042 (FAA)

TAKEOFF MINIMUMS: **Rwy 9**, 500-2½ w/ min. climb of 260' per NM to 900 or 1600-2½ for climb in visual conditions. **Rwy 27**, 500-2½ w/ min. climb of 280' per NM to 2700 or std. w/ min. climb of 570' per NM to 1300 or 1600-2½ for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 9**, climb heading 090° to 900 before proceeding on course or for climb in visual conditions, cross Antonio Rivera Rodriguez airport at or above 1500 before proceeding on course. **Rwy 27**, climb heading to 270° to 2700 before proceeding on course or for climb in visual conditions, cross Antonio Rivera Rodriguez airport at or above 1500 before proceeding on course.

NOTE: **Rwy 9**, vehicles on roadway beginning 26' from DER, left and right of centerline, up to 15' AGL/80' MSL. Trees beginning 70' from DER, 504' right of centerline, up to 100' AGL/165' MSL. Trees beginning 579' from DER, on centerline, up to 100' AGL/165' MSL. Trees beginning 1750' from DER, 956' right of centerline up to 100' AGL/493' MSL. **Rwy 27**, trees beginning 15' from DER, 225' left of centerline, up to 100' AGL/165' MSL. Trees beginning 16' from DER, 274' right of centerline, up to 100' AGL/165' MSL. Trees beginning 186' from DER, left and right of centerline, up to 100' AGL/165' MSL. Trees beginning 1206' from DER, 794' left of centerline, up to 100' AGL/493' MSL.

IMMOKALEE, FL

IMMOKALEE RGNL (IMM)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 09239 (FAA)

TAKEOFF MINIMUMS: **Rwy 18**, 300-2¼ or std. with a min. climb of 221' per NM to 500, or alternatively, with standard TAKEOFF minimums and a normal 200' per NM climb gradient, TAKEOFF must occur no later than 1900' prior to DER.

NOTE: **Rwy 9**, tree 45' from DER, 438' right of centerline, 4' AGL/38' MSL. Trees beginning 1144' from DER, 312' left of centerline, up to 100' AGL/134' MSL. **Rwy 18**, buildings beginning 255' from DER, 475' left of centerline, up to 16' AGL/50' MSL. Tree 2844' from DER, 1235' right of centerline, 100' AGL/134' MSL. Tower 1.7 NM from DER, 2984' right of centerline, 297' AGL/322' MSL. **Rwy 27**, fence 4' from DER, 473' right of centerline, 6' AGL/41' MSL. Trees beginning 187' from DER, 150' right of centerline, up to 40' AGL/79' MSL. Vehicle on road beginning 669' from DER, 508' right of centerline, 15' AGL/54' MSL. Trees beginning 732' from DER, 231' left of centerline, up to 53' AGL/87' MSL. Pole 1223' from DER, 50' right of centerline, 35' AGL/70' MSL. Pole 1320' from DER, 258' left of centerline, 35' AGL/69' MSL. **Rwy 36**, trees beginning 192' from DER, 262' left of centerline, up to 22' AGL/61' MSL. Trees beginning 411' from DER, 173' right of centerline, up to 23' AGL/57' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

JACKSONVILLE, FL

CECIL (VQQ)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 07186 (FAA)

NOTE: **Rwy 18L**, tree 1499' from DER, 699' right of centerline, 34' AGL/113' MSL.

HERLONG RECREATIONAL (HEG)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 2 12096 (FAA)

DEPARTURE PROCEDURE: **Rwy 7**, climb heading 071° to 800 before turning right. **Rwy 11**, climb heading 116° to 700 before turning left.

NOTE: **Rwy 7**, trees beginning 236' from DER, 53' right of centerline, up to 100' AGL/184' MSL. Trees beginning 376' from DER, 237' left of centerline, up to 100' AGL/179' MSL. **Rwy 11**, trees beginning 18' from DER, 70' left of centerline, up to 100' AGL/184' MSL. Trees beginning 163' from DER, 77' right of centerline, up to 100' AGL/184' MSL. **Rwy 25**, trees beginning 436' from DER, 433' right of centerline, up to 100' AGL/174' MSL. Trees beginning 1363' from DER, 355' left of centerline, up to 100' AGL/174' MSL. **Rwy 29**, trees beginning 1491' from DER, 178' right of centerline, up to 100' AGL/184' MSL. Trees beginning 1872' from DER, 64' left of centerline, up to 100' AGL/179' MSL.

JACKSONVILLE EXECUTIVE AT CRAIG (CRG)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 4 13066 (FAA)

TAKEOFF MINIMUMS: **Rwy 23**, std. w/min. climb of 360' per NM to 1500 or 1300-2½ for climb in visual conditions.

DEPARTURE PROCEDURE: **Rwy 23**, for climb in visual conditions: cross Jacksonville Executive at Craig airport at or above 1200 before proceeding on course. When executing VCOA, notify ATC prior to departure. **Rwy 5**, climb heading 051° to 500 before proceeding on course. **Rwy 14**, climb heading 141° to 700 before turning right.

NOTE: **Rwy 5**, trees beginning 1617' from DER, 182' right of centerline, up to 100' AGL/143' MSL. Terrain beginning 17' from DER, beginning 179' left and right of centerline, 9' MSL. Trees beginning 1911' from DER, 113' left of centerline, up to 100' AGL/143' MSL. Pole and navaid beginning 571' from DER, 560' left of centerline, up to 41' AGL/82' MSL. **Rwy 14**, tree 2375' from DER, 905' right of centerline, 100' AGL/119' MSL. Terrain beginning 5' from DER, beginning 44' right and left of centerline, 56' MSL. Trees beginning 1848' from DER, 610' left of centerline, up to 100' AGL/128' MSL. **Rwy 23**, trees beginning 1601' from DER, 15' right of centerline, up to 100' AGL/119' MSL. Terrain beginning 9' from DER, beginning 278' left and right of centerline, 53' MSL. Trees beginning 519' from DER, 510' left of centerline, up to 100' AGL/133' MSL. Pole 1994' from DER, 580' left of centerline, 47' AGL/85' MSL. **Rwy 32**, trees beginning 494' from DER, 104' right of centerline, up to 67' AGL/99' MSL. Building 501' from DER, 251' right of centerline, 16' AGL/52' MSL. Terrain beginning 117' from DER, beginning 51' left and right of centerline, 50' MSL. Trees and bushes beginning 218' from DER, 222' left of centerline, up to 100' AGL/101' MSL.

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

JACKSONVILLE, FL (CON'T)

JACKSONVILLE INTL (JAX)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 11349 (FAA)

NOTE: **Rwy 8**, bush 82' from DER, 261' right of centerline, 6' AGL/ 30' MSL. Trees beginning 2736' from DER, 428' right of centerline, up to 89' AGL/ 118' MSL. **Rwy 14**, electric equipment 79' from DER, 292' left of centerline, 3' AGL/27' MSL. Pole 754' from DER, 699' left of centerline, 33' AGL/ 52' MSL. Trees beginning 1761' from DER, 562' left of centerline, up to 100' AGL/ 121' MSL. Trees beginning 899' from DER, 151' right of centerline, up to 102' AGL/ 121' MSL. Trees beginning 2340' from DER, 792' right of centerline, up to 80' AGL/ 102' MSL. **Rwy 32**, tree 2815' from DER, 690' left of centerline, 83' AGL/ 102' MSL. Trees beginning 2227' from DER, 575' right of centerline, up to 89' AGL/ 108' MSL.

JACKSONVILLE NAS (TOWERS FIELD) (KNIP)

JACKSONVILLE, FL

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 2 16203

DEPARTURE PROCEDURE: **Rwy 10**, Diverse departures only between 116° through 276° CW. **Rwy 14**, Diverse departures only between 095° through 320° CW. **Rwy 32**, Diverse departures only between 351° through 141° CCW.

TAKE-OFF OBSTACLES: **Rwy 10**, windsock 341' from DER, 511' right of centerline, 26' MSL. Terrain 0' from DER, 500' left of centerline, 30' MSL. Terrain 350' from DER, 580' left of centerline, 30' MSL. Terrain 300' from DER, 580' left of centerline, 30' MSL. Windsock 383' from DER, 501' right of centerline, 15' AGL/20' MSL. **Rwy 14**, windsock 629' from DER, 276' left of centerline, 0' AGL/26' MSL. Terrain 367' from DER, 579' right of centerline, 33' MSL. Terrain 0' from DER, 500' right of centerline, 37' MSL. **Rwy 28**, terrain 0' from DER, 500' left of centerline, 32' MSL. Terrain 125' from DER, 29' right of centerline, 36' MSL. **Rwy 32**, tel pole 872' from DER, 286' left of centerline, 59' MSL. Trees 431' from DER, 226' right of centerline, 46' MSL. Trees 222' from DER, 241' right of centerline, 56' MSL. Power pole 751' from DER, 559' left of centerline, 67' MSL. Tower 1998' from DER, 874' left of centerline, 786' MSL. Trees 1082' from DER, 185' right of centerline, 48' MSL. Tower 481' from DER, 398' left of centerline, 13' AGL/37' MSL. Trees 2378' from DER, 532' left of centerline, 128' MSL. Trees 2498' from DER, 563' left of centerline, 133' MSL. Trees 2038' from DER, 322' left of centerline, 130' MSL. Tower 2745' from DER, 617' left of centerline, 787' MSL. Trees 946' from DER, 138' left of centerline, 77' MSL. Trees 1049' from DER, 98' right of centerline, 72' MSL. Trees 1318' from DER, 367' left of centerline, 94' MSL. Trees 1548' from DER, 422' left of centerline, 104' MSL. Trees 1738' from DER, 133' left of centerline, 108' MSL. Terrain 0' from DER, 500' left of centerline, 26' MSL. Terrain 81' from DER, 500' left of centerline, 27' MSL. Trees 819' from DER, 642' left of centerline, 84' MSL. Road and vehicle 770' from DER, 0' right of centerline, 35' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

KEY WEST, FL

KEY WEST INTL (EYW)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 06159

DEPARTURE PROCEDURE: **Rwys 9, 27**, climb on a heading between 087° clockwise to 033° from DER to avoid R-2916 and unmarked tethered balloon up to 14000 MSL.

NOTE: **Rwy 9**, rod on antenna, dome on building, poles, and numerous trees beginning 38' from DER, 199' right of centerline, up to 75' AGL/82' MSL. Obstruction light on building, pole, and numerous trees beginning 4' from DER, 220' left of centerline, up to 38' AGL/45' MSL. **Rwy 27**, pole and numerous trees beginning 27' from DER, 116' right of centerline, up to 83' AGL/90' MSL. Numerous bushes and trees beginning 202' from DER, 78' left of centerline, up to 37' AGL/44' MSL.

KEY WEST NAS (BOCA CHICA FLD) (KNQX)

KEY WEST, FL

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 15344

DEPARTURE PROCEDURE: **Rwy 4**, Diverse departures authorized between 017° CCW 218°. Left turn to departure heading only. **Rwy 8**, Diverse departures authorized 100° CW 259°. Crossing DER climb on heading 079° until reaching 3 DME from NQX TACAN, then turn right to departure heading. Other headings and left turns on departure expect radar vectors. Do not exceed 310 KIAS until established on heading or receiving radar vectors. If no vectors are received within 6 DME of NQX TACAN or 12 DME of EYW VORTAC, make climbing right turn direct EYW VORTAC for enroute aircraft and NQX TACAN for military aircraft intending use of local special use airspace. Turboprop cross VORTAC or TACAN at or above 3000, Turbojet cross VORTAC or TACAN at or above 5000. Do not exceed 310 KIAS until crossing VORTAC or TACAN. **Rwy 14**, Diverse departures authorized 084° CW 315°. **Rwy 22**, Diverse departures authorized 084° CW 315°. **Rwy 26**, Diverse departures authorized 084° CW 315°. **Rwy 32**, Diverse departures authorized 035° CCW 137°.

TAKEOFF OBSTACLES: **Rwy 4**, numerous power poles along US HWY 1 reported as high as 121' MSL from 2470' to 4258' of DER. Mast 58' AGL/63' MSL, 1374' from DER, 323' left of centerline. **Rwy 32**, bldg 39' AGL/43' MSL, 1059' from DER, 559' right of centerline. Pole 54' AGL/58' MSL, 1551' from DER, 474' right of centerline. Numerous power poles along US HWY 1 reported as high as 120' MSL from 2942' to 3604' of DER.

KEYSTONE HEIGHTS, FL

KEYSTONE AIRPARK (42J)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 09015 (FAA)

NOTE: **Rwy 5**, trees beginning 363' from DER, 503' left of centerline, up to 100' AGL/309' MSL. Trees beginning 1165' from DER, 331' right of centerline, up to 100' AGL/309' MSL. **Rwy 11**, trees beginning 995' from DER, on centerline, up to 100' AGL/309' MSL.

Rwy 23, trees beginning 375' from DER, on centerline, up to 87' AGL/257' MSL. Power lines beginning 2436' from DER, 24' right of centerline, up to 100' AGL/279' MSL. **Rwy 29**, trees beginning 0' from DER, 263' right of centerline, up to 100' AGL/289' MSL. Trees beginning 563' from DER, on centerline, up to 100' AGL/289' MSL. Power lines beginning 3048' from DER, 122' left of centerline, up to 100' AGL/279' MSL.

LA BELLE, FL

LA BELLE MUNI (X14)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

ORIG 08045 (FAA)

NOTE: **Rwy 14**, vehicles on roadway, beginning 98' from DER, 483' left of centerline, up to 15' AGL/39' MSL. Trees beginning 70' from DER, 357' right of centerline, up to 100' AGL/124' MSL. Poles and trees beginning 305' from DER, 157' left of centerline, up to 40' AGL/94' MSL. Building 562' from DER, 238' left of centerline, 14' AGL/38' MSL. Poles and trees beginning 745' from DER, 93' right of centerline, up to 40' AGL/60' MSL. **Rwy 32**, airplanes on taxiway beginning 18' from DER, 130' left of centerline, up to 12' AGL/31' MSL. Trees beginning 35' from DER, 135' right of centerline, up to 100' AGL/119' MSL. Trees beginning 61' from DER, 6' left of centerline, up to 100' AGL/119' MSL. Vehicle on roadway beginning 136' from DER, 450' right of centerline, up to 15' AGL/34' MSL. Building 446' from DER, 214' right of centerline, 18' AGL/37' MSL. Pole 1578' from DER, 789' left of centerline, 43' AGL/62' MSL.

LAKE CITY, FL

LAKE CITY GATEWAY (LCQ)

TAKEOFF MINIMUMS AND (OBSTACLE)

DEPARTURE PROCEDURES

AMDT 1 14149 (FAA)

NOTE: **Rwy 5**, trees beginning 1358' from DER, 522' right of centerline, up to 100' AGL/294' MSL. **Rwy 10**, trees beginning 2490' from DER, 32' right of centerline, up to 94' AGL/284' MSL. Trees beginning 84' from DER, 58' left of centerline, up to 83' AGL/273' MSL. **Rwy 23**, trees beginning 575' from DER, 363' right of centerline, up to 100' AGL/285' MSL. Trees beginning 1139' from DER, 88' left of centerline, up to 100' AGL/285' MSL. **Rwy 28**, trees, pole and tower beginning 1001' from DER, 23' right of centerline, up to 158' AGL/350' MSL. Trees beginning 981' from DER, 4' left of centerline, up to 94' AGL/292' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

LAKE WALES, FL

LAKE WALES MUNI (X07)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 08325 (FAA)

NOTE: **Rwy 6**, trees beginning 1403' from DER, 165' left of centerline, up to 100' AGL/229' MSL. Trees beginning 2739' from DER, 899' right of centerline, up to 100' AGL/234' MSL. **Rwy 17**, trees beginning 534' from DER, 642' right of centerline, up to 100' AGL/224' MSL. **Rwy 24**, trees beginning 2462' from DER, 836' left of centerline, up to 100' AGL/224' MSL. **Rwy 35**, trees beginning 2567' from DER, 468' left of centerline, up to 100' AGL/234' MSL. Buildings beginning 691' from DER, 1' right of centerline up to 74' AGL/205' MSL.

LAKELAND, FL

LAKELAND LINDER RGNL (LAL)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 13262 (FAA)

NOTE: **Rwy 5**, poles beginning 1099' from DER, 475' left of centerline, up to 33' AGL/175' MSL. Pole 1144' from DER, 746' right of centerline, 42' AGL/185' MSL. Trees beginning 1261' from DER, 427' left of centerline, up to 36' AGL/180' MSL. Trees beginning 720' from DER, 49' right of centerline, up to 47' AGL/191' MSL. **Rwy 9**, tree 2551' from DER, 582' left of centerline, 66' AGL/210' MSL. Trees beginning 2520' from DER, 259' right of centerline, up to 68' AGL/212' MSL.

LEESBURG, FL

LEESBURG INTL (LEE)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 4 11349 (FAA)

TAKEOFF MINIMUMS: **Rwy 3**, 400-2 1/4 or std. w/ min. climb of 223' per NM to 500, or alternatively, with standard takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 2100' prior to DER.

NOTE: **Rwy 3**, vehicles on roadway, 176' from DER, left and right of centerline, up to 15' AGL/90' MSL. Blast wall 78' from DER, on centerline, up to 10' AGL/85' MSL. Poles beginning 248' from DER, 372' right of centerline, up to 44' AGL/119' MSL. Trees beginning 61' from DER, 495' right of centerline, up to 67' AGL/137' MSL. Trees beginning 272' from DER, 386' left of centerline, up to 56' AGL/131' MSL. **Rwy 13**, trees beginning 493' from DER, 444' left of centerline, up to 43' AGL/106' MSL. **Rwy 21**, vehicles on roadway, 74' from DER, 389' left of centerline, up to 15' AGL/82' MSL. Trees beginning 775' from DER, 473' left of centerline, up to 100' AGL/179' MSL. Trees beginning 3614' from DER, 126' right of centerline, up to 113' AGL/173' MSL. **Rwy 31**, trees beginning 61' from DER, 401' left of centerline, up to 74' AGL/159' MSL. Trees beginning 531' from DER, 564' right of centerline, up to 100' AGL/173' MSL. Poles beginning 1273' from DER, 469' right of centerline, up to 60' AGL/131' MSL. Poles beginning 2893' from DER, 265' left of centerline, up to 74' AGL/159' MSL.

LIVE OAK, FL

SUWANNEE COUNTY (24J)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 13346 (FAA)

DEPARTURE PROCEDURE: **Rwy 7**, Climb heading 074° to 600 before turning right.

NOTE: **Rwy 7**, REILS, fence and taxiway sign beginning 21' from DER, left and right of centerline, up to 5' AGL/106' MSL. Tree 53' from DER, 438' left of centerline, 50' AGL/152' MSL. Building and pole beginning 123' from DER, 448' left of centerline, up to 21' AGL/126' MSL. Trees beginning 189' from DER, 237' right of centerline, up to 18' AGL/106' MSL. Poles beginning 334' from DER, 484' left of centerline, up to 13' AGL/118' MSL. Trees beginning 420' from DER, 398' left of centerline, up to 71' AGL/173' MSL. Trees beginning 1041' from DER, 25' left of centerline, up to 66' AGL/179' MSL. Trees beginning 1340' from DER, 4' right of centerline, up to 61' AGL/170' MSL. Trees beginning 2643' from DER, 820' right of centerline, up to 70' AGL/179' MSL. **Rwy 25**, REILS beginning 20' from DER, left and right of centerline, 103' MSL. Trees and pole beginning 104' from DER, 230' left of centerline, up to 84' AGL/193' MSL. Tree 452' from DER, 489' right of centerline, 39' AGL/141' MSL. Trees beginning 1070' from DER, 445' right of centerline, up to 60' AGL/165' MSL. Trees beginning 1079' from DER, 416' left of centerline, up to 74' AGL/187' MSL. Trees beginning 1507' from DER, left and right of centerline, up to 83' AGL/195' MSL.

MARATHON, FL

THE FLORIDA KEYS MARATHON INTL AIRPORT (MTH)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1C 16091 (FAA)

DEPARTURE PROCEDURE: **Rwy 7**, climbing right turn direct MTH NDB then via 307° bearing from MTH NDB to TIGAR Int before proceeding on course. **Rwy 25**, climb direct MTH NDB then via 307° bearing from MTH NDB to TIGAR INT before proceeding on course.

NOTE: **Rwy 7**, trees beginning 337' from DER, 324' right of centerline, up to 74' AGL/81' MSL, bush 166' from DER, 323' right of centerline, 9' AGL/16' MSL, pole 726' from DER, 589' right of centerline, 39' AGL/46' MSL, rod on obstruction light 1404' from DER, 655' right of centerline, 55' AGL/62' MSL, transmission pole 2360' from DER, 1029' right of centerline, 89' AGL/96' MSL, rod on obstruction light antenna 3366' from DER, 1010' right of centerline, 136' AGL/143' MSL, antenna 3270' from DER, 1253' right of centerline, 121' AGL/128' MSL, tower 3427' from DER, 1033' right of centerline, 115' AGL/121' MSL, trees beginning 242' from DER, 99' left of centerline, up to 75' AGL/82' MSL, antennas 1660' from DER, 371' left of centerline, up to 86' AGL/93' MSL, pole 876' from DER, 468' left of centerline, 39' AGL/46' MSL, concrete pole 1391' from DER, 534' left of centerline, 51' AGL/58' MSL. Pole 1441' from DER, 586' right of centerline, 55' AGL/62' MSL. **Rwy 25**, trees beginning 122' from DER, 224' right of centerline, up to 65' AGL/72' MSL, poles beginning 702' from DER, 470' right of centerline, up to 37' AGL/44' MSL, antenna 1752' from DER, 135' right of centerline, 49' AGL/56' MSL, trees beginning 223' from DER, 324' left of centerline, up to 66' AGL/73' MSL, rod on obstruction light antenna beginning 2353' from DER, 22' right of centerline, up to 138' AGL/145' MSL, antenna 2953' from DER, 745' left of centerline, 75' AGL/82' MSL, transmission pole 1545' from DER, 693' left of centerline, 60' AGL/67' MSL. Monopole 3997' from DER, 660' left of centerline, 136' AGL/140 MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

MARCO ISLAND, FL

MARCO ISLAND (MKY)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 2 09351 (FAA)

DEPARTURE PROCEDURE: **Rwy 35**, climb heading 005° to 700 before turning west. **CAUTION:** Strobe light and unmarked balloon on cable to 14000' in R-2916, 78 NM south of Marco Island. **All aircraft** should establish positive course guidance to ensure avoidance of this obstacle.

NOTE: **Rwy 17**, trees beginning 79' from DER, left and right of centerline, up to 48' AGL/52' MSL. Wind sock 76' from DER, 310' right of centerline, 21' AGL/25' MSL. **Rwy 35**, antenna 11' from DER, 384' left of centerline, 53' AGL/57' MSL. Sign 16' from DER, 255' left of centerline, 5' AGL/9' MSL. Trees beginning 64' from DER, left and right of centerline up to 51' AGL/55' MSL.

MARIANNA, FL

MARIANNA MUNI (MAI)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

ORIG 09071 (FAA)

TAKEOFF MINIMUMS: **Rwy 18**, 300-1½ or std. w/ min. climb of 222' per NM to 400.

NOTE: **Rwy 8**, trees beginning 2518' from DER, 1016' right of centerline, up to 100' AGL/219' MSL. **Rwy 18**, trees beginning 57' from DER, 275' right of centerline, up to 100' AGL/279' MSL. Trees beginning 1241' from DER, 366' left of centerline, up to 100' AGL/209' MSL. **Rwy 26**, trees beginning 3180' from DER, 1278' right of centerline, up to 100' AGL/209' MSL. **Rwy 36**, trees beginning 2230' from DER, 1003' left of centerline, up to 100' AGL/209' MSL. Trees beginning 2352' from DER, 1007' right of centerline, up to 100' AGL/209' MSL.

MAYAGUEZ, PR

EUGENIO MARIA DE HOSTOS (MAZ)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 3 92289 (FAA)

TAKEOFF MINIMUMS: **Rwy 9**, 1400-3 or std. with a min. climb of 500' per NM to 1400.

DEPARTURE PROCEDURE: **Rwy 9**, climb via MAZ R-083 to 2500, aircraft northeast bound on G633 continue climb on course. All others turn left direct MAZ VOR/DME before proceeding on course. **Rwy 27**, climb via MAZ R-277 to 1500. Aircraft westbound on G633 continue climb on course. All others climbing right turn direct MAZ VOR/DME so as to cross at or above MEA for direction of flight.

MAYPORT NS (ADM DAVID L. MC DONALD FLD)(KNRB)

MAYPORT, FL

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

08073

TAKEOFF OBSTACLES: **Rwy 5**, Vessels with masts to 150' MSL, 500' to 2900' from DER. **Rwy 23**, Vessels with masts to 150' MSL, 1600' right of Rwy centerline to 4000' from DER.

MELBOURNE, FL

MELBOURNE INTL (MLB)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

NOTE: **Rwy 5**, multiple trees 1584' from DER, 222' left of centerline, up to 43' AGL/64' MSL. **Rwy 9L**, tree 108' from DER, 479' left of centerline, 25' AGL/62' MSL. **Rwy 9R**, multiple trees 1855' from DER, 434' left of centerline, up to 43' AGL/73' MSL. Tree 1332' from DER, 434' right of centerline, 36' AGL/56' MSL. **Rwy 23**, bush 20' from DER, 217' right of centerline, 8' AGL/33' MSL, tower 6034' from DER, 750' right of centerline, 152' AGL/177' MSL. Multiple trees beginning 284' from DER, 121' left of centerline, up to 47' AGL/72' MSL. **Rwy 27R**, multiple trees beginning 543' from DER, 169' left of centerline, up to 51' AGL/81' MSL. Multiple trees beginning 1202' from DER, 114' right of centerline, up to 58' AGL/88' MSL.

MERRITT ISLAND, FL

MERRITT ISLAND (COI)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

ORIG 06103 (FAA)

NOTE: **Rwy 29**, rod on airport beacon obstruction light, 138' from DER, 514' right of centerline, 61' AGL/67' MSL; pole, 82' from DER, 403' left of centerline, 34' AGL/40' MSL; pole, 468' from DER, 508' right of centerline, 37' AGL/43' MSL; hangar, 221' from DER, 278' right of centerline, 22' AGL/28' MSL; pole 490' from DER, 306' left of centerline, 28' AGL/34' MSL; tree, 987' from DER, 476' left of centerline, 40' AGL/46' MSL; tree 1287' from DER, 432' left of centerline, 47' AGL/53' MSL; tree 1415' from DER, 560' left of centerline, 48' AGL/54' MSL; building, 556' from DER, 530' right of centerline, 25' AGL/31' MSL; tree, 1654' from DER, 464' right of centerline, 48' AGL/54' MSL; obstruction light on windsock, 551' from DER, 234' right of centerline, 19' AGL/25' MSL; pole, 1306' from DER, 259' right of centerline, 37' AGL/43' MSL; building, 429' from DER, 436' right of centerline, 15' AGL/21' MSL; tree, 1953' from DER, 524' left of centerline, 49' AGL/55' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

17005

MIAMI, FL**MIAMI EXECUTIVE (TMB)****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES**

AMDT 8A 15232 (FAA)

DEPARTURE PROCEDURE: **Rwy 9L**, climb heading 093° to 800 before turning right. **Rwy 9R**, climb heading 093° to 900 before turning right. **Rwy 13**, climb heading 133° to 1400 before turning right. **Rwy 27L**, climb heading 273° to 1400 before turning left. **Rwy 27R**, climb heading 273° to 1300 before turning left. **Rwy 31**, climb heading 313° to 900 before turning left.

NOTE: **Rwy 9L**, trees beginning 1731' from DER, 717' left of centerline, up to 100' AGL/119' MSL. Tree 3013' from DER, 687' right of centerline, 100' AGL/119' MSL. **Rwy 9R**, signs beginning 35' from DER, 182' left of centerline, up to 3' AGL/11' MSL. Trees beginning 1296' from DER, 516' left of centerline, up to 100' AGL/119' MSL. Tree 2712' from DER, 1185' right of centerline, 100' AGL/119' MSL. **Rwy 13**, tree 1100' from DER, 764' right of centerline, 100' AGL/119' MSL. Pole 1249' from DER, 588' right of centerline, 56' AGL/70' MSL. **Rwy 27L**, transmission towers beginning 1858' from DER, 910' left of centerline, up to 72' AGL/82' MSL. Tree 2106' from DER, 998' right of centerline, 100' AGL/119' MSL. **Rwy 27R**, trees beginning 149' from DER, 352' right of centerline, up to 100' AGL/119' MSL. Obstruction light on tower 372' from DER, 458' right of centerline, 54' AGL/64' MSL. Obstruction light antenna 385' from DER, 450' right of centerline, 49' AGL/59' MSL. **Rwy 31**, trees beginning 163' from DER, 410' left of centerline, up to 100' AGL/119' MSL. Tree 3583' from DER, 360' right of centerline, 100' AGL/119' MSL.

MIAMI, FL (CON'T)**MIAMI INTL (MIA)****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES**

AMDT 17A 12124 (FAA)

TAKEOFF MINIMUMS: **Rwy 8L**, 300-1¼ or std. w/ min. climb of 382' per NM to 300. **Rwy 9**, std. w/ min. climb of 240' per NM to 1200.

DEPARTURE PROCEDURE: **Rwys 8L, 8R**, climb heading 092° to 1000 before turning right. **Rwy 12**, climbing right turn to intercept DHP VORTAC R-125 to 1100 before turning left. **Rwys 26L, 26R**, climb heading 272° to 600 before turning left. **Rwy 27**, climb heading 272° to 600 before turning right.

NOTE: **Rwy 8L**, multiple buildings with antennas and towers beginning 1350' from DER, 690' left of centerline, up to 160' AGL/172' MSL. **Rwy 8R**, tree 4064' from DER, 958' right of centerline, 93' AGL/112' MSL. Multiple power lines, antennas and trees beginning 1856' from DER, 238' left of centerline, up to 150' AGL/153' MSL. Navaid and rod on obstruction light GS 804' from DER, 500' right of centerline, 46' MSL. **Rwy 9**, light windsock 21' from DER, 437' right of centerline, 21' AGL/30' MSL. Pole 702' from DER, 600' right of centerline, 21' AGL/38' MSL. Antenna 4035' from DER, 1528' right of centerline, 108' AGL/125' MSL. Electrical system 1231' from DER, 785' left of centerline 32' AGL/48' MSL. **Rwy 12**, train 3' from DER, 436' right of runway, 23' AGL/51' MSL. Antenna 2917' from DER, 1140' right of centerline, 89' AGL/106' MSL. Antenna on building 3164' from DER, 992' right of centerline, 91' AGL/108' MSL. Trees beginning 114' from DER, 117' right of centerline, up to 20' AGL/37' MSL. Sign 1191' from DER, 438' right of centerline, 32' AGL/49' MSL. Windsock 680' from DER, 345' left of centerline, 16' AGL/30' MSL. **Rwy 26L**, pole 1080' from DER, 680' left of centerline, 33' AGL/47' MSL. Light pole 1773' from DER, 825' left of centerline, 34' AGL/53' MSL. Tree 1405' from DER, 848' left of centerline 30' AGL/44' MSL. Rod on tower 1305' from DER, 638' right of centerline, 34' AGL/48' MSL. Tree 2459' from DER, 1070' right of centerline, 63' AGL/71' MSL. **Rwy 26R**, numerous poles beginning 1090' from DER, 36' right of centerline, up to 44' AGL/59' MSL. Building 740' from DER, 511' right of centerline, 14' AGL/28' MSL. Trees beginning 1047' from DER, 272' right of centerline, up to 66' AGL/80' MSL. Tree 888' from DER, on centerline, 21' AGL/35' MSL. Rod on tower 1304' from DER, 160' left of centerline, 34' AGL/48' MSL. **Rwy 27**, train on tracks 750' from DER, 576' left of centerline 23' AGL/53' MSL. Tree 1067' from DER, 680' left of centerline 23' AGL/37' MSL. Roadway beginning 1874' from DER, 502' left of centerline up to 71' AGL/85' MSL. Numerous poles and signs beginning 1876' from DER, 93' left of centerline up to 63' AGL/77' MSL. Poles beginning 2056' from DER, 95' right of centerline up to 46' AGL/60' MSL. **Rwy 30**, pole 560' from DER, 563' left of centerline, 33' AGL/47' MSL. Rod on tower 2451' from DER, 434' right of centerline, 34' AGL/48' MSL. Antenna on tower 1733' from DER, 911' right of centerline, 41' AGL/55' MSL. Antenna on tower 4427' from DER, 1451' right of centerline, 109' AGL/123' MSL. Trees beginning 2658' from DER, 188' right of centerline, up to 63' AGL/77' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

MIAMI, FL (CON'T)

OPA-LOCKA EXECUTIVE (OPF) TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 9 11349 (FAA)

DEPARTURE PROCEDURE: **Rwy 9L**, climb heading 093° to 1100 before turning north. **Rwy 9R**, climb heading 093° to 1000 before turning north. **Rwy 12**, climb heading 128° to 600 before turning north.

Rwy 27R, climb heading 273° to 500 before turning north.

NOTE: **Rwy 9L**, fence 48' from DER, 498' left of centerline, 10' AGL/17' MSL. Utility line 57' from DER, 505' left of centerline, 9' AGL/16' MSL. Airport sign 40' from DER, 311' right of centerline, 2' AGL/9' MSL. Tree 103' from DER, 481' left of centerline, 9' AGL/16' MSL. Trees beginning 1632' from DER, 657' left of centerline, up to 43' AGL/57' MSL. Trees beginning 3215' from DER, 885' right of centerline, up to 81' AGL/95' MSL. **Rwy 9R**, airfield light 6' from DER, 59' right of centerline, 1' AGL/7' MSL. Light pole 1439' from DER, 739' right of centerline, 38' AGL/45' MSL. Pole 1436' from DER, 735' right of centerline, 40' AGL/47' MSL. Pole 1581' from DER, 892' left of centerline, 40' AGL/47' MSL. Tree 11' from DER, 502' right of centerline, 8' AGL/15' MSL. Trees beginning 1590' from DER, 511' left of centerline, up to 109' AGL/116' MSL. Trees beginning 1577' from DER, 243' right of centerline, up to 57' AGL/64' MSL.

Rwy 12, REIL 3' from DER, 118' left of centerline 1' AGL/9' MSL. REIL 3' from DER, 118' right of centerline, 1' AGL/9' MSL. Poles 1560' from DER, 266' right of centerline, 40' AGL/48' MSL. Pole 461' from DER, 609' right of centerline, 31' AGL/39' MSL. Trees beginning 1080' from DER, 118' right of centerline, up to 62' AGL/70' MSL. Trees beginning 1051' from DER, 93' left of centerline, up to 56' AGL/64' MSL. **Rwy 27L**, fence 194' from DER, 483' right of centerline, 10' AGL/16' MSL. Poles beginning 336' from DER, 94' left and 530' right of centerline, up to 67' AGL/73' MSL. Trees beginning 1056' from DER, 756' left of centerline, up to 37' AGL/43' MSL. Building 1106' from DER, 739' right of centerline, 36' AGL/42' MSL. **Rwy 27R**, airport sign 38' from DER, 310' left of centerline, 1' AGL/8' MSL. Antenna on building 1568' from DER, 756' left of centerline, 44' AGL/51' MSL. Trees beginning 165' from DER, 45' left of centerline, up to 115' AGL/122' MSL. Trees beginning 1059' from DER, 229' right of centerline, up to 107' AGL/114' MSL. **Rwy 30**, airport sign 40' from DER, 233' right of centerline, 1' AGL/9' MSL. Tower 2543' from DER, 565' right of centerline, 76' AGL/84' MSL. Antenna on building 2526' from DER, 572' right of centerline, 74' AGL/82' MSL. Tower 3760' from DER, 969' right of centerline, 100' AGL/105' MSL. Trees beginning 1312' from DER, 590' left of centerline, up to 43' AGL/51' MSL. Trees beginning 1711' from DER, 614' right of centerline, up to 78' AGL/86' MSL.

MILTON, FL

PETER PRINCE FIELD (2R4)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

ORIG-A 10182 (FAA)

NOTE: **Rwy 18**, trees beginning 102' from DER, 51' left of centerline, up to 93' AGL/163' MSL. Trees beginning 1014' from DER, 13' right of centerline, up to 83' AGL/153' MSL. Pole 711' from DER, 164' left of centerline, 40' AGL/106' MSL. Poles beginning 766' from DER, 68' right of centerline, 40' AGL/109' MSL. Railroad 572' from end of runway, 23' AGL/110' MSL. Road 549' from DER, 17' AGL/94' MSL. **Rwy 36**, trees beginning 27' from DER, 329' left of centerline up to 45' AGL/101' MSL. Trees beginning 40' from DER, 98' right of centerline, up to 30' AGL/90' MSL.

NAPLES, FL

NAPLES MUNI (APF)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2 09351 (FAA)

DEPARTURE PROCEDURE: **Rwy 14**, climb heading 137° to 600 before turning left.

NOTE: **Rwy 5**, trees beginning 92' from DER, left and right of centerline, up to 82' AGL/92' MSL. Tanks 1308' from DER, 293' left of centerline, up to 34' AGL/44' MSL. **Rwy 14**, trees beginning 97' from DER, left and right of centerline, up to 101' AGL/108' MSL. **Rwy 23**, trees beginning 126' from DER, left and right of centerline, up to 66' AGL/70' MSL. **Rwy 32**, trees beginning 339' from DER, left and right of centerline, up to 119' AGL/123' MSL.

NEW SMYRNA BEACH, FL

NEW SMYRNA BEACH MUNI (EVB)

TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE PROCEDURES

AMDT 2 11013 (FAA)

NOTE: **Rwy 2**, tree 1816' from DER, 584' right of centerline, 48' AGL/56' MSL. Numerous trees beginning 455' from DER, 232' left of centerline, up to 84' AGL/93' MSL. Pole 1470' from DER, 22' left of centerline, 41' AGL/49' MSL. **Rwy 7**, trees beginning 345' from DER, 214' right of centerline, up to 40' AGL/48' MSL. Transmission tower 347' from DER, 553' right of centerline, 43' AGL/51' MSL. Transmission tower 890' from DER, 151' right of centerline, 50' AGL/58' MSL. Vehicle on road 209' from DER, 20' right of centerline, 17' AGL/43' MSL. Trees beginning 311' from DER, 214' left of centerline, up to 41' AGL/49' MSL. Numerous transmission towers beginning 915' from DER, 149' left of centerline up to 53' AGL/61' MSL. Pole 1972' from DER, 144' left of centerline, 42' AGL/60' MSL. **Rwy 11**, trees beginning 1273' from DER, 350' right of centerline, up to 55' AGL/62' MSL. Trees beginning 508' from DER, 395' left of centerline, up to 55' AGL/62' MSL. Pole 556' from DER, 401' left of centerline, 42' AGL/50' MSL. Vehicle on road 408' from DER, 400' left of centerline, 17' AGL/44' MSL. **Rwy 20**, trees beginning 542' from DER, 187' right of centerline, up to 66' AGL/80' MSL. Train 410' from DER, 71' right of centerline, 23' AGL/61' MSL. Vehicle on road 316' from DER, 89' right of centerline, 17' AGL/44' MSL. Pole 479' from DER, 307' right of centerline, 18' AGL/32' MSL. Trees beginning 359' from DER, 27' left of centerline, up to 64' AGL/81' MSL. **Rwy 25**, trees beginning 300' from DER, 120' right of centerline, up to 73' AGL/96' MSL. Pole 265' from DER, 388' right of centerline, 24' AGL/44' MSL. Trees beginning 432' from DER, 104' left of centerline, up to 76' AGL/100' MSL. Flag pole 200' from DER, 250' left of centerline, 17' AGL/37' MSL. **Rwy 29**, trees beginning 1289' from DER, 317' right of centerline, up to 73' AGL/86' MSL. Trees beginning 4' from DER, 172' left of centerline, up to 87' AGL/100' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

17005

NEW SMYRNA BEACH, FL (CON'T)

MASSEY RANCH AIRPARK (X50)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG-A 16175 (FAA)

NOTE: **Rwy 18**, Bush 11' from DER, 128' left of centerline, 14' MSL. Trees beginning 24' from DER, 282' right of centerline, up to 42' MSL. Tree 78' from DER, 443' right of centerline, 53' MSL. Tree and bush beginning 148' from DER, 137' left of centerline, up to 57' MSL. Trees beginning 189' from DER, 196' right of centerline, up to 71' AGL/78' MSL. Tree and pole beginning 286' from DER, 5' left of centerline, up to 83' MSL. Trees beginning 1457' from DER, 7' right of centerline, up to 84' MSL. Tree and pole beginning 1932' from DER, 39' right of centerline, up to 89' MSL. Trees beginning 2659' from DER, 64' right of centerline, up to 91' MSL. Tree 3307' from DER, 542' right of centerline, 96' MSL. **Rwy 36**, Vehicles on road and in parking lot, tree, pole, and t-tower beginning 7' from DER, 48' left of centerline, up to 48' AGL/58' MSL. Tree, pole, and t-tower beginning 199' from DER, 12' right of centerline, up to 67' MSL. Tree and pole beginning 289' from DER, 172' right of centerline, up to 75' MSL. Tree, t-tower, and pole beginning 355' from DER, 4' left of centerline, up to 68' AGL/77' MSL. Tree, pole, and building beginning 606' from DER, 34' left of centerline, up to 81' MSL. Tree and building beginning 1215' from DER, 4' right of centerline, up to 82' MSL. Trees beginning 1418' from DER, 144' right of centerline, up to 87' MSL. Trees beginning 1499' from DER, 7' left of centerline, up to 88' MSL. Antenna 4763' from DER, 506' right of centerline, 154' AGL/160' MSL. Tower 4777' from DER, 430' right of centerline, 152' AGL/161' MSL.

OCALA, FL

OCALA INTL-JIM TAYLOR FLD (OCF)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 09015 (FAA)

DEPARTURE PROCEDURE: **Rwy 8**, climb heading 069° to 500 before proceeding on course.

NOTE: **Rwy 18**, trees beginning 316' from DER, 527' right of centerline, up to 30' AGL/106' MSL. **Rwy 26**, trees beginning 83' from DER, 255' left of centerline, up to 100' AGL/204' MSL. Trees beginning 272' from DER, 10' right of centerline, up to 100' AGL/194' MSL. **Rwy 36**, taxiing aircraft, 43' from DER, 305' right of centerline, up to 10' AGL/94' MSL. Trees beginning 196' from DER, 500' left of centerline, up to 70' AGL/164' MSL. Trees beginning 2668' from DER, 305' right of centerline, up to 70' AGL/162' MSL.

ORLANDO, FL

EXECUTIVE (ORL)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 4 12320 (FAA)

DEPARTURE PROCEDURE: **Rwy 25**, climb heading 253° to 700 before turning right. **Rwy 31**, climb heading 317° to 600 before turning left.

NOTE: **Rwy 7**, trees beginning 189' from DER, 542' right of centerline, up to 114' AGL/132' MSL. Tree 882' from DER, 709' left of centerline, 44' AGL/143' MSL. **Rwy 25**, trees beginning 1314' from DER, 597' right of centerline, up to 119' AGL/191' MSL. **Rwy 13**, numerous roads, poles, towers, signs, trees and buildings left and right of centerline, beginning 300' from DER, 481' right of centerline, up to 119' AGL/173' MSL. **Rwy 31**, building 2.1 NM from DER, 5569' left of centerline, 435' AGL/524' MSL. Numerous trees, poles, towers, antennas and buildings left and right of centerline, beginning 613' from DER, 442' left of centerline, up to 126' AGL/189' MSL.

KISSIMMEE GATEWAY (ISM)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
TAKEOFF MINIMUMS: **Rwy 6**, 300-1.

ORLANDO INTL (MCO)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 3 15120 (FAA)

NOTE: **Rwy 17L**, NAVAIID 10' from DER, on centerline, 1' AGL/90' MSL. Pole 10' from DER, 120' left of centerline, 3' AGL/91' MSL. Tree 1534' from DER, 902' left of centerline, 74' AGL/152' MSL. **Rwy 17R**, trees beginning 1373' from DER, 855' right of centerline, up to 60' AGL/136' MSL. **Rwy 18L**, light pole 13' from DER, 283' right of centerline, 3' AGL/94' MSL. Trees beginning 2863' from DER, 1079' left of centerline, up to 95' AGL/171' MSL. **Rwy 18R**, light pole 14' from DER, 282' left of centerline, 3' AGL/92' MSL. **Rwy 35L**, light pole 15' from DER, 284' right of centerline, 5' AGL/92' MSL. Poles 1250' from DER, 683' left of centerline, 45' AGL/131' MSL. **Rwy 35R**, NAVAIID 9' from DER, on centerline, 1' AGL/90' MSL. NAVAIID 1190' from DER, 767' right of centerline, 36' AGL/125' MSL. Pole 1661' from DER, 922' right of centerline, 44' AGL/133' MSL. Pole 1712' from DER, 916' left of centerline, 25' AGL/134' MSL. Trees beginning 2235' from DER, 1012' right of centerline, up to 78' AGL/167' MSL. **Rwy 36L**, sign 3' from DER, 373' left of centerline, 3' AGL/93' MSL. Sign 1063' from DER, 775' right of centerline, 38' AGL/123' MSL. **Rwy 36R**, tree 963' from DER, 582' right of centerline, 30' AGL/121' MSL. Building 1001' from DER, 692' right of centerline, 26' AGL/119' MSL. Sign 1063' from DER, 725' left of centerline, 38' AGL/123' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

ORLANDO, FL (CON'T)

ORLANDO SANFORD INTL (SFB)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 10 13122 (FAA)

DEPARTURE PROCEDURE: **Rwy 27L**, climb heading 275° to 800 before proceeding northbound. **Rwy 27C**, climb heading 275° to 900 before proceeding northbound. **Rwy 27R**, climb heading 275° to 900 before proceeding northbound. **Rwy 36**, climb heading 005° to 2000 before proceeding on course.

NOTE: **Rwy 9R**, pole at DER, 277' left of centerline, 7' AGL/25' MSL. Utilities beginning 430' from DER, 206' left of centerline, up to 39' AGL/55' MSL. Utilities beginning 430' from DER, 109' right of centerline, up to 39' AGL/55' MSL. Trees beginning 986' from DER, 13' left of centerline, up to 52' AGL/83' MSL. Trees beginning 1078' from DER, 463' right of centerline, up to 66' AGL/80' MSL. **Rwy 9C**, vehicles on roadway beginning 22' from DER, left and right of centerline, up to 15' AGL/62' MSL. Bush 163' from DER, 276' left of centerline, 9' AGL/57' MSL. Pole 1079' from DER, 314' right of centerline, 36' AGL/78' MSL. Trees beginning 1130' from DER, 90' right of centerline, up to 82' AGL/112' MSL. **Rwy 27R**, antenna on building 131' from DER, 441' right of centerline, 18' AGL/67' MSL. Poles and trees beginning 1157' from DER, 146' left of centerline, up to 65' AGL/120' MSL. Trees beginning 1395' from DER, 66' right of centerline, up to 67' AGL/116' MSL. **Rwy 27C**, buildings beginning 1548' from DER, 336' left of centerline, up to 47' AGL/101' MSL. Trees beginning 1753' from DER, 295' right of centerline, up to 76' AGL/105' MSL. Towers and antenna beginning 2340' from DER, 544' left of centerline, up to 135' AGL/194' MSL. **Rwy 27L**, approach lights beginning 32' from DER, on centerline, up to 17' AGL/56' MSL. Fence 229' from DER, 16' right of centerline, 12' AGL/51' MSL. Vehicles on roadway beginning 359' from DER, left and right of centerline, up to 15' AGL/60' MSL. Trees beginning 865' from DER, 574' left of centerline, up to 50' AGL/94' MSL. Pole 1006' from DER, 692' right of centerline, 43' AGL/86' MSL. Trees beginning 2733' from DER, left and right of centerline, up to 91' AGL/135' MSL. **Rwy 18**, poles beginning 945' from DER, 482' left of centerline, up to 44' AGL/71' MSL. Trees beginning 997' from DER, 280' left of centerline, up to 63' AGL/93' MSL. Trees beginning 1277' from DER, 621' right of centerline, up to 83' AGL/112' MSL. **Rwy 36**, trees beginning 330' from DER, 508' right of centerline, up to 43' AGL/77' MSL. Trees beginning 1104' from DER, 617' left of centerline, up to 85' AGL/114' MSL.

ORMOND BEACH, FL

ORMOND BEACH MUNI (OMN)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 09211 (FAA)

NOTE: **Rwy 8**, trees beginning 8' from DER, left and right of centerline, up to 100' AGL/124' MSL. **Rwy 26**, trees beginning 20' from DER, left and right of centerline, up to 100' AGL/129' MSL. **Rwy 17**, trees beginning 23' from DER, left and right of centerline, up to 100' AGL/129' MSL. Power poles beginning 540' from DER, 589' right of centerline, up to 36' AGL/60' MSL. Building 640' from DER, 660' right of centerline, 21' AGL/45' MSL. **Rwy 35**, trees beginning 208' from DER, left and right of centerline, up to 100' AGL/129' MSL. Light poles beginning 1231' from DER, 571' left of centerline, up to 70' AGL/99' MSL.

PALATKA, FL

PALATKA MUNI-LT KAY LARKIN FIELD
(28J)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG-A 13262 (FAA)

TAKEOFF MINIMUMS: **Rwy 9**, 200-1¼ or std. w/ min. climb of 207' per NM to 300, or alternatively, with standard TAKEOFF minimums and a normal 200'/NM climb gradient, TAKEOFF must occur no later than 1300' prior to DER.

NOTE: **Rwy 9**, trees beginning 558' from DER, 39' right of centerline, up to 100' AGL/105' MSL. Trees beginning 625' from DER, 7' left of centerline, up to 100' AGL/137' MSL. Tower 1.1 NM from DER, 1398' right of centerline, 164' AGL/199' MSL. **Rwy 17**, trees beginning 237' from DER, 100' right of centerline, up to 100' AGL/164' MSL. Trees beginning 796' from DER, 478' left of centerline, and up to 100' AGL/169' MSL.

Rwy 27, trees beginning 15' from DER, 56' left of centerline, up to 78' AGL/112' MSL. Trees beginning 49' from DER, 269' right of centerline, up to 72' AGL/101' MSL. **Rwy 35**, buildings beginning 504' from DER, 403' right of centerline, up to 75' AGL/104' MSL. Trees beginning 788' from DER, 222' left of centerline, up to 100' AGL/129' MSL. Trees beginning 1387' from DER, 81' right of centerline, up to 100' AGL/119' MSL. Buildings beginning 1454' from DER, 850' left of centerline, up to 75' AGL/104' MSL.

PALM COAST, FL

FLAGLER EXECUTIVE (FIN)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1A 15316 (FAA)

DEPARTURE PROCEDURE: **Rwy 24**, climb heading 241° to 700 before turning right. **Rwy 29**, climb heading 280° to 1600 before turning.
NOTE: **Rwy 6**, trees beginning 705' from DER, 80' right of centerline, up to 36' AGL/61' MSL. Tree 767' from DER, 43' left of centerline, 34' AGL/159' MSL. Tree 1258' from DER, 99' left of centerline, 56' AGL/81' MSL. Tree 1537' from DER, 31' right of centerline, 59' AGL/84' MSL. Trees beginning 1796' from DER, 363' left of centerline, up to 82' AGL/107' MSL. Tree 1905' from DER, 192' right of centerline, 63' AGL/88' MSL. Trees beginning 2578' from DER, 442' right of centerline, up to 83' AGL/108' MSL. Tree 3253' from DER, 564' left of centerline, 83' AGL/115' MSL. **Rwy 11**, tree 59' from DER, 274' right of centerline, 42' AGL/67' MSL. Tree 736' from DER, 281' right of centerline, 54' AGL/29' MSL. Tree 1596' from DER, 392' right of centerline, 82' AGL/57' MSL. Tree 1958' from DER, 47' right of centerline, 69' AGL/94' MSL. Trees beginning 1977' from DER, 63' left of centerline, up to 76' AGL/101' MSL. Trees beginning 2550' from DER, 441' right of centerline, up to 90' AGL/110' MSL. **Rwy 24**, tree 142' from DER, 441' right of centerline, 63' AGL/88' MSL. Tree 1314' from DER, 839' left of centerline, 86' AGL/111' MSL. **Rwy 29**, tree 31' from DER, 275' left of centerline, 59' AGL/84' MSL. Tree 415' from DER, 585' right of centerline, 57' AGL/82' MSL. Trees beginning 1195' from DER, 774' left of centerline, up to 90' AGL/110' MSL. Trees beginning 1289' from DER, 308' right of centerline, up to 86' AGL/111' MSL. Trees beginning 1538' from DER, 523' left of centerline, up to 89' AGL/109' MSL. Tree 1831' from DER, 48' right of centerline, 61' AGL/86' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

PAHOKEE, FL

**PALM BEACH COUNTY GLADES (PHK)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 02220 (FAA)**

NOTE: **Rwy 17**, tower 1600' from DER, 690' left of centerline, 127' AGL/143' MSL.

PANAMA CITY, FL

**NORTHWEST FLORIDA BEACHES INTL
(ECP)**

**TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 10322 (FAA)**

TAKEOFF MINIMUMS: **Rwys 3, 21**, NA-
Environmental.

NOTE: **Rwy 16**, trees beginning 2644' from DER, 382' right of centerline, up to 82' AGL/131' MSL.

PATRICK AFB (KCOF)

**COCOA BEACH, FL
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES**

AMDT 1 16147

DEPARTURE PROCEDURE: **Rwy 3**, 200-1/4, or standard with minimum climb of 210 ft/NM to 500 ft. Alternatively, with std take-off minimums and normal 200 ft/NM climb gradient, take-off must occur no later than 1,300 ft prior to departure end of runway. **Rwy 11**, Diverse departure authorized. **Rwy 21**, 200-1/4, or standard with minimum climb of 220 ft/NM to 500 ft. Alternatively, with std take-off minimums and normal 200 ft/NM climb gradient, take-off must occur no later than 1,600 ft prior to departure end of runway. **Rwy 29**, Diverse departure authorized. TAKEOFF OBSTACLES: **Rwy 3**, antenna 3074' from DER, 1290' left of centerline, 84' MSL. Tree 2816' from DER, 1136' left of centerline, 75' AGL/79' MSL. Tree 1901' from DER, 994' left of centerline, 50' AGL/56' MSL. Tree 2749' from DER, 731' left of centerline, 70' AGL/76' MSL. Terrain 16' from DER, 500' left of centerline, 16' MSL. Terrain 38' from DER, 510' left of centerline, 16' MSL. Terrain 46' from DER, 512' left of centerline, 16' MSL. Vehicles on road 756' from DER, 574' right of centerline, 28' MSL. Vehicles on road 735' from DER, 620' right of centerline, 25' MSL. Terrain 5877' from DER, 2075' left of centerline, 167' MSL. **Rwy 11**, vehicles on road 621' from DER, 212' left of centerline, 29' MSL. Vehicles on road 512' from DER, 437' left of centerline, 29' MSL. Vehicles on road 1031' from DER, 664' right of centerline, 29' MSL. Vehicles on road 832' from DER, 240' right of centerline, 29' MSL. Vehicles on road 666' from DER, 91' right of centerline, 37' MSL. Vehicles on road 934' from DER, 472' right of centerline, 29' MSL. Terrain 26' from DER, 13' right of centerline, 16' MSL. Terrain abeam inward of DER, 500' left of centerline, 16' MSL. Vehicles on road 640' from DER, 90' right of centerline, 26' MSL. **Rwy 21**, sailboat 1787' from DER, 984' right of centerline, 43' MSL. Terrain 584' from DER, 509' left of centerline, 20' MSL. Terrain 46' from DER, 512' left of centerline, 20' MSL. Terrain 19' from DER, 505' left of centerline, 20' MSL. Terrain 16' from DER, 500' left of centerline, 20' MSL. Terrain 228' from DER, 500' right of centerline, 18' MSL. Terrain 127' from DER, 534' right of centerline, 17' MSL. Terrain 5878' from DER, 2075' left of centerline, 172' MSL. **Rwy 29**, cable 299' from DER, 107' right of centerline, 9' MSL. Vehicles on road 352' from DER, 11' right of centerline, 20' MSL. Vehicles on road 418' from DER, 162' right of centerline, 18' MSL. Vehicles on road 444' from DER, 310' right of centerline, 20' MSL. Cable 149' from DER, 460' right of centerline, 9' MSL. Terrain abeam from DER, 500' left of centerline, 13' MSL. Terrain 95' from DER, 326' left of centerline, 13' MSL. Terrain abeam DER, 25' right of centerline, 16' MSL. Terrain 17' from DER, 332' right of centerline, 16' MSL. Boat 362' from DER, 476' left of centerline, 10' MSL. Bird cannon 98' from DER, 455' right of centerline, 8' MSL. Cable 177' from DER, 133' left of centerline, 10' MSL. Vegetation 389' from DER, 350' left of centerline, 45' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

17005

PENSACOLA, FL**PENSACOLA INTL (PNS)****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES****AMDT 1 12208 (FAA)**

DEPARTURE PROCEDURE: **Rwy 26**, climb heading 260° to 600 before turning south.

NOTE: **Rwy 26**, trees beginning 84' from DER, left and right of centerline, up to 100' AGL/146' MSL. Rod 398' from DER, 596' left of centerline, 56' AGL/132' MSL.

Rwy 35, trees beginning 490' from DER, left and right of centerline, up to 100' AGL/182' MSL.

PERRY, FL**PERRY-FOLEY (40J)****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES****AMDT 1 14317 (FAA)**

DEPARTURE PROCEDURE: **Rwy 6**, climb heading 063° to 500 before turning left. **Rwy 36**, climb heading 350° to 600 before turning right.

NOTE: **Rwy 6**, trees beginning 850' from DER, 386' left of centerline, up to 100' AGL/144' MSL. Trees beginning 1575' from DER, 636' right of centerline, up to 100' AGL/144' MSL. Trees beginning 2109' from DER, left and right of centerline, up to 100' AGL/159' MSL. **Rwy 12**, trees beginning 1227' from DER, left and right of centerline, up to 100' AGL/144' MSL. **Rwy 18**, trees and road beginning 5' from DER, 122' right of centerline, up to 15' AGL/55' MSL. Trees beginning 800' from DER, 6' right of centerline, up to 78' AGL/113' MSL. Trees beginning 833' from DER, 84' left of centerline, up to 75' AGL/114' MSL. Trees beginning 2718' from DER, 478' right of centerline, up to 100' AGL/155' MSL. **Rwy 24**, trees and road beginning 24' from DER, 63' left of centerline, up to 15' AGL/55' MSL. Trees beginning 1070' from DER, 330' left of centerline, up to 75' AGL/114' MSL. Trees beginning 1201' from DER, 219' right of centerline, up to 73' AGL/106' MSL. Trees beginning 1915' from DER, left and right of centerline, up to 100' AGL/139' MSL. **Rwy 30**, trees beginning 857' from DER, 384' left of centerline, up to 72' AGL/132' MSL. Trees and pole beginning 1093' from DER, 292' right of centerline, up to 77' AGL/123' MSL. Trees beginning 1660' from DER, left and right of centerline, up to 100' AGL/139' MSL. **Rwy 36**, trees beginning 335' from DER, 506' right of centerline, up to 69' AGL/113' MSL. Trees beginning 875' from DER, 644' left of centerline, up to 72' AGL/116' MSL. Trees beginning 1009' from DER, 76' left of centerline, up to 79' AGL/123' MSL. Trees and poles beginning 1517' from DER, 22' right of centerline, up to 100' AGL/149' MSL. Trees beginning 2075' from DER, 205' left of centerline, up to 100' AGL/146' MSL. Tower 2.4 NM from DER, 4367' right of centerline, 415' AGL/454' MSL.

PLANT CITY, FL**PLANT CITY (PCM)****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES****ORIG 09127 (FAA)**

NOTE: **Rwy 10**, trees beginning 264' from DER, 561' left of centerline, up to 100' AGL/229' MSL. Trees beginning 490' from DER, 13' right of centerline, up to 100' AGL/239' MSL. **Rwy 28**, trees beginning 50' from DER, 278' right of centerline, up to 100' AGL/254' MSL. Trees beginning 515' from DER, 15' left of centerline, up to 100' AGL/249' MSL. Train on railroad tracks, 380' from DER, 547' left of centerline, up to 23' AGL/172' MSL. Vehicles on roadway, 266' from DER, 137' left of centerline, up to 15' AGL/169' MSL.

POMPANO BEACH, FL**POMPANO BEACH AIRPARK (PMP)****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES****AMDT 5 14261 (FAA)**

TAKEOFF MINIMUMS: **Rwy 10**, 300-1¼ or std. w/ min. climb of 261' per NM to 300. **Rwy 15**, 400-1½ or std. w/ min. climb of 441' per NM to 500.

NOTE: **Rwy 6**, trees beginning 101' from DER, 26' left and 232' right of centerline, up to 70' AGL/88' MSL. **Rwy 10**, pole 154' from DER, 131' left of centerline, 9' AGL/18' MSL. Trees, pole, and building beginning 427' from DER, 12' left and 343' right of centerline, up to 49' AGL/63' MSL. Poles and buildings beginning 1264' from DER, 166' left and 286' right of centerline, up to 64' AGL/72' MSL. Building 5670' from DER, 604' right of centerline, 186' AGL/190' MSL. Buildings 1 NM from DER, 887' left of centerline, up to 201' AGL/210' MSL. **Rwy 15**, building, trees, and poles beginning 502' from DER, 306' left and 434' right of centerline, 44' AGL/54' MSL. Trees beginning 1229' from DER, 152' left and 190' right of centerline, up to 71' AGL/162' MSL. Building 5994' from DER, 1491' left of centerline, 213' AGL/221' MSL. Building 1.1 NM from DER, 1259' left of centerline, 300' AGL/310' MSL. Building 1.7 NM from DER, 1385' right of centerline, 255' AGL/265' MSL. **Rwy 24**, trees beginning 190' from DER, 304' right of centerline, up to 30' AGL/49' MSL. Trees beginning 423' from DER, 3' left of centerline, up to 47' AGL/66' MSL. Tanks, building, tree, and pole beginning 630' from DER, 23' right of centerline, 60' AGL/80' MSL. Trees beginning 2179' from DER, 253' left of centerline, up to 91' AGL/110' MSL. **Rwy 28**, trees beginning 358' from DER, 255' left of centerline, up to 25' AGL/44' MSL. Poles, buildings, trees, and tank beginning 722' from DER, 33' left and 238' right of centerline, up to 45' AGL/64' MSL. **Rwy 33**, buildings beginning 29' from DER, 398' left of centerline, 18' AGL/34' MSL. Trees beginning 629' from DER, 518' left of centerline, up to 59' AGL/77' MSL. Trees beginning 202' from DER, 548' right of centerline, up to 38' AGL/56' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

17005

PONCE, PR**MERCEDITA (PSE)****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES**

AMDT 5 16259 (FAA)

TAKEOFF MINIMUMS: Rwy 12, std. w/min. climb of 300'/NM to 5400 or 5100-3 for climb in visual conditions. **Rwy 30**, std. w/min. climb of 605'/NM to 1000 or 5100-3 for climb in visual conditions.

DEPARTURE PROCEDURE: Rwy 12, Climb heading 119° to 2500 then proceed on a course between 248 CCW to 304 from DER to avoid R-7105 and unmarked tethered balloon up to 15000 MSL. **Rwy 30**, Climbing left turn on a heading between 200° CCW to 120°. Do not proceed northbound (headings 119° CCW 316°) until leaving 5000; do not proceed westbound (headings 200° CW 315°) until leaving 12000.

VCOA: All runways - obtain ATC approval for climb in visual conditions when requesting IFR clearance.

Climb in visual conditions to cross Mercedita airport at or above 5100 then climb heading 090° to SJU VORTAC R-239.20 to CLAYO INT/SJU 35 DME.

NOTE: Rwy 12, terrain and tree beginning 25' from DER, 178' left of centerline, up to 50' MSL. Terrain 118' from DER, 109' right of centerline, 43' MSL. Pole 125' from DER, 432' right of centerline, 47' AGL/82' MSL. Pole and terrain beginning 126' from DER, 396' right of centerline, up to 68' AGL/87' MSL. Terrain and tree beginning 207' from DER, 267' left of centerline, up to 56' MSL. Terrain and tree beginning 306' from DER, 69' left of centerline, up to 33' AGL/64' MSL. Terrain, trees, and poles beginning 322' from DER, 19' right of centerline, up to 88' MSL. Trees beginning 1003' from DER, 369' left of centerline, up to 33' AGL/71' MSL. Tree 2559' from DER, 448' right of centerline, 93' MSL. Stack 5535' from DER, 1749' right of centerline, 184' AGL/210' MSL. **Rwy 30**, pole 95' from DER, 478' left of centerline, 40' AGL/63' MSL. Pole 96' from DER, 453' right of centerline, 77' MSL. Obstruction light and pole, beginning 99' from DER, 491' left of centerline, 64' MSL. Pole 239' from DER, 443' left of centerline, 39' AGL/65' MSL. Pole 538' from DER, 425' left of centerline, up to 68' MSL. Pole and obstruction light on pole beginning 1013' from DER, 358' left of centerline, up to 41' AGL/74' MSL. Obstruction light on pole 1021' from DER, 281' right of centerline, up to 87' MSL. Pole and obstruction light on pole beginning 1247' from DER, 238' left of centerline, up to 43' AGL/76' MSL. Pole, tree, and obstruction light on pole beginning 4321' from DER, 705' right of centerline, up to 353' MSL. Tree and obstruction light on pole beginning 4387' from DER, 341' right of centerline, up to 41' AGL/355' MSL. Tree 4597' from DER, 326' left of centerline, 164' MSL. Building and antenna on building beginning 4663' from DER, 1576' right of centerline, up to 39' AGL/440' MSL. Towers and pole beginning 5092' from DER, 136' right of centerline, up to 154' AGL/522' MSL. Tree 5510' from DER, 193' left of centerline, 55' AGL/172' MSL. Tree 5869' from DER, 109' left of centerline, 34' AGL/176' MSL. Poles beginning 1 NM from DER, 513' left of centerline, up to 106' AGL/197' MSL. Pole 1 NM from DER, 504' left of centerline, 73' AGL/216' MSL. Pole 1.1 NM from DER, 777' right of centerline, 50' AGL/330' MSL.

PUNTA GORDA, FL**PUNTA GORDA (PGD)****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES**

AMDT 3 15288 (FAA)

TAKEOFF MINIMUMS: Rwys 9, 27, NA-airport authority request.

NOTE: Rwy 4, trees beginning 34' from DER, 291' right of centerline, up to 18' AGL/38' MSL. Tree 537' from DER, 633' right of centerline, 55' AGL/70' MSL. Tree 1034' from DER, 683' right of centerline, 69' AGL/84' MSL.

Rwy 15, trees beginning 43' from DER, 305' left of centerline, up to 47' AGL/67' MSL. Tree 132' from DER, 449' right of centerline, 9' AGL/29' MSL. Trees beginning 1028' from DER, 190' left of centerline, up to 44' AGL/64' MSL. Tree 2444' from DER, 619' right of centerline, 84' AGL/104' MSL. **Rwy 22**, tree 138' from DER, 425' left of centerline, 15' AGL/29' MSL. **Rwy 33**, tree 638' from DER, 618' left of centerline, 38' AGL/53' MSL.

QUINCY, FL**QUINCY MUNI (2J9)****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES**

ORIG 09071 (FAA)

TAKEOFF MINIMUMS: Rwy 32, 300-2 or std. w/min. climb of 217' per NM to 600, or alternatively, with standard takeoff minimums and a normal 200'/NM climb gradient, takeoff must occur no later than 1700' prior to DER.

NOTE: Rwy 14, trees beginning abeam DER, 421' left of centerline, up to 100' AGL/299' MSL. Vehicles on road abeam DER, 340' left of centerline, 15' AGL/214' MSL. Trees beginning abeam DER, 255' right of centerline, up to 100' AGL/309' MSL. Vehicles on road abeam DER, 174' right of centerline, 15' AGL/224' MSL. **Rwy 32**, trees beginning abeam DER, 307' left of centerline, up to 100' AGL/329' MSL. Vehicles on road abeam DER, 398' left of centerline, 15' AGL/244' MSL. Trees beginning 910' from DER, 722' right of centerline, up to 100' AGL/329' MSL. Power line beginning 1225' from DER, left and right of centerline, up to 79' AGL/327' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

17005

ST. AUGUSTINE, FL

NORTHEAST FLORIDA RGNL (SGJ)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 07298 (FAA)

NOTE: **Rwy 2**, trees 1355' from DER, 314' right of centerline, 100' AGL/104' MSL. **Rwy 20**, aircraft on ramp abeam DER, 158' right of centerline, up to 32' AGL/41' MSL. Aircraft on taxiway 182' from DER, on centerline, up to 32' AGL/42' MSL. Buildings beginning 220' from DER, 402' right of centerline, up to 34' AGL/44' MSL. Hangars beginning 174' from DER, 180' left of centerline, up to 16' AGL/26' MSL. Vehicles on road and train on railroad beginning 419' from DER, 599' right of centerline, up to 23' AGL/37' MSL. Numerous trees beginning 589' from DER, 652' right of centerline, up to 100' AGL/114' MSL. Numerous trees beginning 754' from DER, 586' left of centerline, up to 100' AGL/109' MSL. **Rwy 24**, hangars beginning abeam DER, 400' left of centerline, up to 16' AGL/26' MSL. Aircraft on ramp 55' from DER, 119' right of centerline up to 32' AGL/41' MSL. Buildings beginning 150' from DER, 191' right of centerline, up to 34' AGL/44' MSL. Vehicles on road and train on railroad beginning 571' from DER, on centerline, up to 23' AGL/37' MSL. Numerous trees beginning 742' from DER, left and right of centerline, up to 100' AGL/114' MSL. **Rwy 31**, numerous trees beginning 87' from DER, 418' left of centerline, up to 89' AGL/98' MSL. Vehicles on road and train on railroad beginning at DER, 237' left of centerline, up to 23' AGL/37' MSL. Numerous trees beginning 242' from DER, 2' right of centerline, up to 85' AGL/99' MSL.

ST. PETERSBURG, FL

ALBERT WHITTED (SPG)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 2 01163 (FAA)

TAKEOFF MINIMUMS: **Rwy 36**, 300-1 or std. with a min. climb of 320' per NM until 500.
DEPARTURE PROCEDURE: **Rwys 18,25**, climb runway heading to 500 before turning right. **Rwys 7,36**, climb runway heading to 500 before turning left.
NOTE: **Rwy 25**, 70' MSL/63' AGL building 350' from DER, 375' left of runway centerline.

ST. PETERSBURG-CLEARWATER, FL

ST PETE-CLEARWATER INTL (PIE)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 3A 14093 (FAA)

TAKEOFF MINIMUMS: **Rwys 18R, 36L**, NA - VFR runway. **Rwy 22**, 200-1¼ or std. w/min. climb of 230' per NM to 300, or alternatively, with standardly takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 1700' prior to DER.
DEPARTURE PROCEDURE: **Rwy 9**, climb heading 093° to 500 before proceeding southbound.
NOTE: **Rwy 4**, trees beginning 174' from DER, 279' right of centerline, up to 61' AGL/65' MSL. Bush 495' from DER, 258' right of centerline, 27' AGL/31' MSL. Bush 511' from DER, 326' left of centerline, 17' AGL/21' MSL. Trees beginning 523' from DER, 225' left of centerline, up to 17' AGL/21' MSL. Boats beginning 775' from DER, on centerline, up to 25' AGL/25' MSL. **Rwy 9**, trees beginning 805' from DER, 470' right of centerline, up to 47' AGL/51' MSL. Tree 1617' from DER, 816' left of centerline, 60' AGL/64' MSL. **Rwy 18L**, building 689' from DER, 418' right of centerline, 34' AGL/44' MSL. Signs beginning 909' from DER, 98' right of centerline, up to 50' AGL/58' MSL. Poles beginning 970' from DER, 114' right of centerline, up to 51' AGL/58' MSL. Poles beginning 1015' from DER, 103' left of centerline, up to 40' AGL/47' MSL. Sign 1336' from DER, 198' left of centerline, 46' AGL/53' MSL. Tree 2100' from DER, 996' right of centerline, 96' AGL/105' MSL. Antenna on hopper 2583' from DER, 801' right of centerline, 76' AGL/89' MSL. **Rwy 22**, tower 123' from DER, 359' left of centerline, 24' AGL/33' MSL. Trees beginning 1235' from DER, 270' left of centerline, up to 65' AGL/70' MSL. Tree 1629' from DER, 88' right of centerline, 61' AGL/70' MSL. Tower 5591' from DER, 266' right of centerline, 153' AGL/168' MSL. **Rwy 27**, poles beginning 188' from DER, 138' right of centerline, up to 69' AGL/75' MSL. Vehicles on road 200' from DER, 418' right of centerline, 10' AGL/24' MSL. Building 552' from DER, 450' right of centerline, 26' AGL/34' MSL. Poles beginning 605' from DER, 179' left of centerline, up to 40' AGL/49' MSL. Trees beginning 1540' from DER, 224' left of centerline, up to 57' AGL/66' MSL. Antenna on tank 2188' from DER, 712' left of centerline, 70' AGL/80' MSL. **Rwy 36R**, boats beginning 646' from DER, 655' left of centerline, up to 25' AGL/25' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**


TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND


DIVERSE VECTOR AREA (RADAR VECTORS)

17005

SAN JUAN, PR

FERNANDO LUIS RIBAS DOMINICCI
(SIG)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 15288 (FAA)

TAKEOFF MINIMUMS: **Rwy 9**, 300-1¾ w/min. climb of 400' per NM to 2000. **Rwy 27**, 300-1 w/min. climb of 300' per NM to 1200.

DEPARTURE PROCEDURE: **Rwy 9**, climb heading 095° to 2000 before turning south. **Rwy 27**, climb heading 275° to 1200 before turning south.

NOTE: **Rwy 9**, vehicles on road beginning 190' from DER, crossing centerline, up to 15' AGL/23' MSL. Trees beginning 200' from DER, up to 35' AGL/55' MSL. Mobile crane 511' from DER, 570' right of centerline, 180' AGL/199' MSL. Buildings with obstruction light beginning 1100' from DER, 430' right of centerline, up to 275' AGL/285' MSL. Buildings beginning 2400' from DER, 640' right of centerline, up to 286' AGL/298' MSL. Buildings beginning 3400' from DER, 200' left of centerline, up to 174' AGL/202' MSL. **Rwy 27**, bushes beginning 20' from DER, left and right of centerline, up to 8' AGL/21' MSL. Trees beginning 80' from DER, 390' right of centerline, up to 35' AGL/44' MSL. Ships maneuvering from 2000' to 5200' from DER, up to 236' MSL.

LUIS MUNOZ MARIN INTL (SJU)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 7 09239 (FAA)

DEPARTURE PROCEDURE: **Rwy 8**, climb on a heading between 109° CCW to 258° from DER, or minimum climb of 381' per NM to 5000 for all other courses. **Rwy 10**, climb on a heading between 91° CCW to 281° from DER, or minimum climb of 390' per NM to 4900 for all other courses. **Rwy 26**, climb on a heading between 255° CW to 078° from DER, or minimum climb of 311' per NM to 4800 for all other courses. **Rwy 28**, climb on a heading between 260° CW to 101° from DER, or minimum climb of 323' per NM to 4800 for all other courses.

NOTE: **Rwy 8**, trees beginning 21' from DER, left and right of centerline, up to 84' AGL/107' MSL. **Rwy 10**, trees beginning 157' from DER, left and right of centerline, up to 54' AGL/61' MSL. **Rwy 26**, building and trees beginning 8' from DER, 339' right of centerline, up to 138' AGL/154' MSL. Sign and bushes beginning 381' from DER, 374' left of centerline, up to 28' AGL/35' MSL. **Rwy 28**, bush and trees beginning 159' from DER, 476' left of centerline, up to 61' AGL/71' MSL. Pole 438' from DER, 587' left of centerline, 31' AGL/38' MSL.

SARASOTA (BRADENTON), FL

SARASOTA/BRADENTON INTL (SRQ)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES

AMDT 2A 11349 (FAA)

NOTE: **Rwy 4**, vehicles on road 79' from DER, 500' right of centerline, up to 17' AGL/42' MSL. Buildings beginning 142' from DER, 462' left of centerline, up to 23' AGL/48' MSL. Trees beginning 357' from DER, 356' right of centerline, up to 78' AGL/101' MSL. Trees beginning 925' from DER, 55' right of centerline, up to 79' AGL/102' MSL. Poles beginning 317' from DER, 461' right of centerline, up to 57' AGL/80' MSL. Poles beginning 1215' from DER, 113' left of centerline, up to 42' AGL/65' MSL. Camera 1012' from DER, 251' left of centerline, 29' AGL/52' MSL. **Rwy 14**, trees beginning 119' from DER, 430' left of centerline, up to 32' AGL/55' MSL. Trees beginning 345' from DER, 362' left of centerline, up to 74' AGL/94' MSL. Railroad 431' from DER, 533' left of centerline, 24' AGL/44' MSL. **Rwy 22**, vehicles on road 125' from DER, through centerline, up to 17' AGL/38' MSL. Trees beginning 235' from DER, 518' right of centerline, up to 103' AGL/113' MSL. Trees beginning 819' from DER, 18' left of centerline, up to 95' AGL/102' MSL. Poles/signs beginning 346' from DER, 528' right of centerline, up to 39' AGL/53' MSL. Poles/signs beginning 882' from DER, 38' left of centerline, up to 46' AGL/63' MSL. Buildings beginning 1689' from DER, 61' left of centerline, up to 65' AGL/75' MSL. Pole 222' from DER, 751' left of centerline, 65' AGL/85' MSL. **Rwy 32**, wall 199' from DER, 465' left of centerline, up to 39' AGL/49' MSL. Antenna 732' from DER, 168' left of centerline, 44' AGL/54' MSL. Trees beginning 775' from DER, 274' left of centerline, up to 78' AGL/88' MSL. Trees beginning 606' from DER, 645' right of centerline, 61' AGL/71' MSL.

SEBASTIAN, FL

SEBASTIAN MUNI (X26)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG-A 13010 (FAA)

TAKEOFF MINIMUMS: **Rwy 10**, 300-1 or std. w/min. climb of 270' per NM to 300.

NOTE: **Rwy 5**, trees beginning 1700' from DER, 494' right of centerline, up to 100' AGL/124' MSL. Trees beginning 4060' from DER, 391' right of centerline, up to 100' AGL/125' MSL. Trees beginning 3702' from DER, 1281' left of centerline, up to 100' AGL/125' MSL. **Rwy 10**, vehicles on roadway 388' from DER, across centerline, up to 15' AGL/40' MSL. Trees beginning 2970' from DER, 534' left of centerline, up to 100' AGL/125' MSL. Trees beginning 3047' from DER, 405' right of centerline, up to 100' AGL/125' MSL. Tower 5190' from DER, 1671' left of centerline, 173' AGL/198' MSL. **Rwy 23**, trees beginning 570' from DER, 225' right of centerline, up to 100' AGL/119' MSL. Trees beginning 647' from DER, 354' left of centerline, up to 100' AGL/124' MSL. **Rwy 28**, trees beginning 1035' from DER, 391' left of centerline, up to 100' AGL/119' MSL. Trees beginning 1057' from DER, 515' right of centerline, up to 100' AGL/119' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005


TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND


DIVERSE VECTOR AREA (RADAR VECTORS)

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

17005

SEBRING, FL

SEBRING RGNL (SEF)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 13122 (FAA)

NOTE: **Rwy 1**, fence, sign, Navaid, and trees beginning 28' from DER, 108' left of centerline, up to 9' AGL/63' MSL. Tree 107' from DER, 263' right of centerline, 9' AGL/63' MSL. Trees beginning 938' from DER, 520' right of centerline, up to 43' AGL/102' MSL. Trees beginning 1184' from DER, 452' left of centerline, up to 45' AGL/104' MSL. **Rwy 14**, fence and trees beginning 12' from DER, 318' right of centerline, up to 10' AGL/65' MSL. Fence beginning 18' from DER, 320' left of centerline, up to 10' AGL/64' MSL. **Rwy 19**, trees beginning 11' from DER, 216' right of centerline, up to 10' AGL/66' MSL. Trees beginning 1891' from DER, 332' right of centerline, up to 77' AGL/132' MSL. **Rwy 32**, fence, train on track, vehicle on road, and trees beginning 66' from DER, 5' right of centerline, up to 26' AGL/79' MSL. Building, sign, pole, train on tracks, vehicles on road, fence, and trees beginning 105' from DER, 72' left of centerline, 39' AGL/91' MSL. Tank, building, poles, and trees beginning 576' from DER, 48' right of centerline, up to 82' AGL/126' MSL. Trees beginning 759' from DER, 2' left of centerline, up to 55' AGL/108' MSL.

STUART, FL

WITHAM FIELD (SUA)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 2B 13122 (FAA)

DEPARTURE PROCEDURE: **Rwy 25**, climb heading 290° to 1700 before proceeding on course. **Rwy 30**, climb heading 296° to 1300 before proceeding on course.

NOTE: **Rwy 7**, trees beginning 75' from DER, 289' left of centerline, up to 100' AGL/114' MSL. Trees beginning 268' from DER, 287' right of centerline, up to 100' AGL/109' MSL. **Rwy 12**, pole and trees beginning 35' from DER, 55' left of centerline, up to 59' AGL/73' MSL. Trees beginning 763' from DER, 45' right of centerline, up to 67' AGL/81' MSL. **Rwy 16**, trees beginning 627' from DER, 42' left of centerline, up to 46' AGL/60' MSL. Trees beginning 70' from DER, 202' right of centerline, up to 32' AGL/106' MSL. **Rwy 25**, storage racks and trees beginning 176' from DER, 17' left of centerline, up to 36' AGL/55' MSL. Antenna tower 4948' from DER, 1539' left of centerline, 151' AGL/167' MSL. Trees beginning 123' from DER, 473' right of centerline, up to 55' AGL/79' MSL. **Rwy 30**, trees beginning 155' from DER, 47' left of centerline, up to 72' AGL/86' MSL. Poles and trees beginning 5' from DER, 28' right of centerline, up to 64' AGL/78' MSL. **Rwy 34**, trees beginning 362' from DER, 473' left of centerline, up to 100' AGL/109' MSL. Trees beginning 281' from DER, 385' right of centerline, up to 100' AGL/109' MSL.

TALLAHASSEE, FL

TALLAHASSEE INTL (TLH)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1A 15260 (FAA)

NOTE: **Rwy 9**, control box 12' from DER, 123' right of centerline, 3' AGL/49' MSL. Trees beginning 732' from DER, 658' left of centerline, up to 62' AGL/121' MSL. Agricultural equipment, pole, mobile crane, and trees beginning 1237' from DER, 651' right of centerline, up to 74' AGL/134' MSL. **Rwy 18**, trees beginning 2358' from DER, 761' left of centerline, up to 84' AGL/143' MSL. Poles and trees beginning 1336' from DER, 790' right of centerline, up to 62' AGL/121' MSL. **Rwy 27**, trees beginning 2463' from DER, 9' left of centerline, up to 62' AGL/171' MSL. Trees beginning 2780' from DER, 3' right of centerline, up to 55' AGL/154' MSL. **Rwy 36**, trees beginning 1270' from DER, 198' left of centerline, up to 81' AGL/140' MSL. Trees beginning 1076' from DER, 94' right of centerline, up to 71' AGL/140' MSL.

TAMPA, FL

PETER O. KNIGHT (TPF)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 7 12152 (FAA)

TAKEOFF MINIMUMS: **Rwys 4, 36**, NA - Environmental. **Rwy 18**, 300-1 or std. w/ min. climb of 260' per NM to 300.

NOTE: **Rwy 18**, small boats beginning 250' from DER, left and right of centerline, up to 30' MSL. **Rwy 22**, trees/buildings beginning at DER, 180' right of centerline, up to 75' AGL/82' MSL. Small boats beginning 450' from DER, 380' left of centerline, up to 30' MSL.

TAMPA EXECUTIVE (VDF)

TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 11013 (FAA)

TAKEOFF MINIMUMS: **Rwy 18**, std. w/ min. climb of 230' per NM to 900, or 900-2½ for climb in visual conditions. DEPARTURE PROCEDURE: **Rwy 5**, climb heading 046° to 500 before turning left. **Rwy 18**, for climb in visual conditions cross Tampa Executive Airport at or above 800 before proceeding on course.

NOTE: **Rwy 5**, trees beginning 1920' from DER, 45' right of centerline, up to 70' AGL/95' MSL. Trees beginning 925' from DER, 343' left of centerline, up to 64' AGL/149' MSL. **Rwy 18**, three light poles beginning 2894' from DER, 12' right of centerline, up to 149' AGL/149' MSL. Trees beginning 193' from DER, 287' left of centerline, up to 68' AGL/91' MSL. Three light poles beginning 2894' from DER, 5' right of centerline, up to 129' AGL/149' MSL. Light on hanger 287' from DER, 336' left of centerline, 24' AGL/44' MSL. **Rwy 23**, trees beginning at DER, 421' right of centerline, up to 58' AGL/73' MSL. Obstruction light on navaid 611' from DER, 258' left of centerline, 23' AGL/37' MSL. Windsock 731' from DER, 258' right of centerline, 24' AGL/38' MSL. **Rwy 36**, trees beginning 37' from DER, 329' right of centerline, up to 72' AGL/82' MSL. Lighted tower 3260' from DER, 348' right of centerline, 105' AGL/122' MSL. Trees beginning 1273' from DER, 158' left of centerline, up to 76' AGL/86' MSL. Antenna 627' from DER, 629' left of centerline, 78' AGL/88' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND DIVERSE VECTOR AREA (RADAR VECTORS)

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

17005

TAMPA, FL (CON'T)**TAMPA INTL (TPA)****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES****AMDT 10 15120 (FAA)**

TAKEOFF MINIMUMS: **Rwy 19L**, 200-1½ or std. w/min. climb of 220' per NM to 300, or alternatively, with standard takeoff minimums and a normal 200' per NM climb gradient, takeoff must occur no later than 1500' prior to DER.

DEPARTURE PROCEDURE: **Rwy 10**, climb heading 097° to 800 before turning right.

NOTE: **Rwy 1L**, light 6' from DER, 5' left of centerline, 1' AGL/22' MSL. Sign 51' from DER, 397' right of centerline, 4' AGL/23' MSL. Trees beginning 625' from DER, 661' right of centerline, up to 57' AGL/81' MSL. Trees beginning 1238' from DER, 436' left of centerline, up to 40' AGL/60' MSL. **Rwy 1R**, trees beginning 100' from DER, 499' left of centerline, up to 37' AGL/61' MSL. **Rwy 10**, sign 47' from DER, 251' right of centerline, 3' AGL/28' MSL. Trees beginning 1325' from DER left and right of centerline, up to 74' AGL/96' MSL. Trees beginning 3091' from DER, left and right of centerline, up to 91' AGL/116' MSL. **Rwy 19L**, sign 47' from DER, 274' left of centerline, 3' AGL/19' MSL. Multiple buildings 3237' from DER, 1150' left of centerline, up to 168' AGL/176' MSL. **Rwy 19R**, sign 46' from DER, 398' left of centerline, 4' AGL/12' MSL. Tree 488' from DER, 578' right of centerline, 32' AGL/37' MSL. **Rwy 28**, poles beginning 69' from DER, 437' left of centerline, up to 41' AGL/52' MSL. Signs beginning 503' from DER, 403' right of centerline, up to 29' AGL/41' MSL. Trees beginning 1008' from DER, 86' left of centerline, up to 52' AGL/61' MSL. Poles beginning 4312' from DER, 1161' left of centerline, up to 156' AGL/157' MSL.

TITUSVILLE, FL**ARTHUR DUNN AIR PARK (X21)****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES****AMDT 2 11069 (FAA)**

TAKEOFF MINIMUMS: **Rwy 15**, 400-2¼ or std. w/min. climb of 350' per NM to 700.

NOTE: **Rwy 15**, trees beginning 40' from DER, left and right of centerline, up to 77' AGL/111' MSL. Towers beginning 4975' from DER, 132' right of centerline, up to 399' AGL/419' MSL. Buildings and poles beginning 170' from DER, left and right of centerline, up to 40' AGL/71' MSL. **Rwy 33**, signs, poles, and antennas beginning 7' from DER, left and right of centerline, up to 56' AGL/85' MSL. Trees beginning 128' from DER, left and right of centerline, up to 60' AGL/89' MSL. Vehicles beginning 414' from DER, left and right of centerline, up to 15' AGL/39' MSL.

NASA SHUTTLE LANDING FACILITY (TTS)**TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES****AMDT 1 10210 (FAA)**

DEPARTURE PROCEDURE: **Rwy 15**, climb heading 155° to 700 before turning Eastbound.

NOTE: **Rwy 15**, trees beginning 2177' from DER, across centerline, up to 100' AGL/104' MSL. **Rwy 33**, trees beginning 445' from DER, 482' right of centerline, up to 100' AGL/106' MSL. Trees beginning 1275' from DER, 80' left of centerline, up to 100' AGL/106' MSL.

TITUSVILLE, FL (CON'T)**SPACE COAST RGNL (TIX)****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES****ORIG (FAA) 99028**

NOTE: **Rwy 36**, 60' AGL trees 254' from DER, 526' right of centerline.

TYNDALL AFB (KPAM)**PANAMA CITY, FL****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES****ORIG, 15232**

TAKE-OFF OBSTACLES: **Rwy 14L**, vehicle 124' from DER, 533' right of centerline, 10' AGL/25' MSL. Terrain 0' from DER, 500' right of centerline, 15' MSL. **Rwy 32L**, building 188' from DER, 519' left of centerline, 11' AGL/26' MSL. **Rwy 32R**, vehicle 15' inward of DER, 472' right of centerline, 10' AGL/25' MSL.

UMATILLA, FL**UMATILLA MUNI (X23)****TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES****ORIG 13346 (FAA)**

NOTE: **Rwy 1**, trees beginning abeam DER, 319' right of centerline, up to 57' AGL/191' MSL. Trees beginning abeam DER, 240' left of centerline, up to 57' AGL/176' MSL. Fence beginning abeam DER, 233' left of centerline, up to 6' AGL/120' MSL. Fence beginning abeam DER, 196' right of centerline, up to 6' AGL/120' MSL. Terrain 275' from DER, 495' right of centerline, up to 131' MSL. **Rwy 19**, buildings beginning abeam DER, 258' right of centerline, up to 25' AGL/129' MSL. Vehicles on roadway, beginning abeam DER, 172' left of centerline, up to 15' AGL/14' MSL. Fence beginning abeam DER, 177' left of centerline, up to 6' AGL/105' MSL. Trees beginning abeam DER, 361' left of centerline, up to 57' AGL/156' MSL. Terrain 7' from DER, 417' right of centerline, 108' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

17005

VENICE, FL**VENICE MUNI (VNC)**

**TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 3 13262 (FAA)**

TAKEOFF MINIMUMS: **Rwy 23**, 300-1½ or std. w/min. climb of 248' per NM to 300. **Rwy 31**, 300-1½ or std. w/min. climb of 237' per NM to 300.

DEPARTURE PROCEDURE: **Rwy 5**, climb heading 050° to 800 before turning right. **Rwy 31**, climb heading 305° to 1500 before proceeding on course.

NOTE: **Rwy 5**, bush 5' from DER, 307' right of centerline, 12' AGL/27' MSL. Sign 50' from DER, 162' left of centerline, 2' AGL/19' MSL. Trees beginning 293' from DER, 172' left of centerline, up to 52' AGL/67' MSL. Poles and buildings beginning 1049' from DER, left and right of centerline, up to 65' AGL/67' MSL. Trees beginning 459' from DER, 356' right of centerline, up to 49' AGL/59' MSL. **Rwy 23**, trees beginning 8' from DER, 199' left of centerline, up to 42' AGL/47' MSL. Trees beginning 22' from DER, 196' right of centerline, up to 33' AGL/38' MSL. Pole 450' from DER, 594' left of centerline, 28' AGL/32' MSL. Ships beginning 6052' from DER, left and right of centerline, up to 200' AGL/200' MSL. **Rwy 13**, trees beginning 2' from DER, 225' left of centerline, up to 70' AGL/80' MSL. Trees beginning 4' from DER, 279' right of centerline, up to 75' AGL/85' MSL. Pole 747' from DER, 651' left of centerline, 33' AGL/51' MSL. **Rwy 31**, trees beginning abeam DER, 253' left of centerline, up to 67' AGL/77' MSL. Trees beginning 384' from DER, 627' left of centerline, up to 59' AGL/69' MSL. Trees beginning 608' from DER, 257' right of centerline, up to 73' AGL/83' MSL. Poles beginning 693' from DER, 262' left of centerline, up to 31' AGL/43' MSL. Poles beginning 804' from DER, 475' right of centerline, up to 30' AGL/44' MSL. Antennas/tower beginning 1015' from DER, 498' left of centerline, up to 52' AGL/63' MSL. Ships beginning 6035' from DER, left and right of centerline, up to 200' AGL/200' MSL.

VERO BEACH, FL**VERO BEACH MUNI (VRB)**

**TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG-A 14093 (FAA)**

NOTE: **Rwy 4**, multiple trees beginning 813' from DER, 178' left of centerline, up to 100' AGL/120' MSL. Multiple trees beginning 3003' from DER, 93' right of centerline, up to 83' AGL/100' MSL. **Rwy 12L**, multiple trees beginning 171' from DER, 455' right of centerline, up to 57' AGL/74' MSL. Multiple trees and lights beginning 547' from DER, 259' left of centerline, up to 39' AGL/56' MSL. Storage tank 1813' from DER, 763' right of centerline, 45' AGL/74' MSL. **Rwy 12R**, pole 709' from DER, 522' left of centerline, 28' AGL/45' MSL. Spire 1622' from DER, 574' right of centerline, 44' AGL/61' MSL. **Rwy 22**, vehicles on road abeam DER, 421' left of centerline, up to 15' AGL/39' MSL. Vehicles on road 408' from DER, left and right of centerline, up to 15' AGL/39' MSL. Multiple trees beginning 1404' from DER, 272' left of centerline, up to 64' AGL/84' MSL. Multiple trees beginning 1989' from DER, 126' right of centerline, up to 68' AGL/88' MSL. **Rwy 30L**, multiple trees beginning 1206' from DER, 46' right of centerline, up to 100' AGL/120' MSL. Multiple trees beginning 1575' from DER, 135' left of centerline, up to 61' AGL/81' MSL. **Rwy 30R**, multiple antennas and trees beginning 1656' from DER, 111' right of centerline, up to 70' AGL/90' MSL. Multiple trees beginning 1782' from DER, 247' left of centerline, up to 65' AGL/85' MSL.

WAUCHULA, FL**WAUCHULA MUNI (CHN)**

**TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 07018**

NOTE: **Rwy 18**, trees 450' from DER, 130' left of centerline, 22' AGL/126' MSL. **Rwy 36**, tree 183' from DER, 350' left of centerline, 49' AGL/145' MSL. Power line 582' from DER, on centerline, 51' AGL/140' MSL. Tree, 323' from DER, 490' left of centerline, 100' AGL/200' MSL. Tree 39' from DER, 486' right of centerline, 100' AGL/185' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

17005

**WEST PALM BEACH, FL
NORTH PALM BEACH COUNTY
GENERAL AVIATION (F45)**

**TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
ORIG 09015 (FAA)**

TAKEOFF MINIMUMS: Rwy 8L, 26R, NA-turf runway.
NOTE: Rwy 8R, trees beginning 582' from DER, 47' right of centerline, up to 100' AGL/124' MSL. Trees beginning 950' from DER, 56' left of centerline, up to 100' AGL/124' MSL. **Rwy 13**, trees beginning at DER, 14' right of centerline, up to 100' AGL/124' MSL. Trees beginning 144' from DER, 29' left of centerline, up to 100' AGL/124' MSL. **Rwy 26L**, trees 43' from DER, 418' left of centerline, up to 8' AGL/23' MSL. **Rwy 31**, trees beginning 87' from DER, 26' right of centerline, up to 68' AGL/83' MSL. Craft 114' from DER, 425' left of centerline, up to 20' AGL/44' MSL. Trees beginning 458' from DER, 91' left of centerline, up to 100' AGL/124' MSL.

**PALM BEACH COUNTY PARK (LNA)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES**

TAKEOFF MINIMUMS: Rwy 3, 300-1 or std. with a min. climb of 330' per NM to 400. **Rwy 33**, 300-1 or std. with a min. climb of 460' per NM to 500.
DEPARTURE PROCEDURE: Rwys 21, 33, climb runway heading to 1000 before turning west. **Rwy 27**, climbing left turn to 1000 via heading 180° before proceeding on course.
NOTE: Rwy 3, crane 1.25 NM from DER, 1660' right of centerline, 260' AGL/285' MSL. **Rwy 33**, crane 4700' from DER, on centerline, 220' AGL/234' MSL.

**PALM BEACH INTL (PBI)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 3 09351 (FAA)**

DEPARTURE PROCEDURE: Rwy 28L, climb heading 279° to 1200 before turning left. **Rwy 28R**, climb heading 279° to 1200 before turning left.
NOTE: Rwy 10R, antenna on hanger 177' from DER, 450' right of centerline, 38' AGL/57' MSL. **Rwy 10L**, light pole 1461' from DER, 843' right of centerline, 45' AGL/64' MSL. **Rwy 14**, transmission line tower, traffic signal, poles, and trees beginning 649' from DER, 24' left of centerline, up to 71' AGL/90' MSL. Vehicles on road, light poles, and trees beginning 168' from DER, 76' right of centerline, up to 87' AGL/106' MSL. **Rwy 28R**, light pole and trees beginning 1205' from DER, 323' left of centerline, up to 63' AGL/82' MSL. Sign, light pole, and trees beginning 1233' from DER, 155' right of centerline, up to 44' AGL/63' MSL. **Rwy 32**, trees beginning 1993' from DER, 444' left of centerline, up to 69' AGL/88' MSL. Trees beginning 1108' from DER, 548' right of centerline, up to 70' AGL/89' MSL.

WHITING FLD NAS-SOUTH (KNDZ)

**MILTON, FL
TAKEOFF MINIMUMS AND (OBSTACLE) DEPARTURE
PROCEDURES
12264**

TAKEOFF OBSTACLES: Rwy 5, trees 809' from DER, 646' left of centerline, 82' AGL/233' MSL. **Rwy 32**, trees 540' from DER, 435' right of centerline, 64' AGL/262' MSL.

**WILLISTON, FL
WILLISTON MUNI (X60)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 2 07074 (FAA)**

TAKEOFF MINIMUMS: Rwy 5, 400-2½ or std. w/ min. climb of 257' per NM to 600.
DEPARTURE PROCEDURE: Rwy 5, climb heading 049° to 500 before proceeding on course. **Rwy 14**, climb heading 142° to 600 before proceeding on course. **Rwy 23**, climb on a heading between 253° clockwise 048° from DER, or minimum climb of 248' per NM to 1900 for all other courses.
NOTE: Rwy 5, brush and multiple trees beginning 38' from DER, 54' left of centerline, up to 100' AGL/179' MSL. Tower 2 NM from DER, 2343' left of centerline, 324' AGL/399' MSL. Brush and multiple trees beginning 49' from DER, 234' right of centerline, up to 100' AGL/179' MSL. **Rwy 14**, multiple trees 799' from DER, on centerline, up to 30' AGL/99' MSL. Multiple trees beginning 1143' from DER, 381' left of centerline, up to 100' AGL/174' MSL. Road and multiple trees beginning 13' from DER, 208' right of centerline, up to 100' AGL/179' MSL. **Rwy 23**, multiple trees beginning 445' from DER, 8' left of centerline, up to 100' AGL/184' MSL. Multiple trees beginning 430' from DER, 403' right of centerline, up to 100' AGL/189' MSL. **Rwy 32**, multiple trees 799' from DER, on centerline, up to 50' AGL/124' MSL. Multiple trees beginning 719' from DER, 288' left of centerline, up to 100' AGL/194' MSL. Multiple trees beginning 497' from DER, 442' right of centerline, up to 100' AGL/194' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**

17005

WINTER HAVEN, FL

WINTER HAVEN'S GILBERT (GIF)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 1 10210 (FAA)

TAKEOFF MINIMUMS: **Rwy 23**, 300-1¼ or std. w/
min. climb of 325' per NM to 500. **Rwy 29**, std. w/
min. climb of 250' per NM to 700, or 900-2½ for climb
in visual conditions.

DEPARTURE PROCEDURE: **Rwy 29**, for climb in
visual conditions, cross Winter Haven's Gilbert Field at
or above 900 before proceeding on course.

NOTE: **Rwy 5**, trees beginning 55' from DER, 340' left
of centerline, up to 62' AGL/196' MSL. Trees 207' from
DER, 465' right of centerline, up to 40' AGL/155' MSL.
Vehicles on roadway, 227' from DER, 346' left of
centerline, up to 17' AGL/151' MSL. Trees beginning
1712' from DER, 75' left of centerline, up to 81'
AGL/200' MSL. **Rwy 11**, trees beginning 72' from
DER, 330' left of centerline, up to 67' AGL/187' MSL.
Vehicles on roadway 214' from DER, 277' right of
centerline, up to 17' AGL/155' MSL. Trees beginning
445' from DER, 363' right of centerline, up to 82'
AGL/203' MSL. **Rwy 23**, trees beginning 176' from
DER, 345' left of centerline, up to 99' AGL/221' MSL.
Tank 1.0 NM from DER, 972' left of centerline, 176'
AGL/328' MSL. **Rwy 29**, trees beginning 75' from
DER, 283' left of centerline, up to 59' AGL/187' MSL.
Trees beginning 182' from DER, 284' right of
centerline, up to 59' AGL/184' MSL. Tower 2.0 NM
from DER, 2511' left of centerline, 310' AGL/457' MSL.

ZEPHYRHILLS, FL

ZEPHYRHILLS MUNI (ZPH)
TAKEOFF MINIMUMS AND (OBSTACLE)
DEPARTURE PROCEDURES
AMDT 2 14261 (FAA)

NOTE: **Rwy 1**, trees beginning 836' from DER, 160'
right of centerline, up to 77' AGL/157' MSL. Trees
beginning 374' from DER, 586' left of centerline, up to
55' AGL/136' MSL. Trees beginning 1332' from DER,
7' left of centerline, up to 87' AGL/167' MSL. **Rwy 5**,
trees beginning 1087' from DER, 101' left of centerline,
up to 65' AGL/141' MSL. Trees beginning 455' from
DER, 432' right of centerline, up to 53' AGL/125' MSL.
Trees beginning 1030' from DER, 19' right of
centerline, up to 77' AGL/151' MSL. **Rwy 19**, fence
77' from DER, 464' left of centerline, 6' AGL/90' MSL.
Trees beginning 196' from DER, 339' left of centerline,
up to 74' AGL/158' MSL. Trees beginning 1345' from
DER, 188' left of centerline, up to 89' AGL/168' MSL.
Tree 35' from DER, 423' right of centerline, 44'
AGL/129' MSL. Trees beginning 266' from DER, 127'
right of centerline, up to 72' AGL/151' MSL. **Rwy 23**,
trees and poles beginning 1069' from DER, 75' left of
centerline, up to 52' AGL/142' MSL. Trees beginning
478' from DER, 23' right of centerline, up to 78'
AGL/168' MSL.

27 APR 2017 to 25 MAY 2017

27 APR 2017 to 25 MAY 2017

17005

**TAKEOFF MINIMUMS, (OBSTACLE) DEPARTURE PROCEDURES, AND
DIVERSE VECTOR AREA (RADAR VECTORS)**