




LOC/DME I-CRE 111.7 Chan 54	APP CRS 234°	Rwy Idg TDZE Apt Elev	5997 29 31
---	------------------------	-----------------------------	---------------------------------------

ILS or LOC RWY 23

GRAND STRAND (CRE)

<p>When local altimeter setting not received use Myrtle Beach Intl altimeter setting and increase all DA 31 feet and all MDA 40 feet. For inoperative MALSR, increase S-LOC 23 Cat C and D visibility to 1. VDP NA with Myrtle Beach Intl altimeter setting. DME required.</p>	<p>MALSR</p>	<p>MISSED APPROACH: Climb to 1000 then climbing left turn to 2000 direct CRE VORTAC and hold, continue climb-in-hold to 2000.</p>

ATIS 119.625	MYRTLE BEACH APP CON ★ 119.2 350.3	STRAND TOWER ★ 124.6 (CTAF) 257.6	GND CON 121.8 257.6	UNICOM 122.95
------------------------	--	---	-------------------------------	-------------------------



CATEGORY	A	B	C	D
S-ILS 23	229-½		200 (200-½)	
S-LOC 23	380-½	351 (400-½)	380-⅝	351 (400-⅝)
CIRCLING	520-1	489 (500-1)	520-1½ 489 (500-1½)	720-2¼ 689 (700-2¼)

HIRL Rwy 5-23
REIL Rwy 5

SE-2, 25 FEB 2021 to 25 MAR 2021

SE-2, 25 FEB 2021 to 25 MAR 2021