

(BULL3.NTELL) 18200

# BULLDOG THREE DEPARTURE

AL-162 (FAA)

FRESNO YOSEMITE INTL (FAT)  
FRESNO, CALIFORNIA


ATIS  
121.35 273.6  
CLNC DEL  
124.35 348.6  
GND CON  
121.7 348.6  
FRESNO TOWER  
118.2 251.1  
FRESNO DEP CON  
132.35 323.25

**TOP ALTITUDE:  
ASSIGNED BY ATC**

### TAKEOFF MINIMUMS

Rwys 11L/R, 29L/R: Standard.

NOTE: RADAR required.



FRAME  $\triangle$   
N36°36.78'  
W119°40.43'  
L-3-9

TULE  $\equiv$   
109.2 TTE  $\equiv$   
Chan 29  
N35°54.78'-W119°01.25'  
L-3-7, H-4

AVENAL  $\equiv$   
117.1 AVE  $\equiv$   
Chan 118  
N35°38.82'-W119°58.72'  
L-3-7, H-4

SHAFTER  $\equiv$   
115.4 EHF  $\equiv$   
Chan 101  
N35°29.07'-W119°05.84'  
L-3-7, H-4

NOTE: Chart not to scale.

SW-2, 28 JAN 2021 to 25 FEB 2021

SW-2, 28 JAN 2021 to 25 FEB 2021



### DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAYS 11L/R: Climb heading 112° thence. . . .

TAKEOFF RUNWAYS 29L/R: Climb heading 292° thence. . . .

. . . maintain ATC assigned altitude; expect clearance to filed altitude five minutes after departure.

# BULLDOG THREE DEPARTURE

(BULL3.NTELL) 19JUL18

FRESNO, CALIFORNIA  
FRESNO YOSEMITE INTL (FAT)

(OAL4.OAL) 17341

# COALDALE FOUR DEPARTURE

AL-162 (FAA)

FRESNO YOSEMITE INTL (FAT)  
FRESNO, CALIFORNIA

ATIS  
121.35 273.6  
CLNC DEL  
124.35 348.6  
GND CON  
121.7 348.6  
FRESNO TOWER  
118.2 251.1  
FRESNO DEP CON  
119.6 351.95


MINA  
115.1 MVA  
Chan 98

**TOP ALTITUDE:  
ASSIGNED BY ATC**

COALDALE  
117.7 OAL  
Chan 124  
N38°00.20'-W117°46.23'  
L-9, H-3

NIKOL  
N37°58.05'  
W118°40.95'

FRIANT  
115.6 FRA  
Chan 103  
N37°06.27'-W119°35.73'



**TAKEOFF MINIMUMS**  
Rwys 11L/R, 29L/R: Standard with minimum climb of 260' per NM to 10700.

NOTE: Chart not to scale.



### DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAYS 11L/R: Climb on heading 112° to 2000', then climbing left turn to intercept FRA R-160 to FRA VORTAC, thence. . . .  
TAKEOFF RUNWAYS 29L/R: Climb on heading 292° to 2000', then climbing right turn to intercept FRA R-205 to FRA VORTAC, thence. . . .

. . . .continue climb to 14300 on FRA VORTAC R-023 and MVA VORTAC R-204 to NIKOL INT and on OAL VORTAC R-250 to OAL VORTAC. Maintain ATC assigned altitude.

COALDALE FOUR DEPARTURE  
(OAL4.OAL) 07DEC17


FRESNO, CALIFORNIA  
FRESNO YOSEMITE INTL (FAT)


SW-2, 28 JAN 2021 to 25 FEB 2021


SW-2, 28 JAN 2021 to 25 FEB 2021


ATIS  
121.35 273.6  
CLNC DEL  
124.35 348.6  
GND CON  
121.7 348.6  
FRESNO TOWER  
118.2 251.1  
FRESNO DEP CON  
119.6 351.95


**TOP ALTITUDE:  
ASSIGNED BY ATC**


MUSTANG  
117.9 FMG   
Chan 126  
N39°31.88'-W119°39.36'  
L-9, H-3





MINA  
115.1 MVA   
Chan 98  
N38°33.92'-W118°01.97'  
L-9, H-3






COALDALE  
117.7 OAL   
Chan 124  
N38°00.20'-W117°46.23'  
L-9, H-3



FRIANT  
115.6 FRA   
Chan 103  
N37°06.27'-W119°35.73'  
L-3-9, H-3



PANOCHÉ  
112.6 PXN   
Chan 73  
N36°42.93'-W120°46.72'  
L-3, H-3

**TAKEOFF MINIMUMS**  
Rwys 11L/R, 29L/R: Standard.

NOTE: RADAR required.

NOTE: Chart not to scale.



DEPARTURE ROUTE DESCRIPTION

TAKEOFF RUNWAYS 11L/R: Climb heading 112°, thence. . . .

TAKEOFF RUNWAYS 29L/R: Climb heading 292°, thence. . . .

. . . . maintain ATC assigned altitude; expect clearance to filed altitude five minutes after departure.

LOST COMMUNICATIONS: If not in contact with Fresno Departure Control within two minutes of takeoff, aircraft enroute to FRA, MVA, FMG and OAL proceed direct FRA VORTAC, cross FRA VORTAC at or above 9000, thence via assigned route to filed altitude.