

WAAS CH <b>53329</b> <b>W12A</b>	APP CRS <b>119°</b>	Rwy Idg TDZE <b>1516</b> Apt Elev <b>1516</b>	<b>4499</b>
----------------------------------------	------------------------	-----------------------------------------------------	-------------


# RNAV (GPS) RWY 12

CLEARFIELD-LAWRENCE (FIG)

**⚠** DME/DME RNP-0.3 NA. Helicopter visibility reduction below 3/4 SM NA.  
**⚠** VDP NA with Dubois Rgnl altimeter setting. When local altimeter setting not received, use Dubois Rgnl altimeter setting and increase all MDA 100 feet, increase LP Cat B visibility 1/4 mile and Cat C visibility 1/8 mile, increase LNAV Cat C visibility 1/2 mile and increase Circling Cats A/C visibility 1/4 mile.

MISSED APPROACH:  
Climb to 4000 direct EBUME and hold.



ASOS <b>119.275</b>	NEW YORK CENTER <b>134.8 338.3</b>	UNICOM <b>122.725 (CTAF) 1</b>
------------------------	---------------------------------------	-----------------------------------



NE-4, 25 FEB 2021 to 25 MAR 2021

NE-4, 25 FEB 2021 to 25 MAR 2021

## RADAR REQUIRED



CATEGORY	A	B	C	D
LP MDA	2160-1	644 (700-1)	2160-1 7/8 644 (700-1 7/8)	NA
LNAV MDA	2260-1 744 (800-1)	2260-1 1/4 744 (800-1 1/4)	2260-2 744 (800-2)	NA
CIRCLING	2260-1 744 (800-1)	2260-1 1/4 744 (800-1 1/4)	2260-2 1/4 744 (800-2 1/4)	NA


WAAS CH <b>58227</b> <b>W30A</b>	APP CRS <b>299°</b>	Rwy Idg TDZE <b>1516</b> Apt Elev <b>1516</b>	<b>4499</b>
----------------------------------------	------------------------	-----------------------------------------------------	-------------

# RNAV (GPS) RWY 30

CLEARFIELD-LAWRENCE (FIG)

RNP APCH.	MISSED APPROACH: Climb to 2200 then climbing left turn to 4000 direct EBUME and hold.
▼ ▲ For uncompensated Baro-VNAV systems, LNAV/VNAV NA below 8°C or above 54°C.	



ASOS <b>119.275</b>	NEW YORK CENTER <b>134.8 338.3</b>	UNICOM <b>122.725 (CTAF) 0</b>
------------------------	---------------------------------------	-----------------------------------



NE-4, 25 FEB 2021 to 25 MAR 2021

NE-4, 25 FEB 2021 to 25 MAR 2021

ELEV 1516	TDZE 1516
-----------	-----------




CATEGORY	A	B	C	D
LPV DA	2008-1½ 492 (500-1½)			
LNAV/VNAV DA	2029-1½ 513 (600-1½)			
LNAV MDA	2120-1¼	604 (700-1¼)	2120-1¼	604 (700-1¼)
CIRCLING	2180-1¼	664 (700-1¼)	2180-1¼	2340-2¾ 824 (900-2¾)

VORTAC PSB <b>115.5</b> Chan <b>102</b>	APP CRS <b>303°</b>	Rwy Idg TDZE Apt Elev	<b>4499</b> <b>1516</b> <b>1516</b>
-----------------------------------------------	------------------------	-----------------------------	-------------------------------------------

**VOR RWY 30**  
CLEARFIELD-LAWRENCE (FIG)



<p>▼ ▲ NA</p>	<p>MISSED APPROACH: Climbing left turn to 4000 via PSB R-303 to FAYRO Int and hold.</p>	
<p>ASOS <b>119.275</b></p>	<p>NEW YORK CENTER <b>134.8 338.3</b></p>	<p>UNICOM <b>122.725 (CTAF) 0</b></p>



NE-4, 25 FEB 2021 to 25 MAR 2021

NE-4, 25 FEB 2021 to 25 MAR 2021

ELEV 1516	TDZE 1516
-----------	-----------



CATEGORY	A	B	C	D
S-30	2300-1 784 (800-1)	2300-1¼ 784 (800-1¼)	2300-2¼ 784 (800-2¼)	2300-2½ 784 (800-2½)
CIRCLING	2300-1 784 (800-1)	2300-1¼ 784 (800-1¼)	2300-2¼ 784 (800-2¼)	2300-2½ 784 (800-2½)
DME MINIMUMS				
S-30	2220-1 704 (800-1)	2220-1¼ 704 (800-1¼)	2220-2 704 (800-2)	2220-2¼ 704 (800-2¼)
CIRCLING	2220-1 704 (800-1)	2220-1¼ 704 (800-1¼)	2220-2 704 (800-2)	2280-2¾ 764 (800-2¾)